

*Samples were not collected for dissolved metals during Event 09, Event 10, Event 12, and Event 15.

Figure 4-4.1 TS25 Upper Las Virgenes Creek Wet Weather Ratio Plots



*Samples were not collected for chloride, sulfate, or total dissolved solids during Event 09, Event 10, Event 12, and Event 15.

Figure 4-4.1 TS25 Upper Las Virgenes Creek Wet Weather Ratio Plots



*Samples were not collected for fecal coliforms during Event 10, Event 12, and Event 15.

Figure 4-4.1 TS25 Upper Las Virgenes Creek Wet Weather Ratio Plots



^Dissolved oxygen is an exceedance if ratio to WQO is below 1.

× pH was within WQO range.

*Samples were not collected for ammonia, dissolved oxygen, or pH during Event 10, Event 12, and Event 15. Samples were not collected for ammonia and pH for Event 09.

† Dissolved oxygen and pH field measurements used for 2013-14Event13.

Figure 4-4.1 TS25 Upper Las Virgenes Creek Wet Weather Ratio Plots



*Samples were not collected for dissolved metals during Event 09, Event 10, Event 12, and Event 15.

Figure 4-4.2 TS26 Cheseboro Canyon Wet Weather Ratio Plots



*Samples were not collected for chloride, sulfate, or total dissolved solids during Event 09, Event 10, Event 12, and Event 15.

Figure 4-4.2 TS26 Cheseboro Canyon Wet Weather Ratio Plots



*Samples were not collected for fecal coliforms during Event 10, Event 12, and Event 15.

Figure 4-4.2 TS26 Cheseboro Canyon Wet Weather Ratio Plots



^Dissolved oxygen is an exceedance if ratio to WQO is below 1.

× pH was within WQO range.

*Samples were not collected for ammonia, dissolved oxygen, or pH during Event 10, Event 12, and Event 15. Samples were not collected for ammonia and pH for Event 09.

† Dissolved oxygen and pH field measurements used for 2013-14Event13.

Figure 4-4.2 TS26 Cheseboro Canyon Wet Weather Ratio Plots



*Samples were not collected for dissolved metals during Event 09, Event 10, Event 12, and Event 15.

Figure 4-4.3 TS27 Lower Lindero Creek Wet Weather Ratio Plots



*Samples were not collected for chloride, sulfate, or total dissolved solids during Event 09, Event 10, Event 12, and Event 15.

Figure 4-4.3 TS27 Lower Lindero Creek Wet Weather Ratio Plots



*Samples were not collected for fecal coliforms during Event 10, Event 12, and Event 15.

Figure 4-4.3 TS27 Lower Lindero Creek Wet Weather Ratio Plots



^Dissolved oxygen is an exceedance if ratio to WQO is below 1.

× pH was within WQO range.

*Samples were not collected for ammonia, dissolved oxygen, or pH during Event 10, Event 12, and Event 15. Samples were not collected for ammonia and pH for Event 09.

† Dissolved oxygen and pH field measurements used for 2013-14Event13.

Figure 4-4.3 TS27 Lower Lindero Creek Wet Weather Ratio Plots



*Samples were not collected for dissolved metals during Event 10, Event 12, and Event 15.

Figure 4-4.4 TS28 Medea Creek Wet Weather Ratio Plots



*Samples were not collected for chloride, sulfate, or total dissolved solids during Event 10, Event 12, and Event 15.

Figure 4-4.4 TS28 Medea Creek Wet Weather Ratio Plots



*Samples were not collected for fecal coliforms during Event 10, Event 12, and Event 15.

Figure 4-4.4 TS28 Medea Creek Wet Weather Ratio Plots



^Dissolved oxygen is an exceedance if ratio to WQO is below 1.

× pH was within WQO range.

*Samples were not collected for ammonia, dissolved oxygen, or pH during Event 10, Event 12, and Event 15.

† Dissolved oxygen and pH field measurements used for 2013-14Event13.

Figure 4-4.4 TS28 Medea Creek Wet Weather Ratio Plots



*Samples were not collected for dissolved metals during Event 10, Event 12, and Event 15.

Figure 4-4.5 TS29 Liberty Canyon Channel Wet Weather Ratio Plots



*Samples were not collected for chloride, sulfate, or total dissolved solids during Event 10, Event 12, and Event 15.

Figure 4-4.5 TS29 Liberty Canyon Channel Wet Weather Ratio Plots



*Samples were not collected for fecal coliforms during Event 10, Event 12, and Event 15.

Figure 4-4.5 TS29 Liberty Canyon Channel Wet Weather Ratio Plots



^Dissolved oxygen is an exceedance if ratio to WQO is below 1.

× pH was within WQO range.

*Samples were not collected for ammonia, dissolved oxygen, or pH during Event 10, Event 12, and Event 15.

† Dissolved oxygen and pH field measurements used for 2013-14Event13.

Figure 4-4.5 TS29 Liberty Canyon Channel Wet Weather Ratio Plots



*Samples were not collected for dissolved metals during Event 09, Event 10, Event 12, and Event 15.

Figure 4-4.6 TS30 PD 728 at Foxfield Dr. Wet Weather Ratio Plots



*Samples were not collected for chloride, sulfate, or total dissolved solids during Event 09, Event 10, Event 12, and Event 15.

Figure 4-4.6 TS30 PD 728 at Foxfield Dr. Wet Weather Ratio Plots



*Samples were not collected for fecal coliforms during Event 10, Event 12, and Event 15.

Figure 4-4.6 TS30 PD 728 at Foxfield Dr. Wet Weather Ratio Plots



^Dissolved oxygen is an exceedance if ratio to WQO is below 1.

× pH was within WQO range.

*Samples were not collected for ammonia, dissolved oxygen, or pH during Event 10, Event 12, and Event 15. Samples were not collected for ammonia and pH for Event 09.

† Dissolved oxygen and pH field measurements used for 2013-14Event13.

Figure 4-4.6 TS30 PD 728 at Foxfield Dr. Wet Weather Ratio Plots