

Los Angeles County Department of Public Works

HYDROLOGIC REPORT

1999 – 2000



Water Resources Division

Table of Contents

Table of Contents	(i)
A p p e n d i c e s	(ii)
ACKNOWLEDGMENTS	4
INTRODUCTION	5
LOS ANGELES COUNTY	6
FLOOD CONTROL AND WATER CONSERVATION	8
PRECIPITATION	9
RAINFALL INDICES	10
ACTIVE RAIN GAGE STATIONS DURING WATER YEAR 1999-2000	11
DAILY RAINFALL SUMMARY	18
LOCATION MAP	19
EVAPORATION	20
ACTIVE STATIONS	21
MONTHLY SUMMARY	22
LOCATION MAP	23
RUNOFF	24
INDEX OF STREAM FLOW MEASURING STATIONS	25
STREAM GAGING STATION INFORMATION	26
DAILY DISCHARGE	26
STREAM GAGING STATION PEAK FLOW	26
LOCATION MAP	27
RESERVOIRS	28
YEARLY RESERVOIR OPERATION SUMMARY	29
FACILITIES	30
LOCATION MAP	31
EROSION CONTROL	32
LOCATION MAP	33
DEBRIS BASIN - DESIGN DATA:	34
WATER CONSERVATION	39
CONSERVING THE WATERS	39
IMPORTED WATER	39
RECYCLED WATER	40
SEAWATER BARRIER PROJECTS	40
SEASONAL DATA AND MAPS	41
GROUNDWATER BASINS AND GROUNDWATER RECHARGE	41
S U M M A R Y	45
<i>SPREADING FACILITIES OWNED AND OPERATED BY THE DEPARTMENT</i>	45
<i>NON DPW FACILITIES</i>	45
<i>TOTAL MONTHLY WATER CONSERVED</i>	45
<i>IMPORTED WATER OUTLET RELEASES</i>	45
<i>RECLAIMED WATER</i>	45
<i>GROUND WATER FLUCTUATION</i>	46
<i>KEYWELL LOCATION MAP</i>	47

Appendices

DAILY RAINFALL SUMMARY	A
STREAM GAGING STATION INFORMATION	B
DAILY DISCHARGE	C
STREAM GAGING STATION PEAK FLOW	D
YEARLY RESERVOIR OPERATION SUMMARY	E
EROSION CONTROL - LOCATION MAP	F
SUMMARY OF WATER CONSERVATION	
SPREADING FACILITIES OWNED AND OPERATED BY DEPARTMENT	G
NON DPW FACILITIES	H
TOTAL MONTHLY WATER CONSERVED	I
IMPORTED WATER OUTLET RELEASES	J
RECLAIMED WATER	K
GROUND WATER FLUCTUATION	L
<i>COASTAL PLAIN, CITY OF LONG BEACH</i>	<i>L - 1</i>
<i>COASTAL PLAIN</i>	<i>L - 2</i>
<i>COASTAL PLAIN, CITY OF LONG BEACH</i>	<i>L - 3</i>
<i>CENTRAL BASIN</i>	<i>L - 4</i>
<i>MAIN SAN GABRIEL BASIN</i>	<i>L - 5</i>
<i>MAIN SAN GABRIEL BASIN, BALDWIN PARK</i>	<i>L - 6</i>
<i>POMONA BASIN</i>	<i>L - 7</i>
<i>SAN FERNANDO VALLEY, CANOGA PARK</i>	<i>L - 8</i>
<i>SAN FERNANDO VALLEY, BURBANK</i>	<i>L - 9</i>
<i>RAYMOND BASIN</i>	<i>L - 10</i>
<i>SAN GABRIEL CANYON BASIN, NORTH OF AZUSA</i>	<i>L - 11</i>
<i>UPPER CLAREMONT HEIGHTS</i>	<i>L - 12</i>
<i>SAN CLARITA VALLEY, NEAR CASTAIC JUNCTION</i>	<i>L - 13</i>
<i>LITTLE ROCK, SOUTH OF PALMDALE</i>	<i>L - 14</i>
<i>ANTELOPE VALLEY, SOUTH OF LANCASTER</i>	<i>L - 15</i>

Acknowledgments

This report was prepared by the Water Resources Division under the direction of Reza Izadi, Assistant Deputy Director. The following people contributed the data gathered for this report.

Data Collection and Processing:

OPERATIONS STAFF:

Oliver Galang

Ken Zimmer

Edward Gerlits

Irene Wong, Leopoldo Herrera

Hans Riedel: *Supervising*

Armando Rodriguez, Marshall Bonaparte, Richard

Clinton, Don Wilson

Soo Koo: *Supervising*

Kevin Smith, Alex Rivera

HYDROLOGIC SYSTEMS SUPPORT STAFF:

Nellie Gonda, Rodney Brown, Joe Doughly, Marine

Gaplandzhyan, Eka Abdi, Leonard Davidian, Arthur

Gotingco

INSTRUMENTATION SUPPORT STAFF:

Araik Zargaryan: *Supervising*

Willis Feagin

Leonard Khoo

Thompson Nguyen

Glen "Butch" Gayer

Coordination:

Adam Walden

Mooler Ang

Fred Lai

Graphic Design, Layout, Art Production:

Mooler Ang - Design Layout

Fred Lai - Webmaster

Rodney Brown - Map Specialist

DISCLAIMER

The information contained on this report was valid at the time of publication. The Department of Public Works reserves the right to make changes at any time and without notice, and assumes no liability for any damages incurred directly or indirectly as a result of changes errors, omissions or discrepancies.

Introduction

This report discusses hydrologic data relative to Los Angeles County for the period beginning October 1, 1999 and ending September 30, 2000. The Department has revised the format of this report to provide users with more useful data and a more efficient means of utilizing that data. The report consists of six sections.

PRECIPITATION

Lists 273 active rainfall stations for which unpublished rainfall data are on file at the Department.

EVAPORATION

Lists 13 evaporation station locations and data for this reporting period. Unpublished evaporation data from previous years are in file at the Department.

RUNOFF

Lists 65 active streamflow stations. The mean of the daily flow rates during the reporting period, the reporting period's peak flowrate and historical peak flow rate for each of these stations are contained in this section. Unpublished stream flow data are on file at the Department.

RESERVOIRS

Lists 15 dams and reservoirs for which inflow, outflow and storage data are on file at the Department.

EROSION CONTROL

115 debris basins. Data on the debris production amounts for the reporting period are contained in this section. Unpublished debris production and inflow data are on file at the Department.

WATER CONSERVATION

Lists 32 groundwater recharge locations. Data on the water conserved at various facilities and water injected at seawater barrier projects during the reporting period, and historical well level data for key wells are contained in this section. Unpublished water conservation data from previous years are on file at the Department.

Unpublished information may be obtained by contacting:

**Los Angeles County Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460**

...or telephone: (626) 458-6120

Los Angeles County

TOPOGRAPHY:

The County of Los Angeles covers an area of 4,083 square miles and measures approximately 66 miles in the east - west and 73 miles in the north - south directions.

The terrain within the County can be classified in broad terms as being 25 percent mountainous; 14 percent coastal plain; and 61 percent hills, valleys, or deserts. Relief of the terrain ranges from sea level to a maximum elevation of 10,000 feet. The coastal plain is generally of mild slope and contains relatively few depressions or natural ponding areas. The slopes of main river systems crossing the coastal plain, such as the San Gabriel River, Los Angeles River, and Ballona Creek, range from 4 to 14 feet per mile.

Topography in the mountainous area is generally rugged with deep, V-shaped canyons separated by sharp dividing ridges. Steep walled canyons with side slopes of 70 percent or more are common. The gradient of principal canyons in the San Gabriel Mountains ranges from 150 to 850 feet per mile. Mountain ranges are aligned in a general east-west direction with the dominant range being the San Gabriel Mountains. The majority of mountain ridges lie below Elevation 5,000 feet. The total area above this level is approximately 210 square miles.

GEOLOGY - SOILS:

Igneous, metamorphic, and sedimentary rock groups are all present within the County. The San Gabriel Mountains and Verdugo Hills are composed primarily of highly fractured igneous rock, with large areas of granitic rock formation being exposed. Faulting and deep weathering have produced porous zones in the rock formation; however, rock masses have produced a comparatively shallow soil mantle due to the steepness of slopes which accelerates erosion of the fine material.

Other mountains and hilly reaches are composed primarily of folded and faulted sedimentary rocks, including shale, sandstone, and conglomerate. Residual soils in these areas are shallow and generally less pervious than those of the San Gabriel Mountain range.

Valley and desert soils are alluvial and vary from coarse sand and gravel near canyon mouths to silty clay, clay and sand and gravel in lower valleys and the coastal plain. The alluvial fill has accumulated by repeated deposition of sediments to depths as great as several thousand feet. This fill is quite porous in areas of relatively low clay content. Geologic structures and irregularities in the underlying bedrock divide the alluvium into several groundwater basins. Valley soils are generally well drained but there are a few areas containing perched water.

LAND USE:

The principal vegetative cover of upper mountain areas consists of various species of brush and shrubs known as chaparral. Most trees found on mountain slopes are oak, with alder, willow, and sycamore found along streambeds at lower elevations. Pine, cedar, and juniper are found in ravines at higher elevations and along high mountain summits. The chaparral is extremely flammable, and extensive burns of the mountain vegetation frequently occur during dry, low-humidity weather accompanied by high winds. Chaparral has the ability to sprout following fire and grows rapidly to re-establish the watershed cover within a period of 5 to 10 years.

Grasses are the principal natural vegetation on the hills. Much of the hill land and nearly all of the valley land in the densely populated portion of the County south of the San Gabriel Mountains has been converted to urban and suburban use. Development of the Santa Clarita Valley and desert areas to the north of the San Gabriel Mountains is sparse at present but is proceeding rapidly.

CLIMATE:

The climate within the County varies between subtropical on the Pacific Ocean side of the San Gabriel Mountain range to arid in the Mojave Desert. Nearly all precipitation occurs during the months of December through March. Precipitation during summer months is infrequent, and rainless periods of several months are common. Snowfall at elevations above 5,000 feet is frequently experienced during the winter storms, but the snow melts rapidly except on higher peaks and the northern slopes. Snow is rarely experienced on the coastal plain.

January and July are the coldest and warmest months of the year, respectively. At the Los Angeles civic center, the 30-year average daily minimum temperature for January is 48 degrees (Fahrenheit) above zero. The average daily maximum temperature for July is 84 degrees. At Mount Wilson (Elevation 5,850 feet), the 30-year average daily minimum temperature for January is 35 degrees above zero and the average daily maximum temperature for July is 80 degrees.

HYDROMETEOROLOGIC CHARACTERISTICS:**Coastal and Mountain Areas**

Precipitation (rainfall) in the Los Angeles area occurs primarily in the form of winter orographic rainfall associated with extra tropical cyclones of North Pacific origin. Major storms consist of one or more frontal systems and occasionally last four days or longer. Air masses and frontal systems associated with major storms commonly extend for 500 to 1,000 miles in length and produce rainfall simultaneously throughout the County. Major storms approach Southern California from the west or northwest with southerly winds which continue until frontal passage. The mountain ranges lie directly across the path of the inflow of warm, moist air, and orographic effects greatly intensify precipitation.

The seasonal normal rainfall in Los Angeles County ranges from 27.50 inches in the San Gabriel Mountains to 7.83 inches in the desert. The annual County average for the annual rainfall for Los Angeles County is 15.65 inches. The effects of snowmelt upon flood runoff is of significance in the few cases when warm spring rains from southerly storms fall on a snowpack. During major storms, temperatures throughout the County may remain above freezing. Average individual storm rainfall amounts and intensities conform to a fairly definite aerial pattern which reflects general effects of topographic differences.

Desert Areas

Summer convective rainfall is principally experienced in the upper San Gabriel Mountains and the Mojave Desert regions. In many desert areas, the most serious flooding occurs as a result of summer convective storms.

RUNOFF CHARACTERISTICS:**Mountain Areas**

In mountain areas, the steep canyon slopes and channel gradients promote a rapid concentration of storm runoff. Depression storage and detention storage effects are minor in the rugged terrain. Soil moisture during a storm has a pronounced effect on runoff from the porous soils supporting a good growth of deep-rooted vegetation such as chaparral. Soil moisture deficiency is greatest at the beginning of a rainy season, having been depleted by the evapotranspiration process during the dry summer months. Precipitation during periods of soil moisture deficiency is nearly entirely absorbed by soils, and except for periods of extremely intense rainfall, significant runoff does not occur until soils are wetted to capacity. Due to high infiltration rates and porosity of mountain soils, runoff occurs primarily as subsurface flow or interflow in addition to direct runoff. Spring or base flow is essentially limited to portions of the San Gabriel Mountain range. Consequently, most streams in the County are intermittent. Runoff from a mountain watershed recently denuded by fire exceeds that for the unburned state due to greatly increased quantities of inorganic debris present in the flow and increased direct runoff resulting from lowered infiltration rates. Debris production from a major storm has amounted to as much as 223,000 cubic yards per square mile of watershed. Boulders up to eight feet in diameter have been deposited in valley areas a considerable distance from their source.

Debris quantities equal in volume to storm runoff, representing a 100 percent bulking of runoff from a major storm, have been recorded. Where debris-laden flow traverses an alluvial fill unconfined by flood control works, flood discharges follow an unpredictable path across the debris cone formed at the canyon mouth.

Hill and Valley Areas

In hill areas, runoff concentrates rapidly from the generally steep slopes; however, runoff rates from undeveloped hill areas are normally smaller than those from mountain areas of the same size. In those hill areas which have been developed for residential use, concentration times become considerably decreased due to drainage improvement, and runoff volumes and rates have increased due to increased imperviousness. On the other hand, erosion is controlled and debris is minimized from storm flows. Debris production rates from undeveloped hill areas are normally smaller than those from mountain areas of the same size.

In highly developed valley areas, local runoff volumes have increased as the soil surface has become covered by impervious materials. Peak runoff rates for valley areas have also increased due to elimination of natural ponding areas and improved hydraulic efficiency of water carriers such as streets and storm drain systems.

Flood Control & Water Conservation

FLOODS . . . AN OLD STORY:

Floods in Los Angeles County have been recorded as far back as the days of the Mission Padres. For centuries waters have swept out of the San Gabriel Mountains causing extensive property damage and taking a great toll of lives.

Such a flood occurred in 1914 causing over \$10 million in property damage and taking many lives. As a result, the State legislature in 1915 enacted the statute creating the Los Angeles County Flood Control District. The responsibilities and authority vested in the Flood Control District were, in 1985, transferred to and are now part of the Los Angeles County Department of Public Works.

The Department, under the Flood Control Act, has two tasks. . . control the floods and conserve the water.

CONTROLLING THE WATERS:

Successful early bond issues financed construction of the 15 dams which the Department built in the San Gabriel Mountains and foothills to impound storm waters until they could be safely released. Debris basins were constructed to trap eroded materials which had caused terrible damage in the past. Flood channel improvements were undertaken to confine the waters and convey them safely through the urbanized areas to the ocean.

District engineers prepared a Comprehensive Plan in the early 1930's which would control flooding and save as much of the water as practicable when fully implemented.

Federal legislation in 1936 brought the United States Army Corps of Engineers into the local flood control picture. Since that time, the two agencies have been jointly pursuing implementation of the Comprehensive Plan. The Department also cooperates with the United States Natural Resources Conservation Service and Forest Service in erosion control.

CONSERVING THE WATERS:

In addition to its flood control program, the Department has the equally important mission of conserving as much of the storm and other waste waters as practicable. The use of water conservation facilities in or adjacent to river channels and their tributaries permits water to be percolated into groundwater aquifers or basins for later pumping and supply to consumers. These water conservation facilities are located in areas where the underlying soils are composed of porous sands and gravel formations. Some are shallow and resemble rice paddies, while others are deep basins which were once gravel pits.

The importance of this activity is apparent when it is realized that about 30 to 40 percent of the water used in the County is pumped from groundwater supplies. The growth of the County, combined with periodic droughts, seriously depleted these supplies on numerous occasions throughout the history of the County.

Other major conservation efforts by the Department include combating the serious salt water intrusion into groundwater supplies inland from the Pacific Ocean and utilizing imported and reclaimed water to help replenish groundwater supplies.

ORGANIZED TO DO THE JOB:

Day-to-day administration of Department affairs is vested in the Director of Public Works who is appointed by and responsible to the Los Angeles County Board of Supervisors. A part of the Department's activities involve the planning, design and construction of flood control and water conservation facilities, and the operation and maintenance of dams, debris basins, spreading grounds, channels, and storm drains.

P R E C I P I T A T I O N

PRECIPITATION

The Department operates and maintains a network of rain gage stations to collect rainfall (precipitation) data for the purposes of in-house engineering and design of flood control and water conservation facilities.

RAINFALL AMOUNTS:

Although the Department operates and maintains 273 raingage stations including those which record amounts for duration ranging from 5 minutes to 24 hours, only [daily](#) and [annual](#) amounts for the report period are listed herein. Additional data (e.g., intensities) can be obtained by contacting the [custodian](#) of hydrologic records.

ALERT SYSTEM

Automated Local Evaluation in Real Time:

The Department of Public Works operates and maintains a state-of-the-art ALERT computer system to monitor meteorological conditions in the County and Southern California in real time, i.e., as they occur. The system includes a network of field sensors that monitor and receive precipitation amounts including rainfall data from the Corps of Engineers' Los Angeles Telemetry System. During the 1996-97 Water Year the Department converted all of its automatic recording raingage stations from weighing bucket mechanisms to ALERT stations with tipping bucket mechanisms.

COOPERATION:

The cooperation of observers in furnishing rainfall data to the Department as a public service is appreciated. The effort of the many agencies and individuals who have so freely cooperated with us in the collection of this data have resulted in the large number of complete records for the period covered by this report.

Data from 22 stations of the Department's records are reported and published by the National Oceanic and Atmospheric Administration (NOAA).

CUSTODIAN:

Unpublished information may be obtained by contacting:

Los Angeles County Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460

...or telephone: (626) 458-6120

P R E C I P I T A T I O N


RAINFALL INDICES

USING SELECTED STATIONS
FOR THE PERIOD OCTOBER 1, 1999 THROUGH SEPTEMBER 30, 2000 **

Area	Percent of Area	Seasonal Normal (inches)	Total Precipitation	Percent of Seasonal Normal
A. COASTAL PLAIN	14.1%	13.71	9.13	67%
B. SAN FERNANDO VALLEY	7.9%	17.62	16.05	91%
C. SAN GABRIEL VALLEY	7.5%	17.64	13.89	79%
D. SAN GABRIEL MTS.	13.4%	27.5	18.43	67%
E. LITTLE ROCK, BIG ROCK	4.5%	18.61	13.95	75%
F. SANTA MONICA MTS.	5.7%	19.96	15.92	80%
G. SANTA CLARA	18.9%	16.64	12.79	77%
H. DESERT	28.0%	7.83	4.77	61%
County *	100.0%	15.65	11.35	73%
LOS ANGELES (STATION #716)		15.51	8.98	58%
COGSWELL DAM (STATION #334B)		32.88	29.41	89%

* - Seasonal Normal and Total Precipitation to Date sections of this line are derived from Area Weighted Average.

** - Data Revised March 2011



PRECIPITATION

Active Rain Gage Stations During Water Year 1999 - 2000

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
5B	Calabasas	S	100 F3	34-09-24	118-38-14	924	15.49	
6	Topanga Patrol Station	DA	590 A7	34-05-03	118-35-57	745	17.96	
9B	Sepulveda and Rayen	S	531 H1	34-13-52	118-28-04	828	8.61	I
10A	Bel Air Hotel	DA	592 B7	34-05-11	118-26-45	540	13.15	
11D	Upper Franklin Canyon Reservoir	SP	592 F2	34-07-10	118-24-35	867	18.62	
13C	North Hollywood-Lakeside	S	563 B5	34-08-46	118-21-13	550	16.53	
14C	Roscoe-Merrill	S	503 B6	34-14-19	118-21-32	1050		NA
17	Sepulveda Canyon At Mulholland	DA	561 E7	34-07-51	118-29-26	1425	16.77	E
20B	Girard Reservoir	S	559 J4	34-09-07	118-36-36	986	16.12	
21B	Woodland Hills	S	560 A2	34-10-14	118-35-33	875	11.97	
23B	Chatsworth Reservoir	SP	529 G1	34-13-44	118-37-18	900	13.08	
25C	Northridge-L.A.D.W.P.	SP	530 H1	34-13-52	118-32-28	810	13.98	
32C	Newhall - Fire Station 73	AP S	4550 J7	34-23-07	118-31-54	1243	13.06	
33A	Pacoima Dam	SA	4642 F7	34-19-48	118-23-59	1500	16.21	
42C	Redondo Beach-City Hall	S	762 G5	33-50-43	118-23-20	70	9.48	
43D	Palos Verdes Estates	S	792 H4	33-47-58	118-23-29	216	8.22	
44A	Point Vicente Lighthouse	DA	822 F5	33-44-30	118-24-38	125	6.42	
46D	Big Tujunga Dam	SA	4725 C6	34-17-40	118-11-14	2315	21.21	
47D	Clear Creek-City School	DA	505 F1	34-16-38	118-10-12	3150	20.11	E
54C	Loomis Ranch-Alder Creek	DA	4557 A4	34-20-55	118-02-54	4325	11.22	
63C	Santa Anita Dam	S DA	537 E2	34-11-03	118-01-12	1400	20.71	
67G	Monrovia-Mountain Avenue	S	567 J4	34-08-46	117-59-05	602	17.21	
68C	Sawpit Dam	SA	537 J7	34-10-30	117-59-07	1375	19.59	A
82F	Table Mountain	S	4561 G6	34-22-56	117-40-39	7420	13.28	E
83B	Big Pines Recreation Park	DA	4561 F6	34-22-44	117-41-20	6860	10.78	E
89B	San Dimas Dam	SA	570 F2	34-09-10	117-46-17	1350	17.80	
93C	Claremont-Police Station	8.81	601 C3	34-05-45	117-43-18	1170	12.91	
95	San Dimas-Fire Warden	S	600 B3	34-06-26	117-48-19	955	14.22	E
96C	Puddingstone Dam	S DA	600 B4	34-05-31	117-48-24	1030	14.30	
102D	Walnut-N.I. Industries	S	679 E3	34-00-11	117-52-10	500	11.44	I
106F	Whittier City Yard	S	677 B5	33-58-57	118-02-50	300	11.57	
107D	Downey-Fire Department	S	705 J7	33-55-48	118-08-47	110	9.21	
108D	El Monte Fire Station	S	597 C7	34-04-30	118-02-30	275	14.44	E
109D	West Arcadia	S	566 G7	34-07-42	118-04-22	547	16.85	E

LEGEND

8.81	8.81 inch diameter no-recording gage owned by the Public Works
AP	Automatic recording gage owned by outside interest
DA	Daily Automatic
S	Standard 8 inch diameter non-recording gage owned by the Public Works
SA	Automatic recording gage owned by the Public Works
SP	Standard 8 inch diameter non-recording gage owned by outside interest

NOTES:

E	Estimate
A	Accumulated Total
I	Incomplete
TI	Temporary Inactive
NA	Not Available

PRECIPITATION

Active Rain Gage Stations During Water Year 1999 - 2000

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
110B	Alhambra	S	569 A4	34-05-40	118-07-41	533	16.79	
120	Vincent Patrol Station	S	4375 H6	34-29-17	118-08-27	3135	7.04	
125B	San Francisquito Canyon Ph#1 - Saugus	SP	X	34-35-25	118-27-15	2105	16.78	
134C	Puddingstone Diversion	8.81	570 F5	34-07-52	117-46-55	1160	14.32	
144	Sierra Madre Dam	S	537 B4	34-10-34	118-02-32	1100	18.17	
156B	La Mirada-Standard Oil Company	DA	737 F5	33-52-59	118-01-00	75	6.78	
158	Tanbark Flats	DA	IX	34-12-20	117-45-40	2750	2.25	I
167C	Arcadia Pumping Plant #1	S	567 D2	34-09-31	118-02-02	611	15.95	E
169	Sierra Madre Pumping Plant	SP	567 B2	34-09-47	118-02-21	700	14.23	
170F	Potrero Heights	S	636 H5	34-02-32	118-04-44	285	13.21	
172B	Duarte	S	568 C4	34-08-26	117-58-02	548	16.36	
174B	Glendora	S	570 A6	34-07-43	117-49-08	930	13.88	
175B	La Canada Irrigation District	S	535 A1	34-13-39	118-12-40	2020	20.81	
176	Altadena-Rubio Canyon	SP	536 A1	34-10-55	118-08-15	1125	17.85	
196C	La Verne-Fire Station	S	600 G2	34-06-06	117-46-20	1050	13.85	
201D	Hacienda Heights	DA A	677 J4	33-59-40	117-59-28	875		NA
210C	Brand Park	DA	534 C6	34-11-18	118-16-20	1250	11.15	
216C	Glendale - Jackson	S	564 F5	34-09-54	118-15-01	615	15.05	
223C	Big Dalton Dam	SA	570 B1	34-10-06	117-48-36	1587	20.17	
225	Montana Ranch-Lakewood	S	766 C4	33-50-35	118-07-09	47	10.41	
227D	San Gabriel-Bruington-Orton	S	596 D2	34-06-18	118-06-32	472	15.83	
228C	Beverly Hills City Hall	S	632 G1	34-06-00	118-23-40	245	14.47	E
237C	Stone Canyon Reservoir	SP	591 J3	34-06-21	118-27-13	865	17.95	
238	Hollywood Dam	SP	593 F2	34-07-04	118-19-55	750	15.29	
250D	Acton Camp	DA	4465 A5	34-27-02	118-11-55	2625	6.82	E
251C	La Crescenta	S	534 F1	34-13-20	118-14-40	1440	18.56	E
252C	Castaic Lake	SP AP	4369	34-29-53	118-36-53	1150	12.81	
255F	Mount San Antonio College-Spadra	S	639 J4	34-02-41	117-50-19	720	9.72	
261F	Acton-Escondido Canyon	DA	4374 B6	34-29-42	118-16-22	2960	6.07	
269D	Diamond Bar Fire Station	SP	680 B2	33-59-50	117-48-55	870	12.84	
277	Sawmill Mountain	S	X	34-43-15	118-35-00	3700	18.67	
280C	Flintridge-Sacred Heart	DA	535 E7	34-10-54	118-11-08	1600	18.18	
283C	Crystal Lake-East Pine Flat	DA	4651 G1	34-19-02	117-50-28	5370	23.16	
287B	Glendora-City Hall	8.81	569 E5	34-08-09	117-51-52	785	16.42	

LEGEND

8.81	8.81 inch diameter no-recording gage owned by the Public Works
AP	Automatic recording gage owned by outside interest
DA	Daily Automatic
S	Standard 8 inch diameter non-recording gage owned by the Public Works
SA	Automatic recording gage owned by the Public Works
SP	Standard 8 inch diameter non-recording gage owned by outside interest

NOTES:

E	Estimate
A	Accumulated Total
I	Incomplete
TI	Temporary Inactive
NA	Not Available

PRECIPITATION

Active Rain Gage Stations During Water Year 1999 - 2000

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
291	Los Angeles-96th and Central	DA	704 E5	33-56-56	118-15-17	121	8.89	
292D	Encino Reservoir	S	561 B4	34-08-56	118-30-57	1075	18.32	
293B	Los Angeles Reservoir	SP	481 E5	34-17-18	118-28-54	1150	18.15	
294B	Sierra Madre-Mira Monte Pumping Plant	SP	567 A1	34-10-11	118-02-51	985	19.02	
298C	Gorman - Sheriff	DA	X	34-47-47	118-51-27	3835	9.85	E
299F	Little Rock - Schwab	S	4287 H7	34-32-12	117-58-43	2800	3.75	
306H	Zuma Beach	S	667 B1	34-01-15	118-49-42	15	13.66	
321	Pine Canyon Patrol Station	DA	4102 C3	34-40-24	118-25-45	3286	14.81	E
322	Munz Valley Ranch	S	4013 A4	34-42-50	118-21-15	2600	7.51	
334B	Cogswell Dam	SA	XI	34-14-37	117-57-35	2300	29.41	
336	Silver Lake Reservoir	SP	537 A1	34-06-08	118-15-54	445	14.75	
338C	Mt. Wilson-Observatory	SP	571 G6	34-14-07	118-04-28	5709	31.96	E
352B	Lechuza Patrol Station	DA	594 A5	34-04-38	118-52-47	1620	19.29	E
356C	Spadra-Lanterman Hospital	S DA	640 B4	34-02-31	117-48-35	690	11.87	
372	San Francisquito Power House No.2	SP DA	X	34-32-02	118-31-27	1580	14.68	
373C	Briggs Terrace	S	504 H6	34-14-17	118-13-27	2200	23.39	
377F	Lake Sherwood Estates	SP AP	557 A4	34-08-26	118-52-31	960	17.99	
379B	San Gabriel-East Fork	DA	510 B5	34-14-09	117-48-18	1600	3.76	
387B	Covina City Yard	SP	599 B5	34-05-02	117-53-57	508	13.10	
388D	Paramount-County Fire Department	8.81	735 G4	33-53-50	118-10-02	80	14.34	
390B	Morris Dam	SP	539 C6	34-10-53	117-52-43	1210	18.62	
391C	Montebello-Fire Department	8.81	676 E2	34-01-08	118-06-15	250	11.21	
394	Highland Park	S	595 E1	34-07-06	118-10-39	620	14.61	
402F	Cedar Springs	DA	XI	34-21-21	117-52-34	6780	12.44	E
405B	Soledad Canyon	S	4463 J6	34-26-23	118-17-33	2150	11.39	
406C	West Azusa	S	598 H2	34-06-53	117-54-56	505	13.35	
409B	Pyramid Reservoir	SP	X	34-40-34	118-46-47	2505	12.60	
425B	San Gabriel Dam	S DA	509 E3	34-12-19	117-51-38	1481	21.11	
434	Agoura	DA	558 B7	34-08-08	118-45-08	800	12.80	E
435	Monte Nido	DA	628 J1	34-04-41	118-41-35	600	15.08	
436C	Hansen Dam	DA	502 G3	34-16-08	118-23-59	1110	11.05	E
442C	Mescal Creek	S	XI	34-29-05	117-44-10	3570	3.08	I
446	Aliso Canyon-Oat Mountain	DA	480 F3	34-18-53	118-33-25	2367	15.54	
447C	Carbon Canyon	S	629 F6	34-02-18	118-38-56	50	10.94	E

LEGEND

8.81	8.81 inch diameter no-recording gage owned by the Public Works
AP	Automatic recording gage owned by outside interest
DA	Daily Automatic
S	Standard 8 inch diameter non-recording gage owned by the Public Works
SA	Automatic recording gage owned by the Public Works
SP	Standard 8 inch diameter non-recording gage owned by outside interest

NOTES:

E	Estimate
A	Accumulated Total
I	Incomplete
TI	Temporary Inactive
NA	Not Available

PRECIPITATION

Active Rain Gage Stations During Water Year 1999 - 2000

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
453D	Devil's Gate Dam	DA	535 E7	34-10-53	118-10-27	980	15.67	A
455B	Lancaster-State Hwy Maintenance Sta.	S	4105 J1	34-40-57	118-08-02	2395	3.65	
462B	Los AngelesHillcrest Country Club	S	632 F4	34-02-54	118-24-06	185	14.72	
482	Los Angeles-U.S.C.	S	674 A1	34-01-14	118-17-15	208	11.21	
488B	Kagel Canyon Patrol Station	S	482 D5	34-17-45	118-22-30	1450	14.52	E
491D	Pacific Palisades	S	630 J6	34-02-22	118-31-43	293	12.44	
492A	Chilao - State Highway Maintenance Sta.	DA	4557 F1	34-19-05	118-00-30	5275	8.78	
497	Claremont-Slaughter	S	571 B7	34-07-35	117-43-55	1350	14.85	E
517B	Lewis Ranch	S DA	XI	34-25-12	117-53-11	4615	12.78	E
542	Fairmont	SP	X	34-42-15	118-25-40	3050	12.45	
564C	Llano	S	4379 F5	34-29-13	117-50-02	3390	4.89	
591B	Santa Anita Reservoir	SP	536 E7	34-11-08	118-06-16	1205	19.99	
598D	Neenach-Check 43-California D.W.R.	SP	X	34-47-40	118-37-15	2965	7.87	
610B	Pasadena-City Hall	SP	565 J4	34-08-54	118-08-36	864	18.28	
612B	Pasadena-Chlorine Plant	SP	535 F3	34-12-04	118-09-49	1160	20.44	E
613C	Pasadena Fire Station	SP	566 A6	34-07-15	118-08-05	779	19.13	E
619	San Antonio Canyon-Sierra Power House	DA	XI	34-12-29	117-40-26	3110	23.75	E
627	San Gabriel Canyon-Power House	SP DA	568 J3	34-09-20	117-54-28	744	18.14	
634C	Santa Monica	S	671 E2	34-00-43	118-29-27	94	10.89	
662D	Long Beach Airport	SP	791 J1	33-49-00	118-09-00	34	6.53	
680B	Westwood (U.C.L.A.)	SP	632 B1	34-04-10	118-26-30	430	14.41	
683B	Sunset Ridge	S	535 F5	34-12-53	118-08-47	2110	20.02	
694G	Big Tujunga Canyon-Cmp	DA	X	34-17-22	118-17-17	1525	11.93	
695B	Tujunga Canyon-Vogel Flat	S	X	34-17-12	118-13-32	1850	23.32	E
716	Los Angeles-Ducommun St.	SP A AP	634 H4	34-03-09	118-14-13	306	12.61	
726C	Angeles Crest Guard Station	S	X	34-14-01	118-11-04	2300	18.07	E
734C	Los Angeles International Airport	SP	702 G5	33-56-25	118-23-44	105	10.11	
735H	Bell Canyon	DA	529 D6	34-11-40	118-39-23	895	10.77	E
742C	San Gabriel Fire Department	SP	596 F4	34-06-11	118-05-56	445	13.93	
749B	Burbank Valley Pump Plant	SP	533 C6	34-11-11	118-20-54	655	15.11	
750B	Palmdale-F.A.A. Airport	S	4196 E5	34-37-20	118-05-00	2528	3.77	
771B	Pacific Palisades-Riviera Country Club	S	631 D4	34-03-03	118-29-58	315	10.60	
794	Lower Franklin Reservoir	SP	592 F6	34-05-43	118-24-40	585	14.55	
795	Pasadena-Jourdan	SP	566 F5	34-08-52	118-05-14	705	17.61	E

LEGEND

8.81	8.81 inch diameter no-recording gage owned by the Public Works
AP	Automatic recording gage owned by outside interest
DA	Daily Automatic
S	Standard 8 inch diameter non-recording gage owned by the Public Works
SA	Automatic recording gage owned by the Public Works
SP	Standard 8 inch diameter non-recording gage owned by outside interest

NOTES:

E	Estimate
A	Accumulated Total
I	Incomplete
TI	Temporary Inactive
NA	Not Available

PRECIPITATION

Active Rain Gage Stations During Water Year 1999 - 2000

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
797	De Soto Reservoir	SP	500 B2	34-16-17	118-35-12	1127	14.65	
801B	Magic Mountain	S	X	34-23-18	118-19-27	4720	22.31	
802C	Eagle Rock Reservoir	SP	565 C5	34-08-47	118-11-20	970	15.13	
807	Ascot Reservoir	SP	595 C6	34-04-46	118-11-14	620	15.36	E
1005B	Mint Canyon Fire Station	S	X	34-30-35	118-21-40	2300	1.60	I
1006	San Pedro-City Reservoir	SP	824 B4	33-44-37	118-17-47	150	9.84	
1011B	Palos Verdes Fire Station	S	823 D3	33-45-25	118-21-11	1275	12.08	
1025	Malibu Beach-Dunne	S	628 G7	34-02-00	118-42-42	160	11.84	
1029C	Tujunga-Mill Creek Summit ranger station	AP S	X	34-23-22	118-04-49	4990	16.53	E
1037	Arcadia-Arboretum	S	567 A5	34-08-48	118-02-59	565	15.28	
1041B	Santa Fe Dam	S	598 A	34-07-04	117-58-24	427	15.27	
1050F	Old Topanga Canyon	S	108 F3	34-06-24	118-37-43	1000	22.74	
1051B	Canoga Park-Pierce College	SP	530 D	34-10-51	118-34-23	800	13.29	
1058B	Palmdale	SP	4196	34-35-17	118-05-31	2595	3.83	
1060B	Little Rock-Sycamore Camp	DA	XI	34-25-02	117-58-13	4000		NA
1070	Manhattan Beach	S	732 J	33-53-00	118-23-19	182	9.79	
1071B	Descanso Gardens	S	535 B	34-12-07	118-12-46	1325	18.77	
1074	Little Gleason	DA	X	34-22-43	118-08-57	5600	14.21	
1076B	Monte Cristo Ranger Station	SP	XI	34-19-42	118-07-20	3360	16.09	
1077B	Monrovia-Five Points	S	567 G	34-09-58	117-59-37	962	18.56	I
1081B	Glendale-Gregg	SP	534 F	34-11-45	118-14-30	1350	18.10	
1087	Green-Verdugo Pumping Plant	S	503 D	34-15-25	118-20-11	1340	14.89	
1088B	La Habra Heights-Mutual Water Co.	SA	708 D	33-56-55	117-57-51	445	11.53	
1095	Orange County Reservoir	SP	OC 2 F	33-56-07	117-52-58	660	11.22	
1107D	La Tuna Debris Basin	DA	503 E	34-14-13	118-19-37	1160	10.77	E
1113	Dominguez Water Co.	DA	764 J	33-49-54	118-13-30	30	6.88	
1114B	Whittier Narrows Dam	AP	636 H	34-01-29	118-05-02	239	12.18	
1115	San Antonio Dam	SP	571 J	34-09-24	117-40-20	2120	18.00	
1126A	Los Angeles-East Valley	8.81	532 E	34-12-30	118-24-35	780	11.68	
1128	Wrightwood Fire Department	SP	S.B.CO	34-21-34	117-37-57	5960	9.30	I
1129B	Nicholas Canyon	S	626 A	34-02-52	118-54-57	340	13.05	
1140	Rosemead	8.81	597 C	34-04-53	118-03-55	305	0.10	I
1152	Clear Creek Ranger Station	S	XI	34-16-15	118-09-11	3625	15.63	
1158	Torrance Municipal Airport	S	793 E	33-47-59	118-20-08	102	9.35	

LEGEND

8.81	8.81 inch diameter no-recording gage owned by the Public Works
AP	Automatic recording gage owned by outside interest
DA	Daily Automatic
S	Standard 8 inch diameter non-recording gage owned by the Public Works
SA	Automatic recording gage owned by the Public Works
SP	Standard 8 inch diameter non-recording gage owned by outside interest

NOTES:

E	Estimate
A	Accumulated Total
I	Incomplete
TI	Temporary Inactive
NA	Not Available

PRECIPITATION

Active Rain Gage Stations During Water Year 1999 - 2000

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
1166B	Mile High Ranch	S	XI	34-24-40	117-46-15	5280	9.30	A
1169B	Piru-Temescal Guard Station	SP	V.CO.	34-28-22	118-45-21	1150	15.49	I
1170B	Thousand Oaks Weather Station	AP	V.CO.	34-10-44	118-51-01	805	12.92	
1171B	Camulos Ranch	SP	V.CO.	34-24-22	118-45-21	725	14.48	
1191	Bear Divide	S	128 F6	34-21-35	118-23-37	2700	23.51	
1193	Westlake Village	S	557 C	34-08-19	118-49-05	885	14.77	
1194	Santa Ynez Reservoir	S	630 E	34-04-23	118-33-59	735	14.58	
1195	Chino Fire Station No.2	SP	S.B.CO	33-59-00	117-43-20	655	10.39	I
1196	Montclair Fire Department	SP	641 H	34-03-41	117-41-16	965	13.59	I
1197	Cajon West Summit	SP	S.B.CO	34-23-30	117-34-35	4838	7.90	I
1198	Phelan Fire Control	SP	S.B.CO	34-25-30	117-34-00	4160	6.38	I
1212	Lancaster FSS/FAA	SP	4014	34-44-00	118-13-00	2340	5.60	E
1216	Rancho Palos Verdes	S	822 H	33-45-10	118-23-32	780	12.36	
1217	Los Angeles Country Club	S	632 D	34-04-10	118-25-17	380	16.02	
1222	Northridge-Garland	8.81	501 C	34-14-17	118-30-59	911	13.62	
1223	Woodland Hills-Sherman	8.81	559 E	34-10-06	118-38-57	1035	13.79	A
1239	Malibu-Big Rock Mesa	DA	629 H	34-02-34	118-37-16	725	12.20	
1240	Pearblossom-Calif.D.W.R. Booster Sta.	SP	4378	34-30-32	117-55-15	3050	4.26	
1242	Rocky Buttes	DA	XI	34-39-00	117-51-48	2540	0.56	I
1243	Redman	DA	XI	34-45-52	117-55-30	2360	2.84	E
1244	Lancaster-Roper	S DA	4107	34-40-27	118-00-37	2450	0.84	I
1246	Scott Ranch	S DA	XI	34-46-59	118-28-10	2710		NA
1247	North Lancaster	DA	3926	34-45-41	118-07-30	2310	3.31	E
1248	Mescal-Smith	DA	XI	34-28-03	117-42-40	3810	1.16	I
1249	Relay	DA	XI	34-45-43	117-47-55	3140	0.08	I
1250	Avek	DA	4288	34-32-21	117-55-23	2825	3.20	
1251	Palos Verdes-Whites Point	SP	853 H	33-42-50	118-19-02	100	4.01	I
1252	Palos Verdes Landfill	SP	793 D	33-45-40	118-20-03	400	11.28	
1253	Carson-County Sanitation	SP	794 C	33-48-07	118-16-58	40	9.92	E
1254	Long Beach Reclamation Plant	SP	796 G	33-48-11	118-05-20	20	7.88	
1255	Los Coyotes Reclamation Plant	SP	736 E	33-53-05	118-06-24	70	11.00	
1256	South Gate Transfer Station	SP	705 G	33-56-40	118-09-56	100	9.95	
1257	San Jose Creek Reclamation Plant	SP	637 F	34-01-55	118-01-16	275	13.65	
1258	Puente Hills Landfill	SP	637 D	34-01-35	118-01-49	300	14.25	

LEGEND

8.81	8.81 inch diameter no-recording gage owned by the Public Works
AP	Automatic recording gage owned by outside interest
DA	Daily Automatic
S	Standard 8 inch diameter non-recording gage owned by the Public Works
SA	Automatic recording gage owned by the Public Works
SP	Standard 8 inch diameter non-recording gage owned by outside interest

NOTES:

E	Estimate
A	Accumulated Total
I	Incomplete
TI	Temporary Inactive
NA	Not Available

PRECIPITATION

Active Rain Gage Stations During Water Year 1999 - 2000

Station No.	Station Name	Gage Type	Thomas Guide Page	North Latitude	West Longitude	Gage Elev. (ft)	Season Total (in)	Notes
1259	Whittier Narrows Reclamation Plant	SP	636 J	34-03-59	118-03-54	225	12.55	
1260	Spadra Landfill	SP	640 A	34-02-36	117-49-50	700	13.12	
1261	La Canada Reclamation Plant	SP	535 D	34-13-00	118-11-14	1800	21.17	E
1262	Saugus Reclamation Plant	SP	4550	34-24-48	118-32-23	1150	17.31	
1263	Valencia Reclamation Plant	SP	4549	34-25-55	118-37-13	1000	9.70	
1264	Calabasas Landfill	SP	558 G	34-08-25	118-42-35	800	15.88	
1265	Scholl Canyon Landfill	SP	565 C	34-08-38	118-11-07	1000	17.62	
1266	Mission Canyon Landfill	SP	591 G	34-08-40	118-28-45	1150	13.91	E
1267	Lancaster Reclamation Plant	SP	3925	34-46-38	118-09-11	2302	3.88	
1268	Palmdale Reclamation Plant	SP	4196	34-35-30	118-05-10	2565	3.61	E
1271	Pomona Waste Reclamation Plant	SP	640 E	34-03-18	117-47-34	786	12.52	
1274	Whittier - Valna Drive	S	707 F	33-57-39	118-01-10	255	12.90	E
1277	DPW Headquarters, Fremont	DA	595 H6	34-05-12	118-09-01	450	11.87	E
1278	La Canada Flintridge	S	535 B1	34-13-22	118-12-17		22.14	

LEGEND

8.81	8.81 inch diameter no-recording gage owned by the Public Works
AP	Automatic recording gage owned by outside interest
DA	Daily Automatic
S	Standard 8 inch diameter non-recording gage owned by the Public Works
SA	Automatic recording gage owned by the Public Works
SP	Standard 8 inch diameter non-recording gage owned by outside interest

NOTES:

E	Estimate
A	Accumulated Total
I	Incomplete
TI	Temporary Inactive
NA	Not Available

P R E C I P I T A T I O N

DAILY RAINFALL SUMMARY

[Appendix A](#)

EVAPORATION**EVAPORATION**

Monthly and seasonal data for 13 active evaporation stations were reported to the Department during the reporting period. Daily records of active and inactive Department stations, as well as some stations of other agencies, are available in the Department's files. This data can be obtained by contacting the [custodian](#) of hydrologic records.

COOPERATION:

The Department receives evaporation data from The Metropolitan Water District, Palmdale Water District, California Department of Water Resources, and Descanso Gardens.

CUSTODIAN:

Unpublished information may be obtained by contacting:
Los Angeles County Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460
...or telephone: (626) 458-6120

LENGTH OF RECORD:

The Los Angeles County Flood Control District (now administered by the Department) installed its first land pan in March 1929 at Santa Anita Dam. The Department has 30 evaporation stations which have records of 15 seasons or more in the Department's files.

EVAPORATION

ACTIVE STATIONS

NO.	STATION NAME	EQUIPMENT	ELEV OF PAN	THOMAS GUIDE	NORTH LAT	WEST LONG
33 A	Pacoima Dam	24X36 S	1500 ft.	482 F1	34-19-48	118-23-59
46 D	Big Tujunga Dam	24X36 S	2315 ft.	xi	34-17-40	118-11-14
63 C	Santa Anita Dam	24X36 S	1400 ft.	710 B2	34-11-03	118-01-12
89 B	San Dimas Dam	24X36 S	1350 ft.	470 F2	34-09-10	117-46-17
96 C	Puddingstone Dam	24X36 S	1030 ft.	600 A4	34-05-31	117-48-24
223 B	Big Dalton Dam	24X36 S	1587 ft.	570 B4	34-10-06	117-48-36
252 C	Castaic Reservoir	48X10 S	1150 ft.	4369 H6	34-29-53	118-36-53
334 B	Cogswell Dam	24X36 S	2300 ft.	ix	34-14-37	117-57-35
390 B	Morris Dam	72X36 US	1210 ft.	ix	34-10-53	117-52-43
409 B	Pyramid Reservoir	48X10 S	2505 ft.	593 E1	34-40-34	118-46-47
425 B	San Gabriel Dam	24X36 S	1481 ft.	ix	34-12-19	117-51-38
1058 B	Palmdale	24X36 S	2595 ft.	4196 E6	34-35-17	118-05-31
1071 B	Descanso Gardens	24X36 S	1325 ft.	535 B4	34-12-07	118-12-46

FOOTNOTES

24X36 S Screened land pan, 24 inches in diameter by 36 inches deep.

48X10 S Screened land pan, 48 inches in diameter by 10 inches deep.

72X36 US Unscreened land pan, 72 inches in diameter by 36 inches deep.

EVAPORATION

MONTHLY SUMMARY


ID	Station Name	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Total
33-A	Pacoima Dam	13.53	7.41	8.93	4.87	4.17	5.63	7.65	7.32	8.61	10.07	10.70	9.98	98.85
46-D	Big Tujunga Dam	12.90	7.41	[7.63]	[3.72]	2.03	5.65	7.74	10.55	12.39	[14.51]	[13.74]	10.42	[108.70]
63-C	Santa Anita Dam	7.80	4.30	4.66	2.82	1.77	2.90	3.46	3.96	5.27	6.17	6.97	5.49	55.54
89-B	San Dimas Dam	4.91	1.96	2.31	2.75	1.62	2.69	4.20	5.50	7.35	8.73	8.48	6.15	56.62
96-C	Puddingstone Dam	6.53	3.40	3.64	2.14	1.67	4.52	4.91	6.05	8.00	8.64	8.86	6.69	65.01
223-C	Big Dalton Dam	5.79	2.63	2.95	1.54	1.15	2.59	3.43	5.09	6.50	7.76	7.43	5.23	52.05
252-C*	Castaic Dam	8.98	5.31	5.09	3.57	3.17	6.48	8.31	10.67	11.14	11.45	12.27	8.74	95.18
334-B	Cogswell Dam	5.71	2.92	2.73	1.26	0.80	2.18	3.76	5.66	7.48	8.62	8.37	5.70	55.16
390-B	Morris Dam	9.61	5.16	5.44	3.14	3.03	5.11	7.65	8.26	10.06	11.27	11.62	9.23	89.58
409-B*	Pyramid Reservoir	[7.28]	4.72	4.63	3.60	3.23	6.43	8.14	[]	[11.13]	13.20	12.95	11.05	[86.36]
425-B	San Gabriel Dam	8.28	4.85	[3.62]	2.84	2.27	4.33	5.37	6.47	7.93	9.40	[8.84]	[7.75]	[71.92]
1058-B	Palmdale	6.30	3.23	3.70	2.23	2.26	4.30	6.52	[]	[11.25]	12.42	12.41	[7.75]	[72.36]
1071-B	Descanso Gardens	5.09	2.65	3.72	2.26	1.95	2.95	3.75	5.53	7.28	8.22	7.59	5.69	56.66

Units are in inches.

[] Missing Data.

*Department of Water Resources

Evaporation Locations



LEGEND

■ Evaporation Station



R U N O F F

RUNOFF

The Department operates 65 streamflow measurement stations (62 water-stage recording stations and 3 witness gages). Daily mean flow data and maximum instantaneous flow for each station were collected for these [stations](#) during the reporting period. Additional data can be obtained by contacting the [custodian](#) of hydrologic records.

ALERT SYSTEM

Automated Local Evaluation in Real Time

The Department operates and maintains the ALERT computer system to monitor meteorological conditions at 23 river stage locations in the County.

The Department's ALERT System also receives rainfall, streamflow, and reservoir data from the Corps of Engineers' Los Angeles Telemetry System.

CUSTODIAN:

Unpublished information may be obtained by contacting:

Los Angeles County Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460

...or telephone: (626) 458-6120

COOPERATION:

The Department receives or has access to streamflow data from other agencies. Data from 5 of the Department's stations are published in the United States Geological Survey's annual water supply papers.

Agencies with which the Department exchanges data are:

- United States Geological Survey, Water Resource Division
- United States Army Corps of Engineers
- State Department of Water Resources
- The Metropolitan Water District of Southern California
- San Gabriel River Water Committee

R U N O F F

INDEX OF STREAM FLOW MEASURING STATIONS

STATION NO.	STATION NAME	THOMAS GUIDE PAGE	REGULATED	DRAINAGE AREA	LENGTH OF RECORD
F277-R	ARROYO SECO below Devil's Gate Dam	535 E7	Yes	32.50	11/30/42
F220B-R	AZUSA CONDUIT (sandbox 10' weir)	509/539	Yes	0.00	10/23/63
F250-R	AZUSA CONDUIT (sandbox 20' weir)	509/539	Yes	202.70	2/14/35
F38C-R	BALLONA CREEK above Sawtelle Blvd.	672 G4	Yes	88.60	8/10/67
F120B-R	BIG DALTON CREEK below Big Dalton Dam	509/540	Yes	4.80	6/3/40
F394-R	BIG ROCK CREEK upstream from Pallett Creek	4469 D3	No	34.30	4/22/83
F168-R	BIG TUJUNGA CREEK below Big Tujunga Dam	4645/4725	Yes	82.30	12/8/31
F377-R	BOUQUET CANYON CREEK at Urbandale Avenue	4461 C5	Yes	51.90	10/11/67
F329-R	BRADBURY CHANNEL below Central Avenue	568 C5	Yes	3.30	6/14/57
F342-R	BRANFORD STREET CHANNEL below Sharp Avenue	502 E7	Yes	5.01	1/12/62
E285-R	BURBANK WESTERN STORM DRAIN at Riverside Drive	563 H3	Yes	25.00	10/1/49
F354-R	COYOTE CREEK below Spring Street	796 H2	Yes	185.00	12/17/63
F274B-R	DALTON WASH at Merced Avenue	638 D1	Yes	35.95	11/2/58
F271-R	EATON WASH below Eaton Wash Dam	566 F1	Yes	12.40	10/1/40
U7-R	FISH CREEK above mouth of canyon	568 G1	No	6.36	7/1/17
F251-R	LEAKAGE at Toe of Cogswell Dam	508 C5	Yes	39.20	4/26/35
L1-R	LITTLE ROCK CREEK above Little Rock Dam	4467 D2	No	49.20	10/1/30
F356-R	LIVE OAK CREEK below Live Oak Dam	571 A5	Yes	2.28	11/29/63
F300-R	LOS ANGELES RIVER at Tujunga Avenue	562 J6	Yes	401.00	5/8/50
F34D-R	LOS ANGELES RIVER below Firestone Blvd.	705 F4	Yes	596.00	11/12/56
F57C-R	LOS ANGELES RIVER above Arroyo Seco	594 H6	Yes	511.00	12/8/39
F319-R	LOS ANGELES RIVER below Wardlow River Road	765 C1	Yes	815.00	1/13/56
F130-R	MALIBU CREEK below Cold Creek	628 H1	Yes	104.96	1/17/31
F395-R	MESCAL CREEK at mouth of canyon	4471 D4	No	5.71	1/28/83
F328-R	MINT CANYON CREEK at Fitch Avenue	4462 C6	No	26.90	10/26/56
F118B-R	PACOIMA CREEK FLUME below Pacoima Dam	4642 F7	Yes	28.20	2/9/35
F305-R	PACOIMA DIVERSION at Branford Street	502 D7	Yes	48.80	10/30/53
F122-R	PALLETT CREEK at Valyermo Highway	4469 D2	No	15.80	10/31/61
F338-R	RUBIO DIVERSION CHANNEL below Gooseberry Inlet	536 C5	Yes	2.10	12/16/59
F303-R	SAN DIMAS CREEK below San Dimas Dam	570 F2	Yes	16.20	12/24/51
F218-R	SAN DIMAS WASH below Puddingstone Diversion	570 E5	Yes	19.90	1/26/33
F209-R	SAN GABRIEL RIVER below Cogswell Dam	508 C5	Yes	41.00	12/8/33
F190-R	SAN GABRIEL RIVER at Foothill Blvd.	568 E5	Yes	230.00	4/25/32
U8-R	SAN GABRIEL RIVER below Morris Dam	569 B2	Yes	212.40	5/18/94
E281	SAN GABRIEL RIVER below Santa Fe Dam	568 B2	No		
F263C-R	SAN GABRIEL RIVER below San Gabriel River Parkway	676 J2	Yes	206.30	8/9/68
F42B-R	SAN GABRIEL RIVER above Spring Street	796 G1	Yes	231.00	11/16/64
F312B-R	SAN JOSE CHANNEL below Sevent Avenue	637 G6	Yes	83.40	4/23/92
F119-R	SANTA ANITA CREEK below Santa Anita Dam	537 E6	Yes	10.80	1/13/64
F260C-R	SANTA ANITA WASH below Foothill Blvd.	567 D4	Yes	17.20	12/11/59
F193B-R	SANTA ANITA WASH at Longden Avenue	597 F2	Yes	18.80	1/5/60
F92-R	SANTA CLARA RIVER at Old Road Bridge	4450 C2	Yes	410.40	9/1/81
F280-R	SANTA FE DIVERSION CHANNEL below Santa Fe Dam	598 B2	Yes	Controlled	10/1/42
F125-R	SANTIAGO CREEK above Little Rock Creek	4467 D2	No	11.20	9/29/53
F278-R	SAWPIT CREEK below Sawpit Dam	537 H7	Yes	3.30	2/6/42
F54C-R	TOPANGA CREEK above mouth of canyon	630 C3	Yes	18.00	1/1/30
F252-R	VERDUGO WASH at Estelle Avenue	564 C3	Yes	26.80	12/2/35
F40-R	WALNUT CREEK below Puddingstone Dam	600 B4	Yes	33.20	12/28/27
F304-R	WALNUT CREEK above Puente Avenue	638 B1	Yes	57.60	10/14/52

R U N O F F

STREAM GAGING STATION INFORMATION

[Appendix B](#)


DAILY DISCHARGE

[Appendix C](#)

STREAM GAGING STATION PEAK FLOW

[Appendix D](#)

STREAM GAGE STATION LOCATIONS



LEGEND

● Stream Gage Station



R E S E R V O I R S**RESERVOIRS**

Following the damaging flood of 1914 and creation of the Los Angeles County Flood Control District in 1915, a program of flood control and water conservation was initiated by the District. Part of this program included the construction of 15 dams which were completed between 1920 and 1939. These dams continued to be operated and maintained by the Department to control flood waters during storm periods. The Department makes post storm releases, when feasible, in amounts that can be conserved in downstream spreading grounds and by channel percolation. In addition, five Corps of Engineers' dams, Lopez, Hansen, Santa Fe, Sepulveda, and Whittier Narrows Dams, are operated by the Corps in conjunction with the Department dams to achieve flood control and/or water conservation.

RECORDS:

The Department's 15 dams and reservoirs' locations are shown on the map. Data on the yearly reservoir operation summaries for each reservoir are provided by selecting from the index on the left. Data for these facilities can be obtained by contacting the custodian of hydrologic records.

Los Angeles County Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460

...or telephone: (626) 458-6120

R E S E R V O I R S

YEARLY RESERVOIR OPERATION SUMMARY


Appendix E

R E S E R V O I R S

FACILITIES

DPW Dams and Reservoirs	Current Uses	Con-struction Completed	Drainage Area (sq.mi)	Original Capacity (acre-ft)	Spillway Elv (ft)	Location
Big Dalton Dam	Flood control and water conservation	August 1929	4.5	1053	1706	4 miles northeast of Glendora
Big Tujunga Dam	Flood control and water conservation	July 1931	82.3	6240	2290	10 miles northeast of Sunland
Cogswell Dam	Flood control and water conservation	April 1934	39.2	12298	2385	22 miles north of Azusa
Devil's Gate Dam	Flood control and water conservation	June 1920	31.9	4601	1040.5	Arroyo Seco, northwest of Pasadena
Eaton Wash Dam	Flood control and debris storage	February 1937	12.4	956	887.5	Eaton Wash, northeast of Pasadena
Live Oak Dam	Flood control and water conservation	November 1922	2.3	250	1496	2.5 miles northeast of La Verne
Morris Dam	Water conservation	1935	211.4	39300	1152	5 miles north of Azusa
Pacoima Dam	Flood control and water conservation	February 1929	28.2	6060	1950	4 miles northeast of San Fernando
Puddingstone Dam	Flood control and water conservation	January 1928	33.1	17938	970	1 mile south of San Dimas
Puddingstone Diversion	Flood control and diversion of flow	July 1928	19.9	148	1152.5	2 miles northeast of San Dimas
San Dimas Dam	Flood control and diversion of flow	September 1922	16.2	1496	1462	3 miles northeast of San Dimas
San Gabriel Dam	Flood control and water conservation	July 1939	202.7	53344	1453	7.5 miles north of Azusa
Santa Anita Dam	Flood control and water conservation	March 1927	10.8	1376	1316	2.5 miles north of Arcadia
Sawpit Dam	Flood control and water conservation	June 1927	3.2	476	1360	2 miles north of Monrovia
Thompson Creek Dam	Flood control and water conservation	March 1928	3.5	812	1634	3 miles north of Claremont
FC FLOOD CONTROL WC WATER CONSERVATION DC DEBRIS CONTROL R RECREATION						

Reservoir Locations



1. Big Dalton Dam
2. Big Tujunga Dam
3. Cogswell Dam
4. Devil's Gate Dam
5. Eaton Wash Dam

6. Live Oak Dam
7. Morris Dam
8. Pacoima Dam
9. Puddingstone Dam
10. Puddingstone Diversion Dam

11. San Dimas Dam
12. San Gabriel Dam
13. Santa Anita Dam
14. Sawpit Dam
15. Thompson Creek Dam

E R O S I O N C O N T R O L

EROSION CONTROL

Each year eroded material in various forms (debris consisting of rock, sand, trees, etc.) flows out of the mountain watersheds of Los Angeles County. In an effort to control this potentially disruptive force, the Department maintains a series of debris basins in canyon mouths and upstream stabilization structures in selected watersheds.

DEBRIS BASINS:

The purpose of a debris basin is to entrap the sediment flows emanating from the canyon and let the relatively desilted water pass into the downstream flood control channels.

The Department maintained 115 debris basins during the reporting period. The combined total maximum capacity of the basins is approximately 7,780,900 cubic yards. [Design data](#) on these facilities are in a table and their locations are shown on [Location Map](#) (in Appendix F).

Data for sediment inflow at individual debris basins and Unpublished information may be obtained by contacting:

Los Angeles County Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460

...or telephone: (626) 458-6120

STABILIZATION STRUCTURES:

The Department has constructed stabilization structures to control erosion in natural canyons. These structures serve to prevent down cutting by stabilizing alluvium deposits. In addition, they store debris generated by the watershed and serve to stabilize side banks, reducing side slope sloughing and bank erosion.

The Department maintained 217 stabilization structures in 47 major watersheds during the reporting period. The Department has not constructed any stabilization structures since the 1973-74 water year.

EMERGENCY STRUCTURES:

The Department has constructed emergency structures (rail and timber) to entrap the debris from burned watersheds. The structures serve to protect improvements (road, channel, residence, etc.) located downstream of the watersheds.

During the reporting period, 32 emergency structures existed with a total maximum capacity of 253,000 cubic yards. Maps of areas burned during the reporting period can be obtained by contacting the *custodian* of hydrologic records.

E R O S I O N C O N T R O L

LOCATION MAP

Appendix F

E R O S I O N C O N T R O L

DEBRIS BASIN - DESIGN DATA:

Including 1999-2000 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Un-controlled Drainage Area Above Basin (Sq. Mi.)	Bottom Elev. at Max Cap. (ft)	Elevation Port Invert (ft)	Elevation Spillway Crest (ft)	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity (Cu. Yds)
Aliso	1970-71	2.77	1,108.0	1,108.4	1,120.0	70.0	1,134.0	42000 (8)
Arbor Dell	1971-72	0.11	898.7	898.4	913.0	22.9	919.6	12000
Auburn	1954-55	0.19	1,260.1	1,260.5	1,278.0	30.0	1,286.0	39000
Bailey	1945-46	0.60	1,123.1	1,123.1	1,155.0	30.0	1,166.0	129000
Beatty	1970-71	0.27	800.0	800.0	807.0	32.0	815.5	43000
Bigbriar	1971-72	0.02	1,898.3	1,896.0	1,910.0	14.0	1,910.8	2600
Big Dalton	1959-60	2.94	1,102.0	1,101.9 (3)	1,131.5	116.0	1,148.7	518000
Blanchard	1968-69	0.47	2,026.0	2,026.0	2,053.5	40.0	2,065.0	75000
Blue Gum	1968-69	0.19	2,020.0	2,020.0	2,042.0	25.0	2,053.0	40000
Brace	1971-72	0.29	1,189.7	1,189.7	1,196.1	20.0	1,205.0	30000
Bracemar	1971-72	0.01	1,140.0	1,140.0	1,145.5	8.0	1,148.0	700 (14)
Bradbury	1954-55	0.68	912.5	913.1	920.0	58.0	928.0	90000
Brand	1935-36	1.04	860.0	860.0	890.0	60.0	903.0	166000
Buena Vista	1985-86	0.10	978.7	978.7	992.2	39.0	997.7	22000
Carriage House	1970-71	0.03	1,350.2	1,350.0	1,362.9	15.0	1,366.8	6100
Carter	1954-55	0.12	1,222.0	1,223.2	1,238.2	30.0	1,245.0	15000
Cassara	1976-77	0.21	1,271.5	1,271.5	1,291.7	66.0	1,295.4	37000
Chamberlain	1974-75	0.04	1,084.6	1,084.0	1,097.5	20.0	1,101.3	4700
Chandler	1995-96	0.16	1,055.0	1,052.0	1,073.0	36.0	1,078.3	20000 (15)
Childs	1963-64	0.30	1,022.0	1,022.0	1,058.8	23.0	1,071.0	50000
Cloud Creek	1972-73	0.01	2,350.5	2,350.5	2,360.0	(5)	2,362.0	5100
Cloudcroft	1973-74	0.21	313.9	315.0	329.5	36.0	329.5	35000
Cooks	1951-52	0.58	2,058.0	2,058.0	2,082.9	48.0	2,092.0	52000
Cooks M-1A	1975-76	(13)	2,120.0	(10)	2,142.4	(10)	(10)	34000
Crestview	1983-84	0.03	864.4	864.0	886.2	20.0	891.7	5900 (14)
Crocker	1983-84	0.67	1,064.2	1,064.2	1,069.8	36.0	1,077.0	19000 (14)

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

E R O S I O N C O N T R O L

DEBRIS BASIN - DESIGN DATA:

Including 1999-2000 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Un-controlled Drainage Area Above Basin (Sq. Mi.)	Bottom Elev. at Max Cap. (ft)	Elevation Port Invert (ft)	Elevation Spillway Crest (ft)	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity (Cu. Yds)
Deer	1954-55	0.59	1,185.4	1,185.0	1,201.0	56.0	1,209.6	57000
Denivelle	1976-77	0.18	1,471.0	1,471.0	1,479.3	46.0	1,483.3	7900
Devonwood	1981-82	0.05	1,899.0	1,899.0	1,921.7	(16)	1,927.5	11000
Dry Canyon-So. Fork	1978-79	0.49	1,062.8	1,062.5	1,074.8	32.0	1,079.3	7900
Dunsmuir	1935-36	0.84	2,228.0	2,227.7	2,257.2	60.0	2,272.2	103000
Eagle	1936-37	0.48	1,849.5	1,845.5	1,880.2	60.0	1,895.2	63000
Elmwood	1964-65	0.31	912.0	911.5	938.0	22.0	952.0	61000
Emerald-East	1964-65	0.32	1,184.7	1,181.1	1,192.0	30.0	1,204.0	14000
Englewild	1961-62	0.44	1,274.9	1,275.0	1,297.0	50.0	1,300.0	41000
Fair Oaks	1935-36	0.20	1,544.0	1,544.0	1,561.9	(6)	1,566.5	24000
Fern	1935-36	0.31	1,440.0	1,440.0	1,476.4	25.0	1,482.0	43000
Fieldbrook	1974-75	0.35	712.7	713.0	718.0	28.0	722.3	2800
Golf Club Drive	1970-71	0.99	880.7	880.7	902.0	36.7	915.0	15000
Gooseberry Creek	1998-99	0.26	1439.7	1,440.0	1460.5	25.0	1,469.3	34000
Gordon	1973-74	0.18	1075.7	1,075.0	1,096.0	22.0	1,104.5	33000
Gould	1947-48	0.36	1,529.5	1,528.2	1,548.0	55.0	1,558.3	53000
Gould (Upper)	1976-77	0.18	1,863.9	1,863.9	1,897.7	32.0	1,901.0	52000
Halls	1935-36	0.83	1,641.6	1,641.8	1,662.0	131.0	1,664.0	94000
Harrow	1958-59	0.43	1,254.8	1,255.0	1,269.0	40.0	1,277.8	68000
Haven Way	1991-92	0.13	1,323.0	1,323.0	1,329.0	20.0	1,335.6	34000
Hay	1936-37	0.20	1,890.2	1,890.2	1,908.0	36.0	1,915.0	37000
Hillcrest	1962-63	0.35	863.5	863.5	885.0	18.0	901.0	58000
Hog	1969-70	0.32	1,520.0	1,520.0	1,535.0	32.0	1,547.0	43000
Hook East	1968-69	0.18	1,197.5	1,198.0	1,210.9	37.0	1,215.0	22000
Hook West	1970-71	0.17	1,144.8	1,145.0	1,158.9	40.0	1,167.0	22000
Inverness	1982-83	0.03	1,253.0	1,252.9	1,256.7	20.0	1,261.0	3300

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

E R O S I O N C O N T R O L

DEBRIS BASIN - DESIGN DATA:

Including 1999-2000 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Un-controlled Drainage Area Above Basin (Sq. Mi.)	Bottom Elev. at Max Cap. (ft)	Elevation Port Invert (ft)	Elevation Spillway Crest (ft)	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity (Cu. Yds)
Irving Drive	1974-75	0.03	905.8	905.0	915.3	12.0	920.0	1200
Kinneloa	1964-65	0.20	1,370.0	1,370.0	1,403.4	76.0	1,407.9	36000
Kinneloa - West	1966-67	0.19	1,385.0	1,385.0	1,412.7	22.0	1,421.0	35000
Lannan	1954-55	0.25	1,017.2	1,015.0	1,035.8	14.0	1,043.0	41000
La Tuna	1955-56	5.34	1,109.0	1,110.0	1,140.0	75.0	1,157.0	495000
Las Flores	1935-36	0.45	1,685.1	(9)	1,715.6	50.0	1,726.4	56000
Las Lomas	1983-84	0.07	887.0	887.0	906.0	77.0	908.5	17000
Limekiln	1963-64	3.72	992.0	992.0	1,003.0	77.0	1,019.0	172000
Lincoln	1935-36	0.50	1,275.8	1,276.0	1,304.0	56.0	1,322.5	38000
Linda Vista	1970-71	0.37	979.5	979.5	989.8	40.0	995.7	3200
Little Dalton	1959-60	3.31	1,140.0	1,139.5	1,186.0	84.0	1,200.2	661000
Maddock	1954-55	0.26	888.6	891.8	901.0	36.0	904.0	45000
Marston/Paragon	1988-89	0.20	1,455.6	1,455.6	1,460.0	20.0	1,466.0	6100
May No. 1	1953-54	0.70	1,666.0	1,666.0	1,684.0	60.0	1,692.5	64000
May No. 2	1953-54	0.09	1,663.4	1,663.5 (2)	1,669.5	20.0	1,674.0	13000
Monument	1981-82	0.11	943.8	942.3	950.0	12.0	954.0	7000
Morgan	1964-65	0.60	1,137.9	1,137.9	1,162.1	45.0	1,171.5	79000
Mountbatten	1983-84	0.01	1,136.2	1,135.5	1,140.9	20.0	1,141.0	1400
Mull	1973-74	0.15	1,146.9	1,147.0	1,154.0	20.0	1,165.0	13000
Mullally (11)	1974-75	0.34	2,420.0	2,420.0	2,435.4	42.0	2,439.6	9400
Nichols	1937-38	0.94	480.5	481.0	485.1	50.0	495.0	14000
Oak	1975-76	0.05	2,143.8	2,145.7	2,153.0	50.0	2,156.2	13000
Oakglade	1974-75	0.06	1,274.6	1,280.0	1,290.0	20.0	1,296.0	7300
Oakmont View Drive	1984-85	0.02	1,315.5	1,315.5	1,327.5	20.0	1,328.5	3400
Oliver	1989-90	0.18	1,258.0	1,258.0	1,278.3	41.0	1,283.3	32000
Pickens	1935-36	1.50	1,563.6	1,564.0	1,600.0	123.0	1,613.0	125000

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

E R O S I O N C O N T R O L

DEBRIS BASIN - DESIGN DATA:

Including 1999-2000 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Un-controlled Drainage Area Above Basin (Sq. Mi.)	Bottom Elev. at Max Cap. (ft)	Elevation Port Invert (ft)	Elevation Spillway Crest (ft)	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity (Cu. Yds)
Pinelawn	1973-74	0.02	2,431.0	2,430.5	2,443.0	(7)	2,448.5	3200
Rowley	1953-54	0.21	1,703.6	1,703.6	1,714.0	60.0	1,722.0	43000
Rowley (Upper)	1976-77	0.31	1,926.0	1,926.0	1,946.0	42.0	1,951.3	29000
Rubio	1943-44	1.26	1,582.0	1,582.0	1,610.8	66.8	1,625.5	150000
Ruby (Lower)	1955-56	0.28	810.8	809.6	828.0	45.0	833.0	29000
Rye	1981-82	1.11	1,073.9	1,073.8	1,077.7	58.2	1,081.5	19000
Saddleback	1988-89	0.04	1,781.1	1,779.3	1,790.9	23.5	1,796.8	16000
Santa Anita	1959-60	1.70	748.5	748.5 (3)	774.7	160.0	796.0	395000
Sawpit	1954-55	2.84	930.3	930.3	982.0	110.0	1,000.0	636000
Scholl	1945-46	0.66	950.0	950.0 (2)	956.0	76.0	966.0	9300
Schoolhouse	1962-63	0.28	1,459.6	1,460.0	1,478.5	20.0	1,491.0	68000
Schwartz	1976-77	0.25	1,294.7	1,294.7	1,313.2	35.0	1,319.0	45000
Shields	1937-38	0.06	2,050.0	2,050.0	2,058.1	30.0	2,070.2	20000
Sierra Madre Dam (12)	1927-28	2.39	1,119.6	1,119.5	1,172.5	62.5	1,175.0	136000
Sierra Madre Villa	1957-58	1.46	1,069.2	1,069.2	1,088.9	48.0	1,102.5	402000
Snover	1936-37	0.21	1,862.8	1,862.7	1,879.0	40.0	1,893.7	25000
Sombrero	1969-70	1.06	1,539.6	1,540.0	1,564.8	45.0	1,580.0	88000
Spinks	1958-59	0.44	750.0	750.0	761.5	40.0	765.9	56000
Starfall	1973-74	0.13	2,428.0	2,428.0	2,441.5	30.0	2,446.5	15000
Stetson	1969-70	0.29	1,556.0	1,555.0	1,570.0	32.0	1,579.0	41000
Stough	1940-41	1.65	1,006.0	1,005.8	1,031.5 (4)	100.0	1,043.5	181000
Sturtevant	1967-68	0.03	975.0	971.0	983.6	8.0	990.0	1400
Sullivan	1970-71	2.38	570.0	570.0	587.0	50.0	599.3	51000
Sunnyside	1970-71	0.02	1,290.0	1,290.0	1,299.5	15.0	1,303.8	3400
Sunset Canyon-Deer	1982-83	0.21	1,382.4	1,380.5	1,401.8	24.0	1,409.1	5000
Sunset (Lower)	1963-64	0.45	1,003.8	994.5	1,040.0	40.0	1,056.0	159000

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

E R O S I O N C O N T R O L

DEBRIS BASIN - DESIGN DATA:

Including 1999-2000 Storm Season
(Sedimentation Management Unit)

Debris Basin	First Debris Season	Un-controlled Drainage Area Above Basin (Sq. Mi.)	Bottom Elev. at Max Cap. (ft)	Elevation Port Invert (ft)	Elevation Spillway Crest (ft)	Width Spillway	Elevation Crest of Dam	Maximum Debris Capacity (Cu. Yds)
Sunset (Upper)	1928-29	0.44	1,574.2	1,574.0	1,603.7	75.0	1,610.1	16000
Turnbull	1952-53	0.99	476.1	475.6	492.0	40.0	503.0	22000
Upper Shields	1976-77	0.22	2,498.0	2,498.0	2,529.9	33.0	2,537.2	40000
Verdugo	1935-36	9.40	1,109.5	1,110.0	1,119.7	145.0	1,131.0	131000
Ward	1956-57	0.12	2,021.8	2,022.0	2,043.0	58.0	2,045.3	26000
West Ravine	1935-36	0.25	1,484.4	1,469.6 (1)	1,501.9	20.0	1,505.5	39000
Westridge	1974-75	0.02	894.0	894.0	901.0	10.7	906.0	1400 (14)
Wildwood	1967-68	0.65	1,342.9	1,342.9	1,354.0	50.0	1,360.0	21000
William S. Hart Park	1983-84	0.09	1,282.5	1,280.0	1,290.0	19.0	1,293.0	2400
Wilson	1962-63	2.58	1,493.0	1,493.0	1,526.0	60.0	1,543.0	313000
Winery	1968-69	0.18	1,920.0	1,920.0	1,935.0	20.0	1,945.0	29000
Zachau	1956-57	0.35	1,803.4	1,803.1	1,820.5	44.0	1,827.5	48000
116 DEBRIS BASINS		62.88						7,800,100

FOOTNOTES

- (1) Lowest clear water outlet, not spillway.
- (2) Elevation of spillway notch.
- (3) Flow line of sluiceway.
- (4) Elevation of spillway into outlet channel. Elevation of overflow spillway 1,036.9 feet.
- (5) One 30-inch reinforced concrete pipe.
- (6) Four 36-inch corrugated metal pipes.
- (7) One 36-inch reinforced concrete pipe. (Elevated inlet)
- (8) Debris capacity available within right of way limits.
- (9) Pit-type basin.
- (10) Information unavailable.
- (11) Special cleanout required due to limited storage.
- (12) Cleanout required when debris reaches or exceeds elevation 1128.9 feet against face of dam.
- (13) Values are combined with Cooks debris basin.
- (14) Spillway level storage capacity.
- (15) Data taken from design drawings.
- (16) 7 feet in diameter circular outlet type.
- (17) The maximum capacities have been rounded off with regard to appropriate precision consistent with the assumptions used in the development of Hydrology and Sedimentation Manual.

WATER CONSERVATION

WATER CONSERVATION

Information presented in this section includes amounts of local, imported, and reclaimed water conserved in spreading areas and information on the seawater barrier projects which prevent salt water intrusion into groundwater zones in the coastal areas. Pertinent data is presented regarding the locations and descriptions of the Department's water conservation facilities, as well as facilities owned by others. Additional data not presented in this report or its appendices can be obtained by contacting the [custodian](#) of hydrologic records.

CONSERVING THE WATERS

In addition to the flood control program, the Department has the equally important mission of conserving as much of the storm and other waters as practicable. The use of water conservation facilities adjacent to river channels and in soft-bottom channels permits water to percolate into groundwater basins for later pumping. These water spreading facilities are located in areas where the underlying soils are composed of permeable formations and in hydraulic connection with the underlying aquifer.

The various types of water conserved, local, imported, and reclaimed are construed to have the following meanings in this section: Local water is primarily runoff due to rainfall on the mountain and valley watersheds, dam releases, and rising water within the County. Imported water is water originating outside the County either from Northern California or from the Colorado River. Reclaimed water is the effluent produced by the Whittier Narrows Water Reclamation Plant, the San Jose Creek Water Reclamation Plant, and the Pomona Water Reclamation Plant, all operated by the Los Angeles County Sanitation District.

The importance of this activity is apparent when it is realized that about 30 to 40 percent of the water used in the County is pumped from groundwater supplies. The growth of the County, combined with periodic droughts, has seriously depleted these supplies on numerous occasions.

The Department's policy is to conserve the maximum possible amount of storm water consistent with runoff quantity and quality, capacities of the spreading facilities, and groundwater conditions.

IMPORTED WATER

During the reporting period, the Department received water imported from the Colorado River and the State Water Project by the Metropolitan Water District (MWD) and spread it in the Coastal Plain at the Department's Rio Hondo and San Gabriel Coastal Spreading Grounds on behalf of the Water Replenishment District of Southern California. MDW water is also spread in the main basin, upper San Gabriel Canyon Basin, and Glendora Basin.

The Department spreads imported water from MWD and the San Gabriel Valley Municipal Water District (SGVMWD) in the San Gabriel Valley on behalf of the San Gabriel Valley Municipal Water District, Upper San Gabriel Valley Municipal Water District, and the Three Valleys Municipal Water District in the following facilities:

- San Gabriel Canyon Spreading Grounds
- Santa Fe Spreading Grounds
- San Gabriel River
- Little Dalton Spreading Grounds
- Forbes Spreading Grounds
- Irwindale Spreading Basin/Manning Pit
- Citrus
- Ben Lomond
- Valley Rubber Dam

WATER CONSERVATION

RECYCLED WATER

The County Sanitation District's Whittier Narrows Water Reclamation Plant effluent purchased by the Water Replenishment District of Southern California is transported to the Rio Hondo and San Gabriel Coastal Basin Spreading Grounds for groundwater replenishment.

The County Sanitation District's San Jose Creek Water Reclamation Plant made its first delivery of effluent in November 1972. The effluent released into San Jose Creek, San Gabriel River, or directly delivered to San Gabriel Coastal Spreading Ground via pipeline can be purchased by the Water Replenishment District of Southern California.

Water from the Pomona Reclamation Plant is released down the San Jose Creek - San Gabriel River System to the Department's recharge facilities in the Central Basin spreading grounds.

The maximum amount of reclaimed water allowed for spreading in the Montebello Forebay, effective July 1991, is 60,000 acre-feet per year but not to exceed 150,000 acre-feet over a three-year period.

SEAWATER BARRIER PROJECTS

The Department operates three barrier projects to protect the groundwater in the West Coast and Central Basins against seawater intrusion by creating freshwater pressure ridges along the coastline. The pressure ridges are created by injecting freshwater through a series of injection wells. The amounts of water injected by these wells during the reporting period are as follows:

Facility	Imported Water (Acre-Feet)	Recycled Water (Acre-Feet)
Alamitos Barrier Project:		
Los Angeles Portion	4,302	0
Orange County Portion *	1,777	0
Dominguez Gap Barrier Project	5,578	0
West Coast Basin Barrier Project	11,214	7,539

**Injected on behalf of the Orange County Water District*

WATER CONSERVATION

SEASONAL DATA AND MAPS

During the reporting period, weekly, monthly, and semi-annual measurements of groundwater levels in observation wells located throughout the groundwater basins in Los Angeles County were made and processed.

Locations of the key wells noted herein are shown on the well map in the Water Conservation summary section. Historical key well level data can be downloaded as [ASCII](#) file or from the pull down selection in the Water Conservation summary section.

Static groundwater elevation contour maps for the three major groundwater regions in Los Angeles County are available from the local basin water agencies:

Groundwater Basin	Contact
Upper Los Angeles River Area (San Fernando Valley)	Upper Los Angeles River Watermaster P.O. Box 111, Room 1455 Los Angeles, CA 90051 (213) 367-1020 (213) 367-1131 (FAX)
San Gabriel Valley	Main San Gabriel Basin Watermaster 729 North Azusa Avenue Azusa, CA 91702 (626) 815-1300 (626) 815-1303 (FAX)
Coastal Plain	Water Replenishment District of Southern California 12621 East 166th Street Cerritos, CA 90703 (562) 921-5521 (562) 921-6101 (FAX)

GROUNDWATER BASINS AND GROUNDWATER RECHARGE

Groundwater in Los Angeles County is stored in basins underlying five major geographic areas. These groundwater basins are separated by geologic features which impede groundwater movement or by political boundaries. A map of these groundwater basins and the Department's spreading grounds is available upon request from the Department. General spreading grounds facility information is included in the summary section. Monthly water conservation data for the reporting period at the Department's facilities and other pertinent facilities are included in the Water Conservation Summary section of this report. The monthly imported and recycled water deliveries for the reporting period are also included in the Water Conservation summary section. The following is a background summary of the Department's groundwater recharge activities within each of these major areas:

WATER CONSERVATION

COUNTY-WIDE

The Department operates 2,436 acres of spreading grounds and soft-bottom channel spreading areas for replenishment of local groundwater supplies. The Department also assisted in the operation and maintenance of 269 acres of spreading grounds owned by others. An additional 656 acres of spreading grounds are controlled maintained and operated by other agencies. The total gross acreage of spreading grounds in Los Angeles County is 3,361 acres.

Groundwater replenishment consists of storm runoff, imported water, and recycled water. County-wide, the Department spread the following amounts during the reporting period:

County Rainfall Index (% of Normal)	73 *
Storm Runoff (acre-feet)	112,307
Imported Water (acre-feet)	95,990
Recycled Water (acre-feet)	43,180

The Department is continuing its efforts to improve its water spreading facilities in order to maximize the amounts of water conserved and to simplify the spreading operations.

SAN GABRIEL VALLEY

The Department operates 20 spreading facilities in the San Gabriel Valley that receive direct valley runoff and flows from the San Gabriel Mountains. Some of these facilities can also receive imported water. Valley-wide, the Department spread the following amounts during the reporting period:

Storm Runoff (acre-feet)	76,992
Imported Water (acre-feet)	50,953
Diversions to Grounds Owned by Others (acre-feet)	5,055

The Department's spreading grounds replenished the Valley's several groundwater basins as follows:

	Storm Water (acre-feet)	Imported Water (acre-feet)	Key Wells
Main San Gabriel Basin	56,171	22,251	3030F, 2965C
Upper San Gabriel Canyon Basin	16,269	25,932	4284A
Lower San Gabriel Canyon Basin	1,868	0	4285
Wayhill Basin	95	552	
Foothill Basin	553	0	
Glendora Basin	374	2,218	
Claremont Heights Basin	0	0	4508A, 4508B
Live Oak Basin	0	0	
Chino Basin	0	0	
San Dimas Basin	0	0	
Pomona Basin	0	0	3251E, 3261P, 4469A
Puente and Spadra Basins	0	0	
Raymond Basin	1,663	0	4057H

WATER CONSERVATION

COASTAL PLAIN

The groundwater basins underlying the Coastal Plain are divided by geological features into the Central (includes the Montebello and Los Angeles Forebays), West Coast, Santa Monica, and Hollywood Basins. Most of the water is spread in the Montebello Forebay. The Department spread the following amounts in the Coastal Plain during the reporting period:

Storm Runoff (acre-feet)	21,210
Imported Water (acre-feet)	45,037
Recycled Water (acre-feet)	43,180

Central Basin

The Central Basin has the most storage capacity of the basins in the Coastal Plain. In addition to the water recharged in the Department's spreading facilities, water injected in the Alamitos Barrier Project also contributes to the replenishment of the pressure aquifers underlying the Central Basin. The basin contains Key Well Nos. 460K, 1601T, and 906D.

West Coast Basin

The West Coast basin is the second largest basin underlying the Coastal Plain and is separated by the Newport-Inglewood Fault zone. Groundwater is primarily recharged by Central Basin subsurface flows and by water injected by the Department in the West Coast Basin and Dominguez Gap Barrier Projects. Groundwater elevations in the West Coast basin are below sea level except in the area of the West Coast Basin Barrier injection mound. The basin contains Key Well Nos. 1346D and 760C.

Santa Monica and Hollywood Basins

The Department has no spreading facilities in either of these basins.

SAN FERNANDO VALLEY

The San Fernando Valley is also known as the Upper Los Angeles River Area (ULARA). Most of the runoff from the surrounding mountains flows to the Valley. The Valley comprises of four basins:

San Fernando Main Basin

The basin is the largest basin underlying the San Fernando Valley. The basin contains Key Well Nos. 3872H and 4709. The Department spread the following during the reporting period:

Storm Runoff (acre-feet)	14,105
Imported Water (acre-feet)	0
Recycled Water (acre-feet)	0

Sylmar, Verdugo, and Eagle Rock Basins

The Department has no spreading facilities in these much smaller basins.

WATER CONSERVATION

SANTA CLARITA VALLEY

The Department has no spreading facilities in the area. Much of the Valley is open space, permitting substantial natural percolation.

The Upper Santa Clarita subunit comprises five basins.

ANTELOPE VALLEY

There are several groundwater subbasins underlying the Antelope Valley. Five of them are located within Los Angeles County.

The Department operates no spreading facilities in the Antelope Valley.

Key Well Nos. 9974 and 8825 are located in the Lancaster and Little Rock subbasins, respectively.

WATER CONSERVATION

S U M M A R Y

SPREADING FACILITIES OWNED AND OPERATED BY THE DEPARTMENT

[Appendix G](#)

NON DPW FACILITIES

[Appendix H](#)

TOTAL MONTHLY WATER CONSERVED

[Appendix I](#)

IMPORTED WATER OUTLET RELEASES

[Appendix J](#)

RECLAIMED WATER


[Appendix K](#)

WATER CONSERVATION

GROUND WATER FLUCTUATION

Appendix L

Location	Appendix L
Coastal Plain, City of Long Beach	Appendix L – 1
Coastal Plain	Appendix L – 2
Coastal Plain, City of Long Beach	Appendix L – 3
Central Basin	Appendix L – 4
Main San Gabriel Basin	Appendix L – 5
Main San Gabriel Basin, Baldwin Park	Appendix L – 6
Pomona Basin	Appendix L – 7
San Fernando Valley, Canoga Park	Appendix L – 8
San Fernando Valley, Burbank	Appendix L – 9
Raymond Basin	Appendix L – 10
San Gabriel Canyon Basin, North of Azusa	Appendix L – 11
Upper Claremont Heights	Appendix L – 12
Santa Clarita Valley, Near Castaic Junction	Appendix L – 13
Little Rock, South of Palmdale	Appendix L – 14
Antelope Valley, South of Lancaster	Appendix L – 15



Legend

● Keywell Location



Not to scale

APPENDIX A

HYDROLOGIC REPORT 1999 – 2000

PRECIPITATION – DAILY PRECIPITATION SUMMARY

PRECIPITATION

DAILY RAINFALL SUMMARY

5B Calabasas

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-09-24

Longitude: 118-38-14

Elevation: 924 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.32						
5						1.10						
6						0.43						
7						0.03						
8		0.42				0.69						
9												
10					0.50							
11					0.75							
12					0.21							
13												
14					0.23							
15												
16				0.04	0.22							
17				0.10	0.06		2.55					
18							1.46					
19												
20					1.00							
21		0.11			2.16							
22					0.08							0.08
23				T	1.55							0.11
24												
25				0.83	0.03							
26												
27					0.22							
28												
29												
30				0.05								
31			0.11	0.05								
Totals	0.00	0.53	0.11	1.07	7.01	2.57	4.01	0.00	0.00	0.00	0.00	0.19
												Water Year Total: 15.49

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

6 Topanga Patrol Station

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-05-03

Longitude: 118-35-57

Elevation: 745 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.04						
2												
3						0.04						
4												
5						0.16						
6						0.36						
7						0.64						
8		0.72				0.64						
9						0.60						
10					1.04	0.32						
11					0.04	0.12						
12					1.24	0.04						
13					0.68							
14					0.44		0.12					
15												
16					0.28							
17				0.08	0.08		2.48					
18					0.04		0.68					
19					0.04							
20		0.04										
21					1.28							
22					1.20					0.24		0.24
23					0.80							
24					1.00							
25				1.12	0.36							
26					0.04						0.04	
27					0.04							
28					0.04							
29					0.04							
30				0.48								
31			0.04	0.04								
Totals	0.00	0.76	0.04	1.72	8.68	2.96	3.28	0.00	0.00	0.24	0.04	0.24
											Water Year Total:	17.96

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

10A **Bel Air Hotel**

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-05-11

Longitude: 118-26-45

Elevation: 540 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.24						
4						0.12						
5						1.81						
6						0.11						
7						0.04						
8		0.63				0.71						
9												
10					0.71							
11					0.04							
12					0.94							
13					0.75							
14					0.20							
15												
16					0.79							
17				0.04			1.54					
18							0.27					
19												
20		0.04			1.41							
21					1.22							
22												0.20
23				0.04								
24												0.04
25				0.71								
26												
27												
28												
29											0.12	
30				0.35								
31				0.08								
Totals	0.00	0.67	0.00	1.22	6.06	3.03	1.81	0.00	0.00	0.00	0.12	0.24
											Water Year Total:	13.15

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

11D Upper Franklin Canyon Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-07-10

Longitude: 118-24-35

Elevation: 867 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.15								
2												
3												
4						0.41						
5						0.45						
6						1.90						
7						0.07						
8		0.49				0.74						
9						0.25						
10					0.11							
11					0.65							
12					1.12							
13					0.38							
14					0.42							
15					0.03							
16					0.30							
17				0.07	0.75				0.02			
18				0.05			2.19					
19												
20		0.02			0.26							
21		0.03			1.82							0.02
22					1.78							
23					0.12							0.19
24				0.02	2.00							
25				0.57	0.02							
26				0.22								
27												
28					0.40							
29											0.22	
30				0.02								
31				0.36								
Totals	0.00	0.54	0.00	1.46	10.16	3.82	2.19	0.00	0.02	0.00	0.22	0.21
Water Year Total:												18.62

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

13C North Hollywood-Lakeside

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-46

Longitude: 118-21-13

Elevation: 550 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.37						
5						0.15						
6						1.50						
7						0.13						
8		0.23				0.36						
9		0.16				0.34						
10					0.50							
11					0.79							
12					1.00							
13					0.09							
14					0.30							
15					0.03		0.06					
16					0.23							
17					0.68							
18				0.10			2.95					
19							0.12					
20		0.04										
21					1.42							0.02
22					1.22							
23					1.98							0.28
24												
25				0.44								
26				0.15								
27												
28					0.40							
29											0.05	
30											0.11	
31			0.03	0.30								
Totals	0.00	0.43	0.03	0.99	8.64	2.85	3.13	0.00	0.00	0.00	0.16	0.30
	Water Year Total:											16.53

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

17 Sepulveda Canyon At Mulholland

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-07-51

Longitude: 118-29-26

Elevation: 1425 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.35						
4						0.04						
5						1.50						
6						0.31						
7												
8		0.59				0.95						
9												
10					0.79							
11					0.08							
12					1.10							
13					0.71							
14					0.32							
15												
16					0.59							
17				0.08			2.08					
18							0.75					
19												
20		0.04			0.22E							
21					1.60E							
22					1.43E							0.16
23				0.04	0.17E							
24					1.08E							
25				0.90	0.02E							
26												
27												
28					0.20E							
29											0.12	
30				0.39								
31			0.12	0.04								
Totals	0.00	0.63	0.12	1.45	8.31	3.15	2.83	0.00	0.00	0.00	0.12	0.16
											Water Year Total:	16.77

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

20B Girard Reservoir

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-09-07

Longitude: 118-36-36

Elevation: 986 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.36		0.01						
2												
3												
4					0.01	0.32						
5						1.10						
6						0.25						
7						0.18						
8		0.55				0.55						
9						0.13						
10						0.47						
11						0.23						
12						0.90						
13						0.12						
14						0.25						
15												
16				0.05	0.16							
17				0.05	0.22							
18				0.07			3.25					
19							0.18					
20		0.10			0.40							
21					1.81							0.01
22					1.14							
23					0.65							0.12
24				0.05	1.10							
25				0.80	0.04							
26				0.07								
27					0.10							
28					0.13							
29											0.02	
30				0.04								
31				0.13								
Totals	0.00	0.65	0.00	1.62	7.73	2.54	3.43	0.00	0.00	0.00	0.02	0.13
												Water Year Total: 16.12

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

21B Woodland Hills

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-14

Longitude: 118-35-33

Elevation: 875 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.20								
2												
3												
4						0.30						
5						1.05						
6						0.25						
7												
8		0.41				0.44						
9						0.02						
10					0.30							
11												
12						0.65						
13						0.12						
14						0.16						
15												
16				0.03	0.28							
17				0.09	0.06		1.75					
18							0.91					
19												
20		0.11			1.00							
21					1.17							0.01
22					0.18							
23					1.38							0.01
24												
25				0.77								
26												
27					0.10							
28												
29											0.04	
30				0.07								
31				0.11								
Totals	0.00	0.52	0.00	1.27	5.40	2.06	2.66	0.00	0.00	0.00	0.04	0.02
											Water Year Total:	11.97

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

23B Chatsworth Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-13-44

Longitude: 118-37-18

Elevation: 900 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.22		0.01						
2												
3												
4						0.21						
5						0.24						
6						1.14						
7						0.08						
8		0.54				0.45						
9		0.03				0.07						
10			0.01		0.03							
11					0.40							
12					1.18							
13					0.19							
14					0.11							
15					0.09							
16					0.14							
17				0.10	0.25		0.01					
18		0.02		0.06			1.93					
19							0.01					
20		0.11			0.43							
21		0.01			0.71							0.02
22					1.00							
23					0.30							0.10
24				0.03	1.13							
25				0.77								
26				0.13	0.03			0.05				
27												
28					0.31							
29											0.11	
30											0.01	
31				0.31								
Totals	0.00	0.71	0.01	1.62	6.30	2.20	1.95	0.05	0.00	0.00	0.12	0.12
												Water Year Total: 13.08

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

25C Northridge-L.A.D.W.P.

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-13-52

Longitude: 118-32-28

Elevation: 810 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.14		0.01						
2												
3												
4						0.21						
5						0.25						
6						1.16						
7						0.08						
8		0.42				0.37						
9		0.02				0.10						
10			0.01		0.03							
11					0.43							
12					1.18							
13					0.19							
14					0.10							
15					0.13							
16					0.23							
17				0.08	0.27		0.03	0.01				
18				0.05			2.66					
19							0.01					
20		0.06			0.42							
21					0.70							0.02
22					0.98							
23					0.21							0.11
24				0.02	1.24							
25				0.72								
26				0.13	0.05			0.11				
27												
28					0.41							
29											0.11	
30											0.06	
31				0.46								
Totals	0.00	0.50	0.01	1.60	6.57	2.18	2.70	0.12	0.00	0.00	0.17	0.13
	Water Year Total:											13.98

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

32C Newhall - Fire Station 73

Gage Type: Standard recording gage (DPW)

Observation Time: 800

Latitude 34-23-07

Longitude: 118-31-54

Elevation: 1243 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1											T	
2												
3												
4												
5												
6						2.51						
7												
8		0.22										
9												
10						0.89						
11												
12		0.21										
13												
14					2.51							
15												
16				0.18	0.35							
17				0.10			1.64					
18												
19												
20												
21					2.89							
22												0.01
23												0.19
24												
25				0.89				T				
26												
27					0.22							
28												
29											0.19	
30												
31			0.06									
Totals	0.00	0.43	0.06	1.17	5.97	3.40	1.64	0.00	0.00	0.00	0.19	0.20
	Water Year Total: 13.06											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

33A Pacoima Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-19-48

Longitude: 118-23-59

Elevation: 1500 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.05	T	0.01						
2				0.01							0.04	
3												
4						0.40						
5						0.28						
6						1.17						
7						0.02						
8		0.30				0.27						
9		0.09				0.37						
10					0.04							
11					0.70			T				
12				T	0.75							
13					0.12							
14					0.29							
15					0.21							
16				0.01	0.33		T	0.01				
17		0.01		0.02	0.94							
18				0.08	T		2.12					
19							0.30					
20		0.03			0.10							
21					1.47							0.03
22					1.45		T					0.18
23					0.12							0.30
24				T	1.26			T				
25				0.59	T			0.13				
26				0.24				0.04				
27				T								
28					0.65							
29					T		T				0.18	
30											0.04	
31				0.45							0.01	
Totals	0.00	0.43	0.00	1.45	8.43	2.52	2.42	0.18	0.00	0.00	0.27	0.51
											Water Year Total:	16.21

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

42C Redondo Beach-City Hall

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-50-43

Longitude: 118-23-20

Elevation: 70 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.01						
2												
3						0.39						
4						0.03						
5						1.21						
6						0.06						
7												
8		0.15				0.45						
9												
10						0.12						
11						0.02						
12						0.62						
13						0.28						
14						0.40						
15												
16				0.02	0.76							
17		0.03		0.02			1.00					
18							0.17					
19												
20		0.04			0.77							
21					1.15							
22												0.06
23					0.54							0.30
24				0.02								
25				0.61				0.03				
26												
27					0.06							
28												
29				0.11							0.01	
30												
31			0.02	0.02								
Totals	0.00	0.22	0.02	0.80	4.72	2.15	1.17	0.03	0.00	0.00	0.01	0.36
												Water Year Total: 9.48

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

43D Palos Verdes Estates

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-47-58

Longitude: 118-23-29

Elevation: 216 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.27						
5												
6						1.48						
7												
8												
9		T										
10												
11												
12												
13												
14					1.06							
15												
16				T	0.68							
17				T	0.03		0.70					
18							0.52					
19												
20		0.10										
21					1.78							
22												T
23					0.56							0.13
24					0.02							
25												
26				0.63				0.06				
27												
28					0.05							
29												
30												
31			0.03	0.12								
Totals	0.00	0.10	0.03	0.75	4.18	1.75	1.22	0.06	0.00	0.00	0.00	0.13
												Water Year Total: 8.22

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

44A Point Vicente Lighthouse

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 33-44-30

Longitude: 118-24-38

Elevation: 125 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					0.04							
2												
3						0.08						
4												
5						0.90						
6						0.20						
7												
8		0.08				0.27						
9												
10					0.15							
11												
12					0.36							
13					0.16							
14					0.43							
15												
16					0.51							
17							0.79					
18												
19												
20					0.59							
21					0.95							
22												
23												
24												0.08
25				0.47								
26												
27												
28												
29												
30				0.36								
31												
Totals	0.00	0.08	0.00	0.83	3.19	1.45	0.79	0.00	0.00	0.00	0.00	0.08
												Water Year Total: 6.42

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

46D Big Tujunga Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-17-40

Longitude: 118-11-14

Elevation: 2315 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.21								
2				0.03								
3												
4												
5						1.89						
6												
7						0.82						
8		0.16				0.40						
9		0.03										
10					0.03							
11					1.60							
12					1.48							
13					0.43							
14					0.16							
15					0.05		0.16					
16				0.01	0.53							
17				0.03	0.95							
18				0.12			3.36					
19							0.36					
20		0.06			0.39							
21					3.07							
22					1.09							
23					0.35							0.35
24					1.70							
25				0.74	T							
26				0.12								
27												
28					0.44							
29					T						0.09	
30												
31												
Totals	0.00	0.25	0.00	1.26	12.27	3.11	3.88	0.00	0.00	0.00	0.09	0.35
												Water Year Total: 21.21

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

47D Clear Creek-City School

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-16-38

Longitude: 118-10-12

Elevation: 3150 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.08								
3						0.23						
4						0.12						
5						0.83						
6						0.15						
7												
8		0.39				0.20						
9												
10					1.74							
11					0.08							
12					1.49							
13					0.43							
14					0.28							
15					0.04			0.07				
16			0.16		1.50		0.16	0.04				
17				0.08			2.01					
18				0.04			1.34					
19												
20		0.04			3.07							
21					1.41							
22												0.32
23					1.11E							0.07
24				0.04								
25				1.06				0.04				
26				0.04								
27					0.51E			0.04				
28					0.12E							
29											0.08	
30				0.35								
31			0.31	0.04								
Totals	0.00	0.43	0.47	1.73	11.78	1.53	3.51	0.19	0.00	0.00	0.08	0.39
												Water Year Total: 20.11

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

54C Loomis Ranch-Alder Creek

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-20-55

Longitude: 118-02-54

Elevation: 4325 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.08						
4						0.15						
5						1.07						
6						0.31						
7						0.04						
8		0.12				0.47						
9												
10					0.59							
11												
12						0.47						
13						0.08						
14						0.04						
15												
16					0.94		0.08	0.12				
17				0.31			1.14					
18							0.83					
19												
20		0.04			2.44							
21					0.75							
22												
23				0.04								
24												
25				0.99								
26												
27												
28												
29												
30				0.08								
31			0.04									
Totals	0.00	0.16	0.04	1.42	5.31	2.12	2.05	0.12	0.00	0.00	0.00	0.00
											Water Year Total:	11.22

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

63C Santa Anita Dam

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-11-03

Longitude: 118-01-12

Elevation: 1400 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.30								
2				0.02								
3												
4						0.33						
5						0.82						
6						0.96						
7												
8		0.15				0.42						0.04
9		0.12				0.29						
10					0.02							
11					1.28							
12					1.15							
13					0.10							
14					0.34							
15					0.24		0.13					
16				T	0.41							
17		0.02		0.01	1.10							
18				0.03			2.74					
19							0.30					
20		0.07			0.25							
21				T	2.17							0.01
22					1.32		0.10					0.18
23					0.31		0.01					0.52
24				T	1.56			T				
25				0.63	0.02			0.15				
26				0.49				0.32				
27												
28					0.82							
29							T					
30												T
31				0.46								
Totals	0.00	0.36	0.00	1.94	11.09	2.82	3.28	0.47	0.00	0.00	0.00	0.75
Water Year Total:												20.71

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

67G Monrovia-Mountain Avenue

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-46

Longitude: 117-59-05

Elevation: 602 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.34						
5						1.92						
6						0.05						
7												
8		0.98				0.76						
9												
10												
11					0.95							
12					1.05							
13					0.12							
14					0.10		0.05					
15					0.14							
16					0.26							
17					0.67		1.09					
18							1.62					
19												
20					0.73							
21				0.03	2.37							0.12
22					0.10		0.06					0.04
23					0.20							0.14
24					1.51			0.05				
25				0.63				0.19				
26								0.03				
27												
28					0.49		0.02					
29												
30				0.02								
31				0.38								
Totals	0.00	0.98	0.00	1.06	8.69	3.07	2.84	0.27	0.00	0.00	0.00	0.30
Water Year Total:												17.21

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

68C Sawpit Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-30

Longitude: 117-59-07

Elevation: 1375 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.33	0.45							
2												
3						A						
4						A						
5						A						
6						2.24A						
7												
8						0.52						
9						0.29						
10					0.10							
11					A							
12					A							
13					A							
14					2.92A							
15												
16					0.40							
17					0.98							
18							2.69					
19				0.06			0.43					
20		0.29										
21												
22					3.69							
23					0.32							
24					1.30			0.02	0.02			
25				0.52			0.10					0.67
26				0.52								
27												
28					0.71							
29												
30											0.02	
31												
Totals	0.00	0.29	0.00	1.43	10.87	3.05	3.22	0.02	0.02	0.00	0.02	0.67
	Water Year Total:											19.59

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

82F Table Mountain

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-22-56

Longitude: 117-40-39

Elevation: 7420 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						A						
5						A						
6		0.05				1.22A						
7						A						
8						2.10A						
9												
10												
11					A							
12					A							
13					A							
14					0.79A							
15					A							
16				A	0.20A		A	0.23				
17				0.36A	0.55		A					
18				A			1.16A					
19				0.09A								
20					2.18E							
21					2.06E							
22					0.44E							
23					A							
24				A	0.62A							
25				0.40A								
26				0.30								
27					A							
28					0.40A							
29												
30				0.03								
31			0.10									
Totals	0.00	0.05	0.10	1.18	7.24	3.32	1.16	0.23	0.00	0.00	0.00	0.00
	Water Year Total: 13.28											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

83B Big Pines Recreation Park

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-22-44

Longitude: 117-41-20

Elevation: 6860 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4												
5						0.68E						
6						0.10E						
7						0.24E						
8						0.63E						
9												
10					0.20E	0.03E						
11					0.18E							
12					0.55E							
13						0.03E						
14							0.04					
15												
16					0.58E							
17				0.43E	0.28E		0.48					
18				0.30E								
19							1.28					
20					1.45E							
21					1.38E							
22					0.35E							0.04
23												0.04
24				0.11E	0.78E							
25				0.24E								
26				0.15E								
27												
28					0.20E							
29												
30				0.01E								
31												
Totals	0.00	0.00	0.00	1.24	5.95	1.71	1.80	0.00	0.00	0.00	0.00	0.08
	Water Year Total:											10.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

89B San Dimas Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-09-10

Longitude: 117-46-17

Elevation: 1350 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.30								
2												
3												
4						0.25						
5						0.69						
6						0.75						
7												
8		0.06				0.47		T				T
9		0.16				0.50		T				
10			T									
11					1.17			T				
12					0.70							
13					0.13							
14					0.18							
15					0.29		0.19					
16				T	0.32		T	0.09				
17				T	0.87							
18							2.17					
19							0.64					
20		0.06			0.16							
21		T		0.02	2.22							
22					1.00		0.12					0.02
23					0.19		T					0.37
24					1.77			T				T
25				0.39	0.02			0.07				
26				0.48				0.15				
27												
28					0.47							
29												T
30												T
31				0.36								
Totals	0.00	0.28	0.00	1.55	9.49	2.66	3.12	0.31	0.00	0.00	0.00	0.39
Water Year Total:												17.80

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

93C Claremont-Police Station

Gage Type: 8.81 inch diameter (DPW)

Observation Time: 800

Latitude 34-05-45

Longitude: 117-43-18

Elevation: 1170 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.02								
2												
3												
4						0.18						
5						1.10						
6						0.13						
7						0.06						
8		0.17				0.62						
9												
10					0.60			0.03				
11					0.19							
12					0.77							
13					0.14							
14					0.06							
15												
16					0.71							
17					0.26		1.09					
18							1.15					
19												
20		0.03			0.70							
21					1.15							
22							0.11					0.03
23					1.39							0.21
24												
25				0.63				0.30				
26				0.12								
27					0.35							
28												
29												
30												
31			0.31	0.30								
Totals	0.00	0.20	0.31	1.07	6.32	2.09	2.35	0.33	0.00	0.00	0.00	0.24
											Water Year Total:	12.91

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

95 San Dimas-Fire Warden

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-26

Longitude: 117-48-19

Elevation: 955 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1	T			0.11E								
2												
3												
4						0.26E						
5						1.24E						
6						0.03E						
7						0.06E						
8						0.91E						
9		0.35										
10												
11												
12						0.91						
13												
14						1.10						
15						0.40						
16						0.69						
17				T			0.88E					
18							1.12E					
19												
20						1.25						
21						1.52						
22												0.02E
23						1.65						0.10E
24												
25								0.24E				
26				0.70								
27					0.40							
28												
29												
30												
31			0.28E									
Totals	0.00	0.35	0.28	0.81	7.92	2.50	2.00	0.24	0.00	0.00	0.00	0.12
												Water Year Total: 14.22

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

96C Puddingstone Dam

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-05-31

Longitude: 117-48-24

Elevation: 1030 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.40								
2												
3												
4						0.21						
5						0.77						
6						0.74						
7												
8		0.02				0.42						
9		0.11				0.59						
10												
11					0.78							
12					0.53							
13					0.18							
14					0.17							
15					0.20							
16					0.32							
17		0.01			0.08							
18							1.93					
19							0.67					
20		0.03			0.21		T					
21		T			1.55							
22					0.97		0.02					
23					0.23		T					0.02
24					1.36							
25				0.33				0.15				
26				0.45				0.04				
27												
28					0.40							
29												T
30												
31			0.41									
Totals	0.00	0.17	0.41	1.18	6.98	2.73	2.62	0.19	0.00	0.00	0.00	0.02
Water Year Total:												14.30

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

106F Whittier City Yard

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-58-57

Longitude: 118-02-50

Elevation: 300 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.36						
4						0.14						
5						0.71						
6												
7												
8						0.74						
9												
10					0.43							
11					0.07							
12					0.47							
13					0.29							
14					0.15							
15												
16					0.61							
17							1.46					
18							1.22					
19												
20					1.00							
21					0.66							
22												
23					1.00							
24												
25				1.00				0.06				
26												
27					0.25							
28												
29												
30												
31			0.50	0.45								
Totals	0.00	0.00	0.50	1.45	4.93	1.95	2.68	0.06	0.00	0.00	0.00	0.00
Water Year Total:												11.57

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

107D Downey-Fire Department

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-55-48

Longitude: 118-08-47

Elevation: 110 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.35						
5						1.20						
6												
7												
8		0.21										
9												
10					0.30							
11												
12												
13					0.54							
14												
15												
16					0.42							
17							1.10					
18							1.45					
19												
20					0.75							
21												0.22
22												
23					2.00							
24												
25				0.54				0.05				
26				0.05								
27												
28												
29												
30				0.03								
31												
Totals	0.00	0.21	0.00	0.62	4.01	1.55	2.55	0.05	0.00	0.00	0.00	0.22
	Water Year Total:											9.21

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

108D El Monte Fire Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-04-30

Longitude: 118-02-30

Elevation: 275 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.42A								
2												
3												
4						0.53						
5						1.70						
6						0.04						
7		0.15E										
8		0.04E				0.94						
9												
10												
11					0.37							
12												
13					0.83							
14					0.37							
15					0.22							
16		0.04E			0.92							
17					0.50		1.00					
18							1.04					
19		0.02E										
20					0.59							
21					1.40							
22												
23				0.20	1.69							0.21
24								0.05E				
25								0.03E				
26												
27												
28				0.41	0.42							
29												
30												
31			A	0.31								
Totals	0.00	0.25	0.00	1.34	7.31	3.21	2.04	0.08	0.00	0.00	0.00	0.21
												Water Year Total: 14.44

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

109D West Arcadia

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-42

Longitude: 118-04-22

Elevation: 547 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.26								
2												
3												
4						0.39E						
5						1.43E						
6												
7												
8		0.15				0.65E						
9												
10					0.82							
11												
12												
13												
14					0.42							
15												
16				0.01								
17				0.02			3.46					
18												
19												
20					1.98							
21				T	2.63							0.08E
22				T								T
23				T								
24												
25				0.60								
26												
27					2.40							
28												
29												
30				T								
31			0.31	0.31				0.93				
Totals	0.00	0.15	0.31	1.20	8.25	2.47	3.46	0.93	0.00	0.00	0.00	0.08
Water Year Total:												16.85

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

110B Alhambra

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-05-40

Longitude: 118-07-41

Elevation: 533 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.09								
2												
3												
4						0.52						
5						0.96						
6						0.88						
7												
8		0.22				0.79						
9												
10					0.41							
11					0.23							
12					0.72							
13					0.30							
14					0.34							
15												
16					1.09							
17				0.02	0.06		1.35					
18							1.63					
19												
20					0.94							
21		0.02			2.96							
22												
23					1.65							
24												
25				0.58								
26				0.10								
27					0.48							
28												
29												
30												
31			0.21	0.24								
Totals	0.00	0.24	0.21	1.03	9.18	3.15	2.98	0.00	0.00	0.00	0.00	0.00
											Water Year Total:	16.79

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

120 Vincent Patrol Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-29-17

Longitude: 118-08-27

Elevation: 3135 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.60						
4												
5												
6						0.90						
7												
8						0.50						
9		0.01										
10												
11		0.01			0.21							
12					0.22							
13					0.01							
14												
15					0.34							
16				0.01	0.02		0.01					
17				0.04	0.12		0.01					
18		0.01			0.02		1.28					
19												
20					0.10							
21		0.02			0.93							
22				0.02								
23		0.02			0.55							
24				0.03	0.67							
25				0.25								
26				0.03								
27					0.05							
28					0.05							
29												
30												
31												
Totals	0.00	0.07	0.00	0.38	3.29	2.00	1.30	0.00	0.00	0.00	0.00	0.00
	Water Year Total:											7.04

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

125B San Francisquito Canyon Ph#1 - Saugus

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-35-25

Longitude: 118-27-15

Elevation: 2105 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						T						
4						0.03						
5					T	1.07						
6						0.49						
7						0.02						
8		0.80				0.74						
9						0.01						
10					0.65							
11					0.31							
12					0.96							
13					0.22							
14					0.44		0.08					
15					0.06		0.02					
16				0.19	0.67							
17				0.12	0.03		0.46					
18				0.08			1.78					
19							0.01					
20		0.01			0.18							
21					2.80							
22					0.21							
23					1.38							0.18
24				0.02	0.02							
25				0.74	0.01			0.09				
26				0.20								
27					0.44							
28					0.11							
29					T						0.50	
30				0.01							T	
31			T	0.64								
Totals	0.00	0.81	0.00	2.00	8.49	2.36	2.35	0.09	0.00	0.00	0.50	0.18
											Water Year Total:	16.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

134C Puddingstone Diversion

Gage Type: 8.81 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-52

Longitude: 117-46-55

Elevation: 1160 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.20								
2				T								
3												
4						0.24						
5						0.70						
6						0.59						
7		T										
8		0.02				0.32		T				
9		0.15				0.46		0.01				
10												
11					0.73							
12					0.63							
13					0.18							
14					0.15							
15					0.13							
16				T	0.30		T	0.03				
17				T	0.68							
18							1.33					
19							0.53					
20		0.06			0.17							
21		T		0.03	1.71							0.02
22					0.91		0.08					0.04
23					0.17		0.02					0.31
24					1.53			0.01				T
25				0.18	T			0.21				
26				0.33				0.36				
27												
28					0.45		T					
29							0.03				T	
30											T	
31				0.32								
Totals	0.00	0.23	0.00	1.06	7.74	2.31	1.99	0.62	0.00	0.00	0.00	0.37
Water Year Total:												14.32

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

144 Sierra Madre Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-34

Longitude: 118-02-32

Elevation: 1100 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.40						
5						0.96						
6						1.18						
7												
8		0.10				0.40						
9						0.31						
10					0.02							
11					0.81							
12					0.98							
13					0.06							
14					0.30							
15					0.22							
16					0.35							
17				0.12	1.05							
18				0.05			2.65					
19							0.26					
20		0.08			0.33							
21				0.20	1.58							
22					1.12		0.14					
23					0.24							0.55
24				0.04	1.43							
25				0.81				0.19				
26								0.04				
27												
28					0.76							
29							0.04					
30												
31				0.40								
Totals	0.00	0.18	0.00	1.62	9.25	3.25	3.09	0.23	0.00	0.00	0.00	0.55
Water Year Total:												18.17

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

156B La Mirada-Standard Oil Company

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 33-52-59

Longitude: 118-01-00

Elevation: 75 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.04								
2												
3						0.47						
4						0.08						
5						0.59						
6						0.04						
7												
8		0.04				0.39						
9												
10					0.16							
11					0.03							
12					0.71							
13					0.24							
14					0.08							
15												
16					0.55							
17							0.83					
18							0.12					
19												
20					0.67							
21					0.87							
22												0.08
23												0.04
24												
25				0.39				0.04				
26												
27												
28												
29												
30				0.08								
31			0.16	0.08								
Totals	0.00	0.04	0.16	0.59	3.31	1.57	0.95	0.04	0.00	0.00	0.00	0.12
Water Year Total:												6.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

167C Arcadia Pumping Plant #1

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-09-31

Longitude: 118-02-02

Elevation: 611 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					0.40							
2												
3												
4												
5						2.02						
6						T						
7												0.01
8		0.13E				0.58						
9												
10					0.65							
11					0.15							
12					0.95							
13												
14					0.40		0.01					
15												
16				T	1.10							
17				0.02			1.82					
18							1.05					
19												
20		0.06E			1.28							
21					1.90							
22					0.05		0.05					0.06
23				0.02	1.68							0.04
24					0.05							
25				0.62				0.20				
26												
27												
28					0.61							
29											0.01	
30												
31	E		0.03									
Totals	0.00	0.19	0.03	0.66	9.22	2.60	2.93	0.20	0.00	0.00	0.01	0.11
Water Year Total:												15.95

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

169 Sierra Madre Pumping Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-09-47

Longitude: 118-02-21

Elevation: 700 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.30						
5						0.33						
6						0.62						
7						0.55						
8		0.12				0.11						
9						0.37						
10					0.01	0.02						
11					0.81							
12					0.32							
13					0.59							
14					0.20							
15					0.09							
16					0.20							
17				0.12	0.83							
18				0.20			2.17					
19							0.30					
20		0.08			0.02							
21				0.10	1.14							
22					0.86		0.04					0.03
23					0.62							0.17
24					1.46							
25								0.15				
26				0.45				0.06				
27												
28					0.53							
29							0.03					
30												
31				0.23								
Totals	0.00	0.20	0.00	1.10	7.68	2.30	2.54	0.21	0.00	0.00	0.00	0.20
	Water Year Total:											14.23

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

170F Potrero Heights

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-02-32

Longitude: 118-04-44

Elevation: 285 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.04								
2												
3												
4						0.54						
5						1.35						
6						0.12						
7						0.01						
8		0.20				0.94						
9												
10					0.45							
11					0.09							
12					0.70							
13					0.33							
14					0.32							
15					0.01							
16				0.01	0.90							
17				0.01	0.08							
18							1.10					
19												
20		0.02			0.66							
21					1.83							
22					0.01							
23				0.01	1.46							0.35
24								0.05				
25				0.56								
26				0.10								
27					0.30							
28												
29												
30												
31			0.46	0.20								
Totals	0.00	0.22	0.46	0.93	7.14	2.96	1.10	0.05	0.00	0.00	0.00	0.35
Water Year Total:												13.21

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

172B Duarte

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-26

Longitude: 117-58-02

Elevation: 548 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4												
5												
6						1.85						
7						0.06						
8		0.10				0.75						
9												
10					0.40							
11					0.34							
12												
13						1.15						
14						0.10						
15		0.10										
16						0.80						
17						0.13		1.34				
18								1.56				
19												
20												
21												0.07
22						3.38						
23						1.38						
24				0.06	0.30		0.10					
25								0.20				0.23
26				0.67				0.12				
27												
28					0.42		0.03					
29												
30												
31			0.36	0.36								
Totals	0.00	0.20	0.36	1.09	8.40	2.66	3.03	0.32	0.00	0.00	0.00	0.30
Water Year Total:												16.36

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

174B **Glendora**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-43

Longitude: 117-49-08

Elevation: 930 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.27						
5						1.30						
6						0.03						
7						0.06						
8		0.15				0.90						
9												
10					1.05							
11					0.26							
12					0.70							
13					0.27							
14					0.19							
15								0.08				
16					0.90							
17					0.10		1.20					
18							1.53					
19												
20					0.52							
21					2.20							
22												0.10
23												0.16
24								0.03				
25				0.60				0.43				
26												
27					0.55							
28												
29												
30												
31			0.30									
Totals	0.00	0.15	0.30	0.60	6.74	2.56	2.73	0.54	0.00	0.00	0.00	0.26
												Water Year Total: 13.88

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

175B La Canada Irrigation District

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-13-39

Longitude: 118-12-40

Elevation: 2020 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.02								
3												
4						0.47						
5						0.70						
6						1.33						
7												
8		0.27				0.59						
9						0.15						
10					0.21							
11					0.97							
12					0.83							
13					0.24							
14					0.68							
15					0.24		0.02					
16					0.48			0.04				
17		T		0.05	1.16							
18				0.07			3.10					
19							0.20					
20		0.04			0.45							
21					2.08							0.10
22					1.04							0.26
23					0.28		T					0.50
24					1.40							
25				0.70	0.01			0.24				
26				0.30				0.09				
27												
28					0.57		0.04					
29					0.04		T				0.12	
30				T		0.06						
31			0.22	0.45								
Totals	0.00	0.31	0.22	1.59	10.68	3.30	3.36	0.37	0.00	0.00	0.12	0.86
												Water Year Total: 20.81

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

176 Altadena-Rubio Canyon

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-10-55

Longitude: 118-08-15

Elevation: 1125 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						T						
2												
3												
4												
5												
6						2.63						
7												
8						0.50						
9		0.16				0.20						
10					0.08							
11					0.98							
12					1.15							
13												
14					0.21							
15					0.13							
16					0.33							
17					0.95							
18				0.09			3.20					
19												
20												
21					2.52							
22					0.72							
23												
24					1.68							
25								0.17				
26				0.64								
27												
28					0.68							
29												
30											0.06	
31			0.31	0.46								
Totals	0.00	0.16	0.31	1.19	9.43	3.33	3.20	0.17	0.00	0.00	0.06	0.00
											Water Year Total:	17.85

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

196C La Verne-Fire Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-06

Longitude: 117-46-20

Elevation: 1050 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.14								
2												
3												
4						0.20						
5						1.10						
6						0.11						
7						0.05						
8		0.16				0.80						
9												
10					0.50							
11					0.05							
12					0.58							
13					0.23							
14					0.18							
15												
16					0.80							
17					0.22		0.59					
18							1.83					
19												
20					0.44							
21					2.00							
22					0.40							
23					1.44							0.26
24												
25				0.60				0.25				
26				0.09								
27					0.40							
28												
29												
30												
31			0.12	0.31								
Totals	0.00	0.16	0.12	1.14	7.24	2.26	2.42	0.25	0.00	0.00	0.00	0.26
Water Year Total:												13.85

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

210C Brand Park

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-11-18

Longitude: 118-16-20

Elevation: 1250 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.40						
4						0.07						
5						1.58						
6						0.04						
7												
8		0.08				0.43						
9												
10					0.63							
11												
12					0.86							
13					0.24							
14					0.04							
15												
16					1.22			0.04				
17				0.04			1.58					
18							0.55					
19												
20		0.04			1.18							
21					1.10							0.08
22												
23												
24												
25				0.47				0.08				
26				0.04								
27												
28												
29											0.08	
30				0.08								
31			0.20									
Totals	0.00	0.12	0.20	0.63	5.27	2.52	2.13	0.12	0.00	0.00	0.08	0.08
											Water Year Total:	11.15

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

216C **Glendale - Jackson**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-09-54

Longitude: 118-15-01

Elevation: 615 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				T								
3												
4						0.35						
5						1.74						
6						T						
7						T						T
8		0.23			T	0.45						
9												
10					0.69			T				
11					0.04							
12					0.85							
13					0.27							
14					0.16		0.03					
15												
16					1.23			T				
17				0.05	0.10		1.68					
18							1.36					
19												
20		0.04			0.55							
21					1.87							0.01
22					0.12							
23					1.58							0.11
24					0.03			T				
25				0.50				T				
26												
27					0.44							
28							T					
29					T						0.03	
30				T								
31			0.30	0.24								
Totals	0.00	0.27	0.30	0.79	7.93	2.54	3.07	0.00	0.00	0.00	0.03	0.12
												Water Year Total: 15.05

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

223C Big Dalton Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-06

Longitude: 117-48-36

Elevation: 1587 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.40	0.05	0.01						
2				0.01								
3												
4						0.32						
5						0.81						
6						0.75						
7												
8		0.10				0.49						T
9		0.16				0.59						
10												
11					1.24			0.02				
12					0.90							
13					0.09							
14					0.19		0.01					
15					0.16		0.23					
16					0.37		T	0.07				
17				T	1.21			0.01				
18				0.01	0.01		2.23					
19							0.37					
20		0.07			0.18							
21		T		0.04	2.53							0.02
22				T	0.99		0.13					0.17
23					0.28		0.02					0.40
24				T	1.80		0.01	T				T
25				0.47	0.01			0.28				
26				0.42				0.42				
27												
28					0.63		0.02					
29							0.02				0.01	
30											0.01	
31				0.43								
Totals	0.00	0.33	0.00	1.78	10.64	2.97	3.04	0.80	0.00	0.00	0.02	0.59
Water Year Total:												20.17

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

225 Montana Ranch-Lakewood

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-50-35

Longitude: 118-07-09

Elevation: 47 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.45						
4						0.50						
5						0.60						
6												
7		0.05				0.40						
8		0.10				0.45						
9					0.01							
10					0.20					0.10		
11					0.48							
12					0.10							
13					0.28							
14					0.08							
15				0.01	0.25							
16		0.03		0.02	0.20							
17		0.03		0.01			1.25					
18							0.10					
19					0.25							
20		0.04			1.30							
21					0.65							
22					0.34							0.15
23					0.63							
24				0.16	0.01			0.10				
25				0.40				0.08				
26												
27					0.13							
28												
29				0.02								
30				0.23								
31			0.22									
Totals	0.00	0.25	0.22	0.85	4.91	2.40	1.35	0.18	0.00	0.00	0.10	0.15
												Water Year Total: 10.41

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

227D San Gabriel-Bruington-Orton

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-18

Longitude: 118-06-32

Elevation: 472 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.03								
2												
3												
4						0.46						
5						1.57						
6						0.01						
7						0.01						
8	0.17					0.81						
9												
10					0.51							
11					0.10							
12					0.81							
13					0.34							
14					0.32							
15												
16					0.85							
17				T	0.15		1.50					
18				T			0.90					
19												
20					1.21							
21					1.90							0.02
22					0.05							
23				T	1.79							0.43
24												
25				0.60				0.08				
26				0.04								
27					0.42							
28												
29					0.17							
30				0.03								
31			0.30	0.25								
Totals	0.17	0.00	0.30	0.95	8.62	2.86	2.40	0.08	0.00	0.00	0.00	0.45
	Water Year Total:											15.83

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

228C Beverly Hills City Hall

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-00

Longitude: 118-23-40

Elevation: 245 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.35E						
5						0.48E						
6						1.11E						
7		0.54				0.02E						
8						0.60E						
9					0.10	0.20E						
10					0.74							
11					0.71							
12												
13												
14					0.94							
15					0.26							
16					0.66							
17				0.05					0.02E			
18							1.83E					
19												
20												
21					2.36							0.01E
22					0.20							
23				A	1.35							0.19E
24				0.53A								
25				0.13								
26												
27					0.40							
28												
29											0.20E	
30				0.43								
31			0.06									
Totals	0.00	0.54	0.06	1.14	7.72	2.76	1.83	0.00	0.02	0.00	0.20	0.20
												Water Year Total: 14.47

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

237C Stone Canyon Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-06-21

Longitude: 118-27-13

Elevation: 865 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.05								
2												
3												
4						0.36						
5						0.47						
6						1.94						
7						0.06						
8		0.65				0.50						
9		0.02				0.51						
10					0.10							
11					0.58							
12					1.10							
13					0.43							
14					0.61							
15					0.16							
16					0.32							
17				0.04	0.53				0.03			
18				0.04			1.90					
19												
20		0.04			0.19							
21		0.01			1.96							0.02
22					1.41							
23					0.18							0.20
24				0.01	1.68							
25				0.65	0.02							
26				0.23				0.02				
27												
28					0.42							
29												
30				0.03								
31				0.48								
Totals	0.00	0.72	0.00	1.53	9.69	3.84	1.90	0.02	0.03	0.00	0.00	0.22
Water Year Total:												17.95

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

238 Hollywood Dam

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-07-04

Longitude: 118-19-55

Elevation: 750 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.10								
2												
3												
4						0.42						
5						0.48						
6						1.09						
7												
8		0.36				0.53						
9						0.15						
10					0.12							
11					0.60							
12					0.86							
13					0.10							
14					0.45							
15					0.07		0.15					
16					0.29							
17				0.05	1.08							
18				0.03			2.25					
19												
20		0.03			0.26							
21					1.20							
22					1.42							
23					0.32							0.30
24				0.01	1.10							
25				0.47	0.01							
26				0.05								
27												
28					0.53							
29												
30												
31				0.41								
Totals	0.00	0.39	0.00	1.12	8.41	2.67	2.40	0.00	0.00	0.00	0.00	0.30
	Water Year Total:											15.29

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

250D Acton Camp

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-27-02

Longitude: 118-11-55

Elevation: 2625 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.21E						
4						0.03E						
5						0.48E						
6						0.37E						
7						0.13E						
8		0.04E				0.09E						
9						T						
10						0.20E						
11						0.08E						
12						0.38E						
13						0.01E						
14												
15						0.08E						
16				0.01E	0.31E							
17		0.01E		0.12E	0.06E		0.63					
18				0.03E			0.51					
19												
20		0.02E			0.64E							
21		T			0.84E							
22				T								
23		T			0.49E							
24				0.02E	0.20E							
25				0.30E								
26				T						0.04		
27					0.07E							
28					0.04E						0.20	
29											0.16	
30				0.02E								
31	E		E	T								
Totals	0.00	0.07	0.00	0.50	3.40	1.31	1.14	0.00	0.00	0.04	0.36	0.00
	Water Year Total:											6.82

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

251C La Crescenta

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-13-20

Longitude: 118-14-40

Elevation: 1440 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.04		T						
2												
3												
4					A	A						
5					A	2.26A						
6					0.10A							
7												
8		0.39			T	0.61						
9												
10					1.04							
11					0.19							
12					A							
13					1.50A							
14					0.16		T					
15		T		A	0.02							
16				0.04A	1.54			0.06				
17				0.03	0.14		1.70					
18							1.38					
19							0.02					
20		0.03			0.82E							
21					2.35E							0.17
22				T	0.01							0.03
23				T	1.45							0.27
24					0.10			0.01				
25				0.77	T			0.11				
26				0.05	A			T				
27					0.48A							
28							0.02					
29				A							0.09	
30				0.43A							T	
31			0.15									
Totals	0.00	0.42	0.15	1.36	9.90	2.87	3.12	0.18	0.00	0.00	0.09	0.47
												Water Year Total: 18.56

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

252C Castaic Lake

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-29-53

Longitude: 118-36-53

Elevation: 1150 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				T								
2												
3												
4						0.15						
5						0.34						
6						1.05						
7						0.21						
8		0.65				0.38						
9						0.21						
10					0.05	0.03						
11					0.51							
12					0.65							
13					0.05							
14					0.21							
15					0.20							
16				0.12	0.20							
17				0.05	0.22		0.13					
18				0.17	0.02		1.44					
19							0.18					
20		0.08			0.04							
21					0.94							T
22					0.86							
23					0.25							
24				0.02	1.20							0.05
25				0.62	0.03							
26				0.27								
27												
28					0.62							
29											0.20	
30												
31				0.41								
Totals	0.00	0.73	0.00	1.66	6.05	2.37	1.75	0.00	0.00	0.00	0.20	0.05
												Water Year Total: 12.81

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

255F **Mount San Antonio College-Spadra**

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-02-41

Longitude: 117-50-19

Elevation: 720 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4												
5												
6						1.07						
7												
8						0.54						
9												
10												
11					0.47							
12					0.40							
13												
14					0.03							
15												
16					0.35							
17					0.65		1.76					
18							0.28					
19												
20												
21					1.50							
22					0.09							
23					0.23							
24					0.64			0.07				
25				0.87				0.05				
26				0.19								
27												
28												
29					0.28							
30												
31				0.25								
Totals	0.00	0.00	0.00	1.31	4.64	1.61	2.04	0.12	0.00	0.00	0.00	0.00
												Water Year Total: 9.72

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

261F Acton-Escondido Canyon

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-29-42

Longitude: 118-16-22

Elevation: 2960 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.08						
4						0.04						
5						0.79						
6						0.04						
7												
8		0.08				0.08						
9												
10					0.27							
11					0.04							
12					0.32							
13												
14												
15												
16					0.43							
17		0.04		0.08			0.70					
18							0.67					
19												
20		0.08			0.63							
21					0.83							
22												
23												
24												0.04
25				0.47				0.04				
26												
27												
28												
29											0.28	
30				0.04								
31												
Totals	0.00	0.20	0.00	0.59	2.52	1.03	1.37	0.04	0.00	0.00	0.28	0.04
	Water Year Total:											6.07

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

269D Diamond Bar Fire Station

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-59-50

Longitude: 117-48-55

Elevation: 870 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.01								
2				0.03								
3												
4						0.21						
5						1.41						
6						0.07						
7												
8		0.14				0.83						
9		0.01										
10					0.37			0.01				
11					0.36							
12					0.70							
13					0.13							
14					0.21							
15												
16					0.72							
17					0.11		0.89					
18							0.63					
19												
20		0.02			0.40							
21					2.46							
22					0.03							
23					1.28							0.10
24												
25				0.73				0.16				
26				0.10								
27					0.14							
28												
29												
30												
31			0.37	0.21								
Totals	0.00	0.17	0.37	1.08	6.91	2.52	1.52	0.17	0.00	0.00	0.00	0.10
Water Year Total:												12.84

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

277 Sawmill Mountain

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-43-15

Longitude: 118-35-00

Elevation: 3700 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4												
5												
6						1.64						
7												
8		0.72				1.65						
9					0.10							
10					0.68							
11					0.06							
12					1.55							
13					0.03							
14					0.17		0.19					
15												
16					0.48							
17				0.39	0.10		2.05					
18				0.10			0.88					
19												
20					0.84							
21					3.40							
22					0.10							
23					1.78							0.18
24				0.05	0.15							
25					0.03							
26				0.48								
27					0.39							
28					0.08							
29					0.03						0.25	
30												
31				0.12								
Totals	0.00	0.72	0.00	1.14	9.97	3.29	3.12	0.00	0.00	0.00	0.25	0.18
	Water Year Total:											18.67

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

280C Flintridge-Sacred Heart

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-10-54

Longitude: 118-11-08

Elevation: 1600 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					0.19							
2												
3					0.04	0.32						
4			0.03			0.16						
5						1.85						
6												
7												
8		0.20				0.55						
9												
10					1.14							
11												
12					0.95							
13					0.55							
14					0.24							
15												
16					1.49							
17				0.03			2.20					
18							1.14					
19							0.04					
20		0.04			1.85							
21					1.38							0.12
22												0.19
23					1.73							0.20
24												
25				0.36								
26				0.08				0.12				
27					0.51							
28					0.04							
29											0.04	
30				0.16								
31			0.24									
Totals	0.00	0.24	0.27	0.63	10.11	2.88	3.38	0.12	0.00	0.00	0.04	0.51
Water Year Total:												18.18

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

283C Crystal Lake-East Pine Flat

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-19-02

Longitude: 117-50-28

Elevation: 5370 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.12								
3				0.04		0.08						
4						0.32						
5												
6												
7		0.56				0.04						
8						0.04						
9						0.52						
10					1.52	1.48						
11						0.28						
12					0.72							
13					0.56							
14					0.20		0.28					
15								0.04				
16				0.08	2.00			0.12				
17				0.28	0.08		2.60					
18							0.16					
19							1.36					
20					3.64							
21												
22					0.24		0.04					0.20
23				0.08	0.28							0.16
24					0.12							
25				1.12	0.56							
26					1.40							
27					0.72							
28					0.44						0.16	
29					0.28						0.08	
30				0.12								
31				0.04								
Totals	0.00	0.56	0.00	1.88	12.76	2.76	4.44	0.16	0.00	0.00	0.24	0.36
												Water Year Total: 23.16

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

287B **Glendora-City Hall**

Gage Type: 8.81 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-09

Longitude: 117-51-52

Elevation: 785 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.06	T							
2												
3											T	
4						0.26						
5						1.10						
6						0.47						
7												
8		0.05				0.54		0.03				T
9		0.08				0.55						
10					T			T				
11					0.92							
12					1.02							
13					0.23							
14					0.11							
15				T	0.08		0.08					
16					0.37							
17				T	0.93			T				
18				T			2.17					
19							0.25					
20		0.07			0.28							
21					1.73							0.03
22					0.83		0.05					0.07
23				T	0.24							0.28
24				T	1.52			T				
25				0.16	T			0.30				
26				0.21				0.42				
27												
28					0.52		T					
29											0.01	
30											T	
31				0.40								
Totals	0.00	0.20	0.00	0.83	8.78	2.92	2.55	0.75	0.00	0.00	0.01	0.38
												Water Year Total: 16.42

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

291 Los Angeles-96th and Central

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 33-56-56

Longitude: 118-15-17

Elevation: 121 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.20						
4						0.03						
5						1.89						
6						0.08						
7												
8		0.27				0.79						
9			0.04			0.04						
10					0.31							
11					0.08							
12					0.47							
13					0.28							
14					0.08							
15												
16					0.59							
17							0.75					
18							0.71					
19												
20					0.47							
21					0.83							
22												
23												
24												0.19
25				0.35								
26												
27												
28												
29											0.04	
30				0.16								
31			0.16	0.08								
Totals	0.00	0.27	0.20	0.59	3.11	3.03	1.46	0.00	0.00	0.00	0.04	0.19
												Water Year Total: 8.89

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

292D Encino Reservoir

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-56

Longitude: 118-30-57

Elevation: 1075 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.23								
2												
3												
4						0.36						
5						0.37						
6						1.48						
7						0.14						
8		0.55				0.43						
9						0.72						
10					0.03							
11					0.57							
12					1.02							
13					0.02							
14					0.40							
15												
16				0.01	0.32							
17				0.05	0.23		0.04	0.03				
18				0.04			3.53					
19							0.28					
20		0.08			0.31							
21					2.02							
22					1.90							
23					0.23							0.02
24				0.02	1.56							
25				0.68	0.01							
26				0.18								
27												
28					0.15							
29											0.11	
30				0.05								
31				0.15								
Totals	0.00	0.63	0.00	1.41	8.77	3.50	3.85	0.03	0.00	0.00	0.11	0.02
												Water Year Total: 18.32

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

293B Los Angeles Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-17-18

Longitude: 118-28-54

Elevation: 1150 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.83	T							
2				0.02								
3												
4						0.37						
5						1.24						
6						0.34						
7						0.09						
8		0.42				0.38						
9		T				0.27						
10					0.09							
11					0.64							
12					0.93							
13					0.21							
14					0.46							
15					0.26							
16					0.30							
17		T		0.06	0.48							
18				0.04	T		2.30					
19							0.16					
20		0.01			0.20							
21					2.04							0.06
22					0.84							0.04
23					0.24							0.39
24				0.06	1.36							
25				0.75				0.12				
26				0.22				0.01				
27												
28					0.79							
29											0.21	
30											0.04	
31				0.88								
Totals	0.00	0.43	0.00	2.86	8.84	2.69	2.46	0.13	0.00	0.00	0.25	0.49
											Water Year Total:	18.15

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

294B Sierra Madre-Mira Monte Pumping Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-10-11

Longitude: 118-02-51

Elevation: 985 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.40						
5						0.90						
6						1.18						
7												
8		0.10				0.40						
9						0.31						
10					0.02							
11					0.81							
12					0.98							
13					0.06							
14					0.30							
15					0.22							
16					0.35							
17				0.12	1.02							
18				0.05			2.87					
19							0.29					
20		0.08			0.30							
21				0.20	2.16							
22					1.12		0.10					
23					0.24							0.42
24				0.04	1.68							
25				0.81				0.23				
26								0.02				
27												
28					0.80							
29							0.04					
30												
31				0.40								
Totals	0.00	0.18	0.00	1.62	10.06	3.19	3.30	0.25	0.00	0.00	0.00	0.42
Water Year Total:												19.02

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

298C Gorman - Sheriff

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-47-47

Longitude: 118-51-27

Elevation: 3835 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.04						
2												
3						0.28						
4												
5						0.44						
6						0.12						
7												
8		0.24				0.44						
9												
10					0.12							
11					0.04							
12					0.44							
13					0.04							
14							0.08					
15												
16					0.16		0.04					
17				0.24			1.36					
18							0.52					
19												
20					1.68							
21					1.04							
22												
23				0.04	0.80							
24					0.24							
25				0.64							0.25E	
26				0.16								
27					0.28							
28												
29					0.08							
30												
31				0.04								
Totals	0.00	0.24	0.00	1.12	4.92	1.32	2.00	0.00	0.00	0.00	0.25	0.00
	Water Year Total:											9.85

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

299F Little Rock - Schwab

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-32-12

Longitude: 117-58-43

Elevation: 2800 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1											T	
2				T							0.02	
3						0.05						
4												
5						0.38						
6						T						
7												
8						0.03						
9												
10												
11					0.39							
12												
13												
14												
15												
16					0.17			T				
17				0.03	0.03							
18				T			0.96					
19												
20					0.05							
21					0.73							
22												
23				T	0.46							
24					T							
25				0.09							T	
26												
27					0.02							
28					0.01						0.07	
29											0.26	
30												
31												
Totals	0.00	0.00	0.00	0.12	1.86	0.46	0.96	0.00	0.00	0.00	0.35	0.00
	Water Year Total:											3.75

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

306H Zuma Beach

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-01-15

Longitude: 118-49-42

Elevation: 15 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.30						
5						0.91						
6						1.95						
7												
8		0.61				0.37						
9												
10					0.34							
11					0.13							
12												
13					0.37							
14					0.24							
15												
16					0.36							
17				0.05	0.33		1.38					
18							0.32					
19												
20		0.12			0.45							
21					1.75							
22												
23				0.05	1.52							0.20
24												
25				0.58								
26				0.08								
27					0.38							
28												
29												
30				0.60								
31			0.02	0.25								
Totals	0.00	0.73	0.02	1.61	5.87	3.53	1.70	0.00	0.00	0.00	0.00	0.20
												Water Year Total: 13.66

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

321 Pine Canyon Patrol Station

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-40-24

Longitude: 118-25-45

Elevation: 3286 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				T								
2												
3						0.04						
4												
5						1.32						
6						0.80						
7						0.28						
8		0.28E				1.48						
9						0.04						
10					0.84							
11					0.16							
12					1.28							
13					0.12							
14					0.20							
15												
16				0.06E	0.76		0.01E					
17				0.02E								
18				0.14E			1.71E					
19				T			0.06E					
20					0.80							
21					1.28							
22					0.68							
23					0.40							0.04E
24				0.02E	0.72							
25				0.20E								
26				0.06E								
27					0.56							
28												
29											0.36E	
30												
31				0.09E								
Totals	0.00	0.28	0.00	0.59	7.80	3.96	1.78	0.00	0.00	0.00	0.36	0.04
											Water Year Total:	14.81

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

322 Munz Valley Ranch

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-42-50

Longitude: 118-21-15

Elevation: 2600 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.05						
4												
5						0.83						
6						0.56						
7												
8		0.18				0.63						
9												
10					0.25							
11												
12					0.78							
13												
14					0.02							
15				0.04								
16					0.18							
17				0.16			0.84					
18							0.47					
19												
20					0.12							
21					1.04							
22												
23					0.70							
24				0.10								
25				0.05								
26												
27					0.08							
28												
29											0.41	
30				0.02								
31												
Totals	0.00	0.18	0.00	0.37	3.17	2.07	1.31	0.00	0.00	0.00	0.41	0.00
												Water Year Total: 7.51

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

334B Cogswell Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-14-37

Longitude: 117-57-35

Elevation: 2300 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.22		0.04						
2				0.02								
3												
4						0.29						
5						0.75						
6						2.97						
7												
8		0.42				1.20						
9		0.11				0.74						
10						T						
11						1.58						
12						1.52						
13						0.04						
14						0.17						
15						0.16	0.38					
16				0.02	0.60			T				
17		T		0.02	1.33			0.02				
18				0.10			3.74					
19							0.15					
20		0.03			0.40							
21					6.14							
22					1.43							0.02
23					0.35							0.35
24				0.01	2.51							
25				0.83				0.04				
26				0.30				0.03				
27												
28					0.06							
29												
30												
31				0.32								
Totals	0.00	0.56	0.00	1.84	16.29	5.99	4.27	0.09	0.00	0.00	0.00	0.37
	Water Year Total:											29.41

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

336 Silver Lake Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-06-08

Longitude: 118-15-54

Elevation: 445 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.47								
2												
3												
4						0.40						
5						0.39						
6						1.36						
7												
8		0.25				0.52						
9						0.09						
10					0.21							
11					1.04							
12					0.80							
13					0.17							
14					0.31							
15							0.02					
16					0.31							
17				0.03	0.71			0.10				
18				0.01			2.65					
19							0.08					
20		0.02			0.24							
21					1.21							
22					0.90							
23					1.55							0.15
24					0.07							
25				0.43								
26				0.07								
27												
28												
29												
30				0.01								
31				0.18								
Totals	0.00	0.27	0.00	1.20	7.52	2.76	2.75	0.10	0.00	0.00	0.00	0.15
	Water Year Total:											14.75

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

338C Mt. Wilson-Observatory

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-14-07

Longitude: 118-04-28

Elevation: 5709 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				E		0.01						
2				0.04								
3												
4					0.01	0.25						
5						3.26						
6						0.25						
7						0.01						
8		0.74				1.51						
9						0.01						
10					1.77							
11					0.50							
12					1.19							
13					0.51			0.09				
14					0.69		0.73					
15					0.10							
16				0.02	1.46			0.11				
17		T		0.11	0.42		2.33					
18		T		0.03			2.48					
19												
20		0.20			1.59							
21					5.12		T					
22					0.03		0.02					0.06
23					1.90							0.69
24				0.02	0.29			0.09				
25				1.28	0.09							
26				0.29								
27					0.40							
28					0.24							
29					0.01						0.02	
30				0.06					E		0.01	
31			0.29	0.63								
Totals	0.00	0.94	0.29	2.48	16.32	5.30	5.56	0.29	0.00	0.00	0.03	0.75
	Water Year Total:											31.96

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

352B Lechuza Patrol Station

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-04-38

Longitude: 118-52-47

Elevation: 1620 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.04								
2												
3						0.40						
4					0.04							
5						1.26						
6						0.90						
7												
8		0.59E				1.26						
9					0.08							
10					1.49							
11					0.24							
12					0.75							
13					1.18							
14					0.28							
15												
16					0.51							
17				0.12			3.27		0.04			
18							0.83					
19												
20		0.12E			2.04							
21					1.03							0.08
22												0.20
23									0.08			
24				0.07								0.12
25				1.26				0.03				
26								0.04				
27												
28												
29												
30				0.83								
31			0.07	0.04								
Totals	0.00	0.71	0.07	2.36	7.64	3.82	4.10	0.07	0.12	0.00	0.00	0.40
											Water Year Total:	19.29

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

356C Spadra-Lanterman Hospital

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-02-31

Longitude: 117-48-35

Elevation: 690 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.17						
5												
6						1.34						
7						0.02						
8		0.08				0.62						
9						0.01						
10					0.11							
11					0.29							
12												
13												
14					0.78							
15					0.11							
16					0.68							
17		T		0.10	0.12		0.20					
18							1.51					
19												
20												
21												
22					2.54							0.12
23					1.39							
24												
25				0.60				0.10				
26				0.12				0.02				
27												
28					0.32							
29												
30												
31			0.30	0.22								
Totals	0.00	0.08	0.30	1.04	6.34	2.16	1.71	0.12	0.00	0.00	0.00	0.12
	Water Year Total:											11.87

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

372 San Francisquito Power House No.2

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-32-02

Longitude: 118-31-27

Elevation: 1580 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				T								
2												
3						0.01						
4						0.10						
5						1.25						
6						0.30						
7						0.02						
8		0.55				0.55						
9		0.07				0.05						
10					0.65							
11					0.06							
12					0.75							
13					0.10							
14					0.30		T					
15					0.02		T					
16				0.20	0.50			0.10				
17				0.24	0.08		1.25					
18				0.08			1.05					
19							0.02					
20		0.02			0.44							
21					1.75		T	T				T
22					0.20							0.01
23				T	1.30							0.12
24				T	0.05							
25				0.76								
26				0.24								
27					0.68							
28												
29					0.01						0.31	
30											0.05	
31			T	0.44								
Totals	0.00	0.64	0.00	1.96	6.89	2.28	2.32	0.10	0.00	0.00	0.36	0.13
											Water Year Total:	14.68

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

373C Briggs Terrace

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-14-17

Longitude: 118-13-27

Elevation: 2200 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.03								
3												
4						0.53						
5						2.05						
6						0.17						
7												
8		0.52				0.80						
9												
10					1.30							
11					0.90							
12					1.01							
13					0.63							
14					0.45		0.04					
15				0.02								
16					1.72			0.08				
17				0.10	0.10		2.00					
18							1.60					
19												
20					2.00							
21					1.79							0.35
22					0.11							0.09
23				0.02	1.60							0.50
24					0.19							
25				1.05								
26												
27					0.57							
28							0.06					
29					0.04						0.15	
30		0.33										
31			0.03	0.46								
Totals	0.00	0.85	0.03	1.68	12.41	3.55	3.70	0.08	0.00	0.00	0.15	0.94
											Water Year Total:	23.39

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

377F Lake Sherwood Estates

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-26

Longitude: 118-52-31

Elevation: 960 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.11		0.02						
2												
3												
4					0.01	0.32						
5					0.01	0.34						
6						0.74						
7						0.51						
8		0.59				0.59						
9						0.18						
10		0.01	0.01		0.10							
11					1.01							
12					1.14							
13					0.11							
14					0.38							
15					0.03							
16				0.10	0.12			0.01				
17		0.01		0.02	0.17		0.24					
18				0.08			3.58					
19							0.16					
20		0.12			0.25							
21					2.38							
22					0.67							
23					0.56							0.10
24				0.03	1.18							
25				1.00	0.02			0.01				
26				0.18	0.01							
27												
28					0.36							
29												
30				0.01								
31				0.41								
Totals	0.00	0.73	0.01	1.94	8.51	2.70	3.98	0.02	0.00	0.00	0.00	0.10
Water Year Total:												17.99

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

379B San Gabriel-East Fork

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-14-09

Longitude: 117-48-18

Elevation: 1600 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.04						
2					0.04							
3						0.04						
4					0.04							
5						0.12						
6												
7						0.04						
8		0.44				0.08						
9												
10					0.20	0.04						
11					0.12							
12					0.04	0.04						
13					0.04							
14					0.04	0.04	0.12					
15					0.04		0.04					
16					0.08		0.04					
17				0.04	0.04	0.04	0.04					
18					0.04		0.04					
19							0.04					
20					0.20		0.04					
21					0.16							
22							0.04					0.08
23					0.16							0.12
24					0.04		0.04					
25				0.24	0.04							
26				0.08			0.04					
27				0.08	0.04							
28				0.04	0.04							
29												
30				0.04			0.04					
31			0.16	0.04								
Totals	0.00	0.44	0.16	0.56	1.40	0.48	0.52	0.00	0.00	0.00	0.00	0.20
												Water Year Total: 3.76

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

387B Covina City Yard

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-05-02

Longitude: 117-53-57

Elevation: 508 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.05								
2												
3												
4						0.23						
5						1.20						
6						0.12						
7						0.06						
8		0.09				0.99						
9												
10					0.33							
11					0.48							
12					0.51							
13					0.06							
14					0.40							
15					0.02		0.03					
16					0.93							
17				T	0.14							
18							2.17					
19												
20		0.03			0.49							
21					1.65							
22					0.02							
23					0.78		0.03					0.20
24					0.54							
25				0.58								
26				0.16								
27					0.01			0.02				
28					0.37							
29					T							
30												
31			0.41									
Totals	0.00	0.12	0.41	0.79	6.73	2.60	2.23	0.02	0.00	0.00	0.00	0.20
	Water Year Total:											13.10

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

388D **Paramount-County Fire Department**

Gage Type: 8.81 inch diameter (DPW)

Observation Time: 800

Latitude 33-53-50

Longitude: 118-10-02

Elevation: 80 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.17								
2												
3												
4						0.53						
5						0.54						
6						1.28						
7												
8		0.15										
9		0.06				1.40						
10												
11					0.45							
12					0.69							
13												
14												
15												
16				T	0.90							
17				T	0.62							
18		T					1.72					
19												
20		0.03			0.20							
21					1.14							
22					1.29							
23												0.15
24					1.34			0.02				
25				0.40	0.03			0.05				
26				0.48								
27												
28					0.20						0.13	
29												
30												
31				0.37								
Totals	0.00	0.24	0.00	1.42	6.86	3.75	1.72	0.07	0.00	0.00	0.13	0.15
												Water Year Total: 14.34

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

390B Morris Dam

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-10-53

Longitude: 117-52-43

Elevation: 1210 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.16								
2												
3												
4						0.32						
5						0.96						
6						0.73						
7												
8		0.15				0.54						
9		0.13				0.38						
10						T						
11					1.31			0.01				
12					1.05							
13					0.09							
14					0.16		0.16					
15					0.14		0.11					
16				T	0.45							
17				T	1.14							
18				0.02			2.74					
19							0.31					
20		0.07			0.20							
21		0.01		0.02	2.00							0.04
22					0.61		0.09					0.10
23					0.23							0.48
24				T	1.34							
25				0.45				0.22				
26				0.34				0.18				
27												
28					0.69		0.02					
29							0.02				T	
30												
31				0.45								
Totals	0.00	0.36	0.00	1.44	9.41	2.93	3.45	0.41	0.00	0.00	0.00	0.62
												Water Year Total: 18.62

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

391C Montebello-Fire Department

Gage Type: 8.81 inch diameter (DPW)

Observation Time: 800

Latitude 34-01-08

Longitude: 118-06-15

Elevation: 250 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.15						
5						1.35						
6						0.07						
7						0.02						
8		0.23				1.01						
9												
10												
11												
12						1.20						
13						0.22						
14						0.37						
15												
16						0.64						
17						0.22	0.91					
18												
19												
20		0.02				0.77						
21												
22												
23						1.56		1.56				
24												
25				0.50								
26												
27												
28												
29												
30												
31			0.41									
Totals	0.00	0.25	0.41	0.50	4.98	2.60	0.91	1.56	0.00	0.00	0.00	0.00
											Water Year Total:	11.21

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

394 Highland Park

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-06

Longitude: 118-10-39

Elevation: 620 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						T						
2												
3					0.29							
4						0.44						
5						1.64						
6												
7												
8		0.20				0.61						
9												
10					0.92							
11					0.24							
12					0.73							
13					0.25							
14					0.18		0.06					
15					0.92							
16												
17		T		0.05			1.61					
18					0.10		0.79					
19												
20					0.83							
21					1.40							0.01
22												
23					1.77			T				0.30
24												
25				0.49				0.04				
26												
27					0.37							
28					0.08							
29											0.07	
30				0.06								
31				0.16								
Totals	0.00	0.20	0.00	0.76	8.08	2.69	2.46	0.04	0.00	0.00	0.07	0.31
	Water Year Total:											14.61

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

402F Cedar Springs

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-21-21

Longitude: 117-52-34

Elevation: 6780 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.07E								
3												
4						0.39E						
5												
6												
7												
8		0.72				0.13E						
9						0.24E						
10					0.87E							
11												
12					0.67E							
13					0.21E							
14					0.09E							
15												
16					1.38E			0.07E				
17				0.36E	0.14E		1.81E					
18							0.41E					
19							0.47E					
20		0.04			2.70E							
21												
22					0.21E							0.08
23					0.37E							0.08
24				0.07E								
25				0.62E								
26												
27												
28											0.16E	
29												
30				0.08E								
31												
Totals	0.00	0.76	0.00	1.20	6.64	0.76	2.69	0.07	0.00	0.00	0.16	0.16
												Water Year Total: 12.44

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

405B Soledad Canyon

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-26-23

Longitude: 118-17-33

Elevation: 2150 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2											0.01	
3						0.15						
4						0.10						
5						0.96						
6						0.15						
7						0.03						
8		0.05			0.01	0.23						
9					T							
10					0.60							
11					T							
12					0.91							
13					0.02							
14												
15												
16				0.03	0.59			0.03				
17				0.15			1.35					
18							0.83					
19												
20					1.70							
21					1.13							
22												
23				0.01	1.30							0.05
24												
25				0.39								
26												
27					0.24							
28												
29											0.33	
30				0.03								
31				0.01								
Totals	0.00	0.05	0.00	0.62	6.50	1.62	2.18	0.03	0.00	0.00	0.34	0.05
											Water Year Total:	11.39

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

406C West Azusa

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-53

Longitude: 117-54-56

Elevation: 505 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.28								
2												
3												
4						0.31						
5						1.19						
6						0.23						
7												
8		0.02				1.05						
9						0.10						
10												
11					0.47							
12					0.84							
13					0.08							
14					0.11							
15					0.08							
16					0.47							
17					0.64							
18							2.04					
19							0.20					
20		0.05			0.33							
21					1.24							
22					0.54		0.05					
23												0.19
24					1.26							
25				0.44	0.01			0.16				
26				0.25								
27												
28					0.40							
29												
30												
31				0.32								
Totals	0.00	0.07	0.00	1.29	6.47	2.88	2.29	0.16	0.00	0.00	0.00	0.19
												Water Year Total: 13.35

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

409B Pyramid Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-40-34

Longitude: 118-46-47

Elevation: 2505 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				T		0.05						
2												
3						0.04						
4					T	0.13						
5						0.31						
6						1.08						
7						0.03						
8		0.43				0.96						
9						0.15			0.01			
10					0.06	0.03						
11					0.35							
12					0.73							
13					T							
14												
15							0.05					
16				T	0.05							
17				0.07	0.03		0.15					
18				0.46	T		2.00					
19							0.02					
20					0.59							
21					2.31							
22					0.72							
23					0.85							
24				0.03	0.45							
25				0.22	0.01							
26				0.03								
27					0.02							
28					0.13							
29												
30				T								
31				0.05								
Totals	0.00	0.43	0.00	0.86	6.30	2.78	2.22	0.00	0.01	0.00	0.00	0.00
												Water Year Total: 12.60

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

425B San Gabriel Dam

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-12-19

Longitude: 117-51-38

Elevation: 1481 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.24	T	0.01						
2												
3												
4						0.32						
5						0.80						
6						0.95						
7												
8		0.32				0.79						
9		0.14				0.55						
10												
11					1.48							
12					1.17							
13					0.04							
14					0.12		0.03					
15					0.11		0.29					
16				T	0.52			0.05				
17				T	1.23			0.02				
18				0.04			2.90					
19							0.50					
20		0.03			0.28							
21				T	2.75							0.01
22					0.85		T					0.05
23					0.26							0.34
24					1.79							
25				0.61	0.01			0.06				
26				0.38				0.02				
27												
28					0.64							
29											0.01	
30												
31				0.40								
Totals	0.00	0.49	0.00	1.67	11.25	3.42	3.72	0.15	0.00	0.00	0.01	0.40
Water Year Total:												21.11

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

434 Agoura

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-08-08

Longitude: 118-45-08

Elevation: 800 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.32						
4												
5						0.94						
6						0.36						
7						0.04						
8		0.59E				0.74						
9												
10					0.70							
11					0.16							
12					0.91							
13					0.23							
14					0.12							
15												
16				0.04	0.16							
17				0.08			2.33					
18				0.04			0.90					
19												
20		0.08			1.77							
21					0.95							
22												0.04
23												
24												
25				0.87								
26				0.04								
27												
28												
29												
30				0.12								
31			0.23	0.04								
Totals	0.00	0.67	0.23	1.23	5.00	2.40	3.23	0.00	0.00	0.00	0.00	0.04
											Water Year Total:	12.80

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

435 Monte Nido

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-04-41

Longitude: 118-41-35

Elevation: 600 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.24						
4			0.12									
5						1.30						
6						0.66						
7						0.04						
8		0.59				0.95						
9												
10					0.98							
11					0.08							
12					1.14							
13					0.75							
14					0.12							
15												
16					0.43							
17				0.12			2.99					
18							0.71					
19												
20		0.08			1.50							
21					0.78							0.04
22												0.16
23												
24												0.08
25				0.94								
26				0.04								
27												
28												
29												
30				0.20								
31			0.04									
Totals	0.00	0.67	0.16	1.30	5.78	3.19	3.70	0.00	0.00	0.00	0.00	0.28
Water Year Total:												15.08

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

436C Hansen Dam

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-16-08

Longitude: 118-23-59

Elevation: 1110 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.05E								
2												
3												
4						0.31						
5						0.98						
6						0.03						
7												
8		0.16				0.22						
9												
10					0.36							
11					0.03							
12					0.53							
13					0.19							
14					0.08							
15					0.01							
16					0.74							
17				0.05	0.05		1.26					
18							1.05					
19												
20		0.01			0.41							
21					1.77							0.08
22					0.09							0.08
23					1.00							0.11
24					0.01							
25				0.49				0.09				
26				0.04								
27					0.37							
28												
29											0.19	
30												
31			0.10E	0.11								
Totals	0.00	0.17	0.10	0.74	5.64	1.54	2.31	0.09	0.00	0.00	0.19	0.27
	Water Year Total:											11.05

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

446 Aliso Canyon-Oat Mountain

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-18-53

Longitude: 118-33-25

Elevation: 2367 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1											0.07	
2												
3						0.31						
4			0.15			0.08						
5						1.18						
6						0.24						
7						0.08						
8		0.67				0.55						
9												
10					1.22							
11					0.12							
12					1.10							
13					0.95							
14					1.53							
15												
16					0.71							
17				0.15			1.46					
18							0.55					
19												
20		0.08			0.95							
21					0.98							0.08
22												
23												
24				0.04								
25				1.11				0.08				
26												
27												
28												
29											0.08	
30				0.66								
31			0.16	0.20								
Totals	0.00	0.75	0.31	2.16	7.56	2.44	2.01	0.08	0.00	0.00	0.15	0.08
											Water Year Total:	15.54

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

447C Carbon Canyon

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-02-18

Longitude: 118-38-56

Elevation: 50 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4												
5						0.53						
6						0.94						
7						0.30						
8		0.04				0.76						
9						0.13						
10					0.09							
11					0.29							
12					0.64							
13					0.25							
14					0.35							
15												
16					0.10		0.03E	0.03				
17				0.03	0.35		1.79E					
18				0.04			0.49E					
19		0.06										
20					0.07							
21					1.42							
22					0.42							
23									0.02			0.15
24												
25												
26												
27												
28					1.56							
29												
30												
31			0.02	0.04								
Totals	0.00	0.10	0.02	0.11	5.54	2.66	2.31	0.03	0.02	0.00	0.00	0.15
	Water Year Total:											10.94

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

453D Devil's Gate Dam

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-10-53

Longitude: 118-10-27

Elevation: 980 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.23		0.02						
2												
3												
4						A						
5						A						
6						2.00A						
7												
8		0.02				0.32						
9		0.09				0.10						
10												
11					0.94							
12						A						
13						A						
14					1.15A							
15					0.15							
16					0.29							
17					0.90							
18				0.08			2.87					
19							0.13					
20		0.05										
21				0.02	1.82							0.03
22					0.89							0.06
23					0.13							0.24
24				0.01	1.50							
25				0.44				0.11				
26				0.19								
27												
28					0.56							
29											0.07	
30												
31				0.26								
Totals	0.00	0.16	0.00	1.23	8.33	2.44	3.00	0.11	0.00	0.00	0.07	0.33
												Water Year Total: 15.67

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

455B Lancaster-State Hwy Maintenance Sta.

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-40-57

Longitude: 118-08-02

Elevation: 2395 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2											0.01	
3						0.05						
4												
5						0.75						
6												
7						T						
8		0.04				0.07						
9												
10					0.02							
11												
12					0.23							
13												
14												
15												
16					0.10							
17							0.22					
18				0.03			0.34					
19												
20					0.33							
21					0.42							
22												
23				0.01	0.66							
24												
25				0.03								
26												
27					0.06							
28												
29											0.20	
30												
31				0.08								
Totals	0.00	0.04	0.00	0.15	1.82	0.87	0.56	0.00	0.00	0.00	0.21	0.00
											Water Year Total:	3.65

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

462B Los AngelesHillcrest Country Club

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-02-54

Longitude: 118-24-06

Elevation: 185 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.23						
5						0.40						
6						1.35						
7						0.04						
8		0.44				0.46						
9		0.12				0.25						
10					0.10							
11					0.60							
12					0.92							
13												
14					0.85							
15				0.09	0.12							
16					0.25							
17				0.03	0.69							
18				0.05			2.06					
19							0.06					
20		0.02			0.30							
21					1.10							
22					1.10							
23					0.07							0.10
24				0.03	1.30							
25				0.38								
26				0.27								
27												
28					0.35							
29											0.16	
30												
31				0.43								
Totals	0.00	0.58	0.00	1.28	7.75	2.73	2.12	0.00	0.00	0.00	0.16	0.10
											Water Year Total:	14.72

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

482 Los Angeles-U.S.C.

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-01-14

Longitude: 118-17-15

Elevation: 208 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.01								
2												
3												
4						0.28						
5						1.50						
6						0.05						
7												
8		0.38			0.01	0.68						
9						0.03						
10					0.52							
11					0.01							
12					0.68							
13					0.23							
14					0.23							
15												
16					0.66							
17				0.02			1.23					
18							0.25					
19												
20		0.02			0.66							
21					1.13							
22					0.01							0.02
23				0.03	0.98							0.13
24								0.01				
25				0.51								
26												
27					0.23							
28												
29											0.08	
30				0.07								
31			0.36	0.20								
Totals	0.00	0.40	0.36	0.84	5.35	2.54	1.48	0.01	0.00	0.00	0.08	0.15
	Water Year Total: 11.21											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

488B Kagel Canyon Patrol Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-17-45

Longitude: 118-22-30

Elevation: 1450 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					0.30							
2												
3						0.52						
4												
5						1.17						
6												
7												
8		0.30				0.30						
9		0.09										
10					0.82							
11					0.68							
12												
13					0.56							
14												
15												
16					1.16							
17		0.01					2.70					
18												
19							0.14					
20		0.03										
21					2.55							
22												
23					1.30							
24												0.17
25				1.05								
26												
27					0.46							
28												
29											0.19E	
30											0.02E	
31												
Totals	0.00	0.43	0.00	1.05	7.83	1.99	2.84	0.00	0.00	0.00	0.21	0.17
											Water Year Total: 14.52	

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

491D Pacific Palisades

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-02-22

Longitude: 118-31-43

Elevation: 293 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.22						
5						1.43						
6												
7												
8						0.82						
9												
10												
11					0.54							
12					0.83							
13					0.64							
14					0.39							
15												
16				0.13	0.63							
17							1.46					
18												
19												
20					0.82							
21					1.42							
22												0.16
23					1.30							
24												
25				0.73								
26												
27					0.42							
28												
29												
30												
31			0.50									
Totals	0.00	0.00	0.50	0.86	6.99	2.47	1.46	0.00	0.00	0.00	0.00	0.16
	Water Year Total:											12.44

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

492A Chilao - State Highway Maintenance Sta.

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-19-05

Longitude: 118-00-30

Elevation: 5275 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.04								
2												
3												
4						0.24						
5												
6												
7												
8												
9						0.20						
10					0.83							
11												
12					0.71							
13					0.07							
14					0.08							
15												
16					1.42		0.11	0.04				
17				0.23	0.04		1.89					
18							0.24					
19							0.04					
20		0.04			1.50							
21												
22												
23												
24				0.04								0.19
25				0.75								
26												
27												
28												
29												
30				0.08								
31												
Totals	0.00	0.04	0.00	1.14	4.65	0.44	2.28	0.04	0.00	0.00	0.00	0.19
	Water Year Total:											8.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

497 Claremont-Slaughter

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-35

Longitude: 117-43-55

Elevation: 1350 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.02								
2												
3												
4						0.24						
5						1.15						
6						0.07						
7						0.10						
8		0.14				0.75						
9												
10					0.40			0.01				
11					0.24							
12					0.63							
13					0.21							
14					0.15							
15					0.01							
16					0.92							
17					0.11		1.04					
18							1.81					
19												
20		0.06		0.02	0.67E							
21					2.10E							0.04
22					0.01		0.16					0.01
23				T	1.44							0.28
24					0.02							
25				0.58				0.35				
26				0.14								
27					0.39							
28												
29											0.02	
30												
31			0.25	0.31								
Totals	0.00	0.20	0.25	1.07	7.30	2.31	3.01	0.36	0.00	0.00	0.02	0.33
	Water Year Total:											14.85

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

517B Lewis Ranch

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-25-12

Longitude: 117-53-11

Elevation: 4615 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.10E						
5												
6						0.58E						
7						0.09E						
8						0.04E						
9						0.18E						
10					0.36							
11					0.04							
12					0.80							
13					0.04							
14												
15												
16					1.40			0.04				
17					0.04		1.80					
18				0.50			0.68					
19												
20					3.56							
21					0.72		0.08					
22					0.32							
23					0.80							
24				0.09	0.28							
25												
26												
27					0.20							
28												
29					0.04							
30												
31												
Totals	0.00	0.00	0.00	0.59	8.60	0.99	2.56	0.04	0.00	0.00	0.00	0.00
											Water Year Total:	12.78

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

542 Fairmont

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-42-15

Longitude: 118-25-40

Elevation: 3050 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				T								
3						0.03						
4						0.02						
5						0.20						
6						1.27						
7						0.05						
8		0.28				1.08						
9					0.01	0.29			0.02			
10					0.02							
11					0.53							
12					0.93							
13					0.02							
14					0.11							
15					0.06							
16				0.06	0.27		0.01					
17				0.02	0.10							
18				0.14			1.71					
19				T			0.06					
20					0.09							
21					2.01							
22					0.64							
23					0.20							0.04
24				0.02	1.15							
25				0.20								
26				0.06	0.01							
27												
28					0.29							
29											0.36	
30												
31				0.09								
Totals	0.00	0.28	0.00	0.59	6.44	2.94	1.78	0.00	0.02	0.00	0.36	0.04
												Water Year Total: 12.45

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

564C Llano

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-29-13

Longitude: 117-50-02

Elevation: 3390 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3											0.14	
4												
5												
6						0.47						
7						0.01						
8						0.01						
9						0.04						
10			0.03									
11					0.01							
12												
13												
14					0.15							
15												
16											0.01	
17				0.03	0.40							
18				0.02	0.01		0.78					
19												
20												
21					1.00							
22					0.46							
23									0.21			
24				0.02	0.63						0.03	
25				0.13							0.02	
26												
27												
28					0.01						0.03	
29											0.13	
30				0.01							0.10	
31												
Totals	0.00	0.00	0.03	0.21	2.67	0.53	0.78	0.00	0.21	0.00	0.46	0.00
	Water Year Total:											4.89

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

591B Santa Anita Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-11-08

Longitude: 118-06-16

Elevation: 1205 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.34	0.02	0.02						
2												
3												
4						0.47						
5						1.11						
6						0.72						
7												
8		0.15				0.57						
9		0.03				0.11						
10					0.07							
11					1.15							
12					1.15							
13					0.09							
14					0.27							
15					0.16							
16					0.43							
17				0.03	0.93			0.03				
18				0.05			3.15					
19							0.11					
20		0.09			0.56							
21					2.29							0.15
22					0.97		0.04					0.09
23					0.29							0.45
24				0.02	1.40			0.04				
25				0.60				0.24				
26				0.17								
27												
28					0.61							
29							0.07				0.03	
30				0.03								
31			0.35	0.34								
Totals	0.00	0.27	0.35	1.58	10.39	3.00	3.37	0.31	0.00	0.00	0.03	0.69
											Water Year Total:	19.99

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

598D Neenach-Check 43-California D.W.R.

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-47-40

Longitude: 118-37-15

Elevation: 2965 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					0.01	0.05						
2				0.01								
3						0.06						
4						0.01						
5						0.22						
6						0.48						
7						0.02						
8		0.10				0.82			0.04			
9		0.02				0.01			0.02			
10						0.01						
11					0.12							
12					0.55							
13					0.01							
14												
15					T		0.03					
16					0.02							
17				0.17			0.03					
18				0.08	0.06		1.44					
19							0.01					
20					0.20							
21					0.99							
22					0.31							
23					0.82							
24				0.05	0.27							
25				0.25	0.01							
26				0.10								
27					0.07							
28					0.03							
29					T						0.26	
30												
31				0.11								
Totals	0.00	0.12	0.00	0.77	3.47	1.68	1.51	0.00	0.06	0.00	0.26	0.00
	Water Year Total:											7.87

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

610B Pasadena-City Hall

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-54

Longitude: 118-08-36

Elevation: 864 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.10								
2												
3												
4						0.42						
5						2.20						
6						0.05						
7						T						
8		0.37				0.75						
9												
10					0.78							
11					0.23							
12					0.92							
13					0.28							
14					0.25							
15					0.01							
16					1.05							
17				0.05	0.20		1.68					
18				T			1.02					
19												
20		0.06			0.94							0.05
21				T	1.95							0.01
22					0.20							
23					1.85							0.32
24				T	0.06			T				
25				0.64	0.01			0.17				
26				0.04								
27				T	0.41							
28					0.55							
29					0.01		0.01				0.04	
30											T	
31			0.35	0.25								
Totals	0.00	0.43	0.35	1.08	9.70	3.42	2.71	0.17	0.00	0.00	0.04	0.38
											Water Year Total:	18.28

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

612B Pasadena-Chlorine Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-12-04

Longitude: 118-09-49

Elevation: 1160 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.20		0.05						
2												
3												
4						0.41						
5						0.44						
6						1.75						
7												
8		0.17				0.39						
9		0.04				0.18						
10					0.11							
11					0.92							
12					0.96							
13					0.22							
14					0.32							
15					0.13		0.07					
16				0.03	0.49							
17				0.04	1.02			0.08				
18							3.10					
19							0.05					
20		0.08			0.51							
21					1.85							0.09
22					0.97		0.04					0.11
23					0.25							0.30
24				0.09	1.60							
25				0.70				0.20				
26				0.19				0.09				
27												
28					0.68							
29							0.04				0.70	
30				0.04								
31			0.35E	0.39								
Totals	0.00	0.29	0.35	1.68	10.03	3.22	3.30	0.37	0.00	0.00	0.70	0.50
											Water Year Total:	20.44

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

613C Pasadena Fire Station

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-07-15

Longitude: 118-08-05

Elevation: 779 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.53	0.02							
2												
3												
4						0.47						
5						1.91						
6						0.06						
7												
8		1.09				0.43						
9		0.05				0.27						
10					0.23							
11					0.87							
12					0.92							
13					0.21							
14					0.28							
15					0.10		0.06					
16				0.01	0.44							
17				0.02	0.76							
18				0.02			2.43					
19							0.19					
20		0.05			0.55							
21					1.77							0.01
22					1.06							0.01
23					0.81							0.27
24				0.01	1.23							
25				0.51				0.05				
26				0.14								
27												
28					0.58							
29							0.01				0.04	
30				0.02								
31			0.35E	0.29								
Totals	0.00	1.19	0.35	1.55	9.83	3.14	2.69	0.05	0.00	0.00	0.04	0.29
Water Year Total:												19.13

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

619 San Antonio Canyon-Sierra Power House

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-12-29

Longitude: 117-40-26

Elevation: 3110 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	
1			0.12										
2													
3		0.04		0.04		0.28							
4						0.28							
5						1.44							
6						0.08							
7						0.16							
8		0.48				1.04							
9						0.04							
10					1.84								
11													
12					1.08								
13					0.08								
14					0.20		0.44						
15								0.12					
16		0.04		0.04	1.64								
17		0.08		0.08	0.04		2.12						
18							1.24						
19													
20					3.20								
21					1.36		0.12					0.02E	
22					0.16		0.04					0.04E	
23		0.04		0.04	2.20							0.37E	
24					0.04								
25		0.96		0.96									
26													
27					0.40								
28													
29					0.04								
30		0.08		0.08									
31			0.48	0.08									
Totals	0.00	1.72	0.60	1.32	12.28	3.32	3.96	0.12	0.00	0.00	0.00	0.43	
												Water Year Total:	23.75

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

627 San Gabriel Canyon-Power House

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-09-20

Longitude: 117-54-28

Elevation: 744 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.21	0.01							
2				0.01								
3												
4						0.30						
5						1.88						
6						0.01						
7												
8		0.11				0.67						
9		0.06				0.39						
10												
11					0.96							
12					1.09							
13					0.11							
14					0.17							
15					0.10							
16				0.01	0.64							
17					0.65							
18				0.01	0.01		2.85					
19							0.14					
20		0.07			0.19							
21					1.97							0.05
22					0.64		0.20					0.04
23					0.25		0.01					0.43
24				0.01	1.45			0.01				0.02
25				0.50				0.34				
26				0.30				0.16				
27												
28					0.59							
29												
30												
31				0.52								
Totals	0.00	0.24	0.00	1.57	8.83	3.25	3.20	0.51	0.00	0.00	0.00	0.54
Water Year Total:												18.14

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

634C Santa Monica

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-00-43

Longitude: 118-29-27

Elevation: 94 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.01						
2												
3						T						
4					T	0.26						
5						1.27						
6						0.11						
7												
8		0.33			T	0.46						
9						0.02						
10					0.20							
11					0.10							
12					0.80							
13					0.32							
14					0.32							
15												
16					0.93			0.05				
17				0.26			1.02		T			
18				0.02			0.45					
19												
20					0.13							
21					1.65							
22					T							
23				T	0.79							
24				0.05								
25				0.69	T							
26				0.04								
27					0.24							
28												
29											0.02	
30				0.02								
31				0.33								
Totals	0.00	0.33	0.00	1.41	5.48	2.13	1.47	0.05	0.00	0.00	0.02	0.00
											Water Year Total:	10.89

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

662D Long Beach Airport

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-49-00

Longitude: 118-09-00

Elevation: 34 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				T								
2												
3						0.18						
4					T	0.01		T				
5					0.01	0.85						
6						0.10						
7						T						
8		0.13				0.55						
9			0.02			0.01						
10					0.12							
11					0.02							
12					0.47							
13				0.01	0.04							
14					0.02		0.12					
15												
16				T	0.28							
17		0.03		T			0.94		T			
18							0.09					
19												
20		0.01			0.76							
21					0.48							
22												
23				T	0.60			T				
24				0.01				T				
25				0.37	T			0.03				
26												
27					0.06							
28					T							
29				T	T							
30				0.11				T				
31			0.09	0.01								
Totals	0.00	0.17	0.11	0.51	2.86	1.70	1.15	0.03	0.00	0.00	0.00	0.00
												Water Year Total: 6.53

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

680B Westwood (U.C.L.A.)

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-04-10

Longitude: 118-26-30

Elevation: 430 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.01								
2												
3												
4						0.27						
5						1.84						
6						0.13						
7						T						
8		0.65			T	0.75						
9						0.01						
10					0.45			T				
11					0.24							
12					0.77							
13					0.44							
14					0.46							
15												
16				T	0.73			T				
17				0.04	0.11		1.31					
18				0.02			0.52					
19												
20		0.01			0.25							
21				T	2.18							
22					0.07							
23				T	1.48			T				
24				0.01				0.01				
25				0.68	0.01							
26				0.05								
27					0.38							
28					0.03							
29												
30				0.03								
31			0.03	0.44								
Totals	0.00	0.66	0.03	1.28	7.60	3.00	1.83	0.01	0.00	0.00	0.00	0.00
											Water Year Total:	14.41

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

683B Sunset Ridge

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-12-53

Longitude: 118-08-47

Elevation: 2110 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.21		0.02						
2				0.03								
3												
4						0.45						
5						0.67						
6						1.64						
7												
8		0.15				0.52						
9		0.05				0.02						
10					0.07							
11					1.07			0.03				
12					0.96							
13					0.17							
14					0.29							
15					0.13		0.17					
16				0.01	0.49			0.04				
17				0.03	1.16		0.04	0.04				
18				0.05			2.96					
19							0.07					
20		0.06			0.43							
21					2.10							0.12
22					0.76		0.06					0.18
23					0.41							0.42
24				0.02	1.18			0.02				
25				0.67				0.33				
26				0.35				0.27				
27												
28					0.61		0.04					
29											0.06	
30											0.05	
31				0.34								
Totals	0.00	0.26	0.00	1.71	9.83	3.32	3.34	0.73	0.00	0.00	0.11	0.72
											Water Year Total:	20.02

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

694G Big Tujunga Canyon-Cmp

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-17-22

Longitude: 118-17-17

Elevation: 1525 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.04								
2												
3						0.35						
4						0.12						
5						1.50						
6						0.12						
7												
8		0.16				0.27						
9												
10					0.55							
11					0.04							
12					0.63							
13					0.08							
14					0.15							
15								0.08				
16					0.79							
17				0.04			1.54					
18							1.18					
19												
20					2.13							
21					1.02							
22												
23												
24												0.16
25				0.67				0.04				
26												
27												
28												
29											0.23	
30				0.04								
31												
Totals	0.00	0.16	0.00	0.79	5.39	2.36	2.72	0.12	0.00	0.00	0.23	0.16
	Water Year Total:											11.93

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

695B Tujunga Canyon-Vogel Flat

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-17-12

Longitude: 118-13-32

Elevation: 1850 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.26						
5						0.48						
6						2.27						
7												
8		0.25E				0.55						
9		0.01E				0.60						
10												
11					1.56							
12					1.44							
13					0.12							
14					0.22							
15					0.17		0.09					
16				0.02	0.64			0.09				
17				0.04	0.81							
18				0.12			2.77					
19							0.85					
20		0.05E			1.39							
21					2.28							
22					1.74							T
23					0.26							0.24
24				0.02	2.06							
25				0.76				0.03				
26				0.18				0.01				
27												
28					0.49							
29												
30												
31			0.20	0.25								
Totals	0.00	0.31	0.20	1.39	13.18	4.16	3.71	0.13	0.00	0.00	0.00	0.24
Water Year Total:												23.32

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

716 Los Angeles-Ducommun St.

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-03-09

Longitude: 118-14-13

Elevation: 306 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.42								
2												
3												
4						0.29						
5						0.34						
6						1.62						
7												
8		0.28				0.40						
9		0.08				0.26						
10												
11					0.65							
12					0.62							
13					0.12							
14					0.28							
15					0.12							
16					0.26							
17				0.01	0.73							
18							1.43					
19							0.10					
20					0.38							
21					0.62							
22					0.87							
23					0.13							0.18
24				0.01	1.40							
25				0.25								
26				0.24								
27												
28					0.26							
29												
30												
31				0.26								
Totals	0.00	0.36	0.00	1.19	6.44	2.91	1.53	0.00	0.00	0.00	0.00	0.18
											Water Year Total:	12.61

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

726C Angeles Crest Guard Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-14-01

Longitude: 118-11-04

Elevation: 2300 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.05								
3												
4						0.25						
5						0.56						
6												
7						1.62						
8		0.60				0.58						
9						0.10						
10												
11					1.98							
12												
13												
14												
15					0.43		0.26					
16					0.40		1.20	0.03				
17				0.06E	0.85		1.09	0.02				
18				0.05E	0.01		0.81					
19							0.23					
20												
21												
22					2.50		0.02					0.15
23					1.42							0.27
24				0.03E								
25				0.88E				0.15E				
26				0.17E				0.10E				
27												
28												
29					0.42						0.11	
30											0.01	
31			0.26	0.40E								
Totals	0.00	0.60	0.26	1.64	8.01	3.11	3.61	0.30	0.00	0.00	0.12	0.42
											Water Year Total:	18.07

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

734C Los Angeles International Airport

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-56-25

Longitude: 118-23-44

Elevation: 105 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.29						
4					T	0.01						
5						1.14						
6						0.04						
7						T						
8		0.27			T	0.88						
9						0.03						
10					0.31							
11					0.05							
12					0.51							
13					0.39							
14					0.17		T					
15				T								
16				0.01	0.54							
17		0.01		0.01			1.32					
18							0.56					
19												
20		T			0.66							
21					1.18							
22					T							
23				T	0.73							
24				0.01	T							
25				0.61	T			T				
26												
27					0.17							
28												
29												
30				0.19								
31			T	0.02								
Totals	0.00	0.28	0.00	0.85	4.71	2.39	1.88	0.00	0.00	0.00	0.00	0.00
Water Year Total:												10.11

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

735H Bell Canyon

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-11-40

Longitude: 118-39-23

Elevation: 895 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.28						
4												
5						0.70						
6						0.32						
7												
8		0.36				0.47						
9						0.04						
10					0.40							
11					0.12							
12					0.55							
13					0.35							
14					0.08							
15												
16					0.24							
17				0.08			1.46					
18							0.63					
19												
20		0.08			1.41							
21					0.67							
22												
23					1.14							
24												0.08
25				0.67								
26												
27					0.28							
28												
29												
30				0.19								
31			0.17E									
Totals	0.00	0.44	0.17	0.94	5.24	1.81	2.09	0.00	0.00	0.00	0.00	0.08
Water Year Total:												10.77

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

742C San Gabriel Fire Department

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-06-11

Longitude: 118-05-56

Elevation: 445 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.05								
2												
3												
4						0.44						
5						1.32						
6												
7												
8		0.14				0.67						
9												
10					0.41							
11					0.15							
12					0.82							
13					0.22							
14					0.20							
15												
16					0.80							
17				0.05	0.15		1.32					
18							1.04					
19												
20		0.02			0.91							
21					2.01							
22					0.05							
23					1.75							
24					T							
25				0.56								
26												
27					0.40							
28												
29											0.01	
30				0.02								
31			0.22	0.20								
Totals	0.00	0.16	0.22	0.88	7.87	2.43	2.36	0.00	0.00	0.00	0.01	0.00
											Water Year Total:	13.93

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

749B Burbank Valley Pump Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-11-11

Longitude: 118-20-54

Elevation: 655 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.33		0.02						
2				T								
3												
4						0.42						
5						0.27						
6						1.66						
7						0.06						
8		0.15				0.29						
9		0.07										
10						T						
11						0.78						
12						0.80						
13						0.12						
14						0.22						
15						T	0.20					
16				T	0.28			T				
17		T		0.03	0.56							
18		T		0.06			2.30					
19							0.25					
20					0.09							
21					1.50							
22					1.03							T
23					0.07							0.22
24				T	1.55							
25				0.42	T							
26				0.14								
27												
28					0.35							
29											0.10	
30											0.05	
31				0.72								
Totals	0.00	0.22	0.00	1.70	7.35	2.72	2.75	0.00	0.00	0.00	0.15	0.22
											Water Year Total:	15.11

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

750B Palmdale-F.A.A. Airport

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-37-20

Longitude: 118-05-00

Elevation: 2528 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.06					T	
4												
5												
6						0.68						
7												
8		0.04										
9					T	0.03						
10												
11					0.11			0.13				
12					0.24			0.02				
13								0.01				
14												
15												
16					0.08							
17					0.04							
18				0.07			0.55	0.05				
19								0.03				
20												
21												
22					0.74							
23												
24				T	0.46							
25				0.10								
26												
27												
28					0.14						T	
29											0.19	
30												
31				T								
Totals	0.00	0.04	0.00	0.17	1.81	0.77	0.55	0.24	0.00	0.00	0.19	0.00
	Water Year Total:											3.77

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

771B Pacific Palisades-Riviera Country Club

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-03-03

Longitude: 118-29-58

Elevation: 315 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.20						
5						0.30						
6												
7												
8						0.80						
9												
10												
11					0.10							
12												
13												
14					0.10							
15												
16					1.30							
17							1.80					
18	0.50											
19												
20					0.70							
21					1.80							
22												
23					1.40							
24												
25				0.90								
26												
27					0.50							
28												
29											0.20	
30												
31												
Totals	0.00	0.50	0.00	0.90	5.90	1.30	1.80	0.00	0.00	0.00	0.20	0.00
	Water Year Total: 10.60											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

794 Lower Franklin Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-05-43

Longitude: 118-24-40

Elevation: 585 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.08								
2												
3												
4						0.35						
5						0.48						
6						1.11						
7						0.02						
8		0.51				0.60						
9						0.20						
10					0.10							
11					0.56							
12					0.75							
13					0.17							
14					0.56							
15					0.04							
16					0.25							
17				0.04	0.60				0.02			
18				0.02			1.83					
19												
20		0.02			0.20							
21		0.01			1.11							0.01
22					1.47							
23					0.08							0.19
24				0.01	1.65							
25				0.50	0.01							
26				0.14								
27												
28					0.33							
29											0.20	
30				0.01								
31				0.32								
Totals	0.00	0.54	0.00	1.12	7.88	2.76	1.83	0.00	0.02	0.00	0.20	0.20
	Water Year Total:											14.55

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

795 Pasadena-Jourdan

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-52

Longitude: 118-05-14

Elevation: 705 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					0.01	0.01						
2				0.39								
3												
4						0.38						
5						1.43						
6						0.17						
7												
8		0.18				0.65						
9		0.04				0.07						
10					0.09							
11					0.73							
12					1.00							
13					0.19							
14					0.17							
15					0.12							
16				0.01	0.38							
17				0.02	0.60							
18				0.02			3.50					
19							0.22					
20		0.06			0.60							
21					1.43							0.06
22					0.97							0.01
23					0.50							0.21
24				0.02	1.27			0.01				
25				0.50				0.10				
26				0.14								
27												
28					0.64							
29							0.01				0.02	
30				0.02								
31			0.35E	0.31								
Totals	0.00	0.28	0.35	1.43	8.70	2.71	3.73	0.11	0.00	0.00	0.02	0.28
											Water Year Total:	17.61

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

797 De Soto Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-16-17

Longitude: 118-35-12

Elevation: 1127 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.32		0.03						
2												
3												
4						0.23						
5						0.27						
6						1.26						
7						0.02						
8		0.60				0.45						
9		0.03				0.08						
10			0.03		0.05							
11					0.40							
12					1.35							
13					0.22							
14					0.12							
15					0.15							
16					0.15							
17				0.09	0.29		0.02					
18		0.01		0.05			1.92					
19							0.01					
20		0.10			0.45							
21		0.02			0.76							0.04
22					1.06							
23					0.31							0.19
24				0.03	1.38							
25				0.74								
26				0.29	0.07			0.06				
27												
28					0.48							
29											0.12	
30											0.01	
31				0.39								
Totals	0.00	0.76	0.03	1.91	7.24	2.34	1.95	0.06	0.00	0.00	0.13	0.23
												Water Year Total: 14.65

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

801B Magic Mountain

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-23-18

Longitude: 118-19-27

Elevation: 4720 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.20						
5						0.93						
6						0.46						
7												
8		0.68				0.55						
9												
10					1.77							
11					0.23							
12					1.47							
13					0.96							
14					0.52		0.05					
15					0.06							
16					1.58			0.10				
17				0.26	0.07		2.05					
18							1.18					
19												
20		0.04			1.22							
21					2.94							
22					0.28							
23					1.56							0.29
24												
25				0.80								
26				0.13								
27					0.76							
28												
29											0.52	
30				0.04								
31			0.05	0.56								
Totals	0.00	0.72	0.05	1.79	13.42	2.14	3.28	0.10	0.00	0.00	0.52	0.29
											Water Year Total:	22.31

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

802C Eagle Rock Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-47

Longitude: 118-11-20

Elevation: 970 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.38								
2												
3												
4						0.42						
5						1.68						
6						0.32						
7												
8		0.16				0.30						
9		0.02				0.14						
10					0.06							
11					0.80							
12					0.87							
13					0.06							
14					0.38							
15					0.11		0.02					
16					0.33							
17				0.01	1.02							
18				0.02			1.82					
19							0.07					
20		0.04			0.54							
21					1.10		0.05					0.02
22					0.82							0.02
23					0.15							0.30
24					1.63							
25				0.38				0.05				
26				0.16								
27												
28					0.60							
29											0.06	
30												
31				0.22								
Totals	0.00	0.22	0.00	1.17	8.47	2.86	1.96	0.05	0.00	0.00	0.06	0.34
Water Year Total:												15.13

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

807 Ascot Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-04-46

Longitude: 118-11-14

Elevation: 620 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.38E								
2												
3												
4						0.52						
5						1.47						
6						0.85						
7												
8		0.28				0.79						
9		0.06				0.03						
10					0.04							
11					0.84							
12					0.70							
13					0.21							
14					0.28							
15					0.16							
16					0.38							
17					0.85							
18				0.02			1.63					
19							0.03					
20		0.03			0.53							
21					1.08		0.17					
22					0.91							
23					0.46							0.18
24					1.35							
25				0.46	0.03			0.03				
26												
27												
28					0.34							
29											0.05	
30												
31				0.22								
Totals	0.00	0.37	0.00	1.08	8.16	3.66	1.83	0.03	0.00	0.00	0.05	0.18
											Water Year Total:	15.36

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1006 San Pedro-City Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-44-37

Longitude: 118-17-47

Elevation: 150 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.01						
2												
3												
4						0.20						
5					0.02	0.20						
6						1.80						
7						0.34						
8		0.47										
9		0.02										
10					0.04							
11					0.64							
12					0.41							
13												
14					0.85							
15					0.41							
16				0.01	0.23							
17					0.19							
18		0.01					0.73					
19												
20		0.05			0.13							
21		0.02			0.72							
22					0.64							
23				T	0.05							0.10
24					0.47							
25				0.13	0.01							
26				0.60								
27				T								
28					0.06							
29												
30												
31				0.28								
Totals	0.00	0.57	0.00	1.02	4.87	2.55	0.73	0.00	0.00	0.00	0.00	0.10
												Water Year Total: 9.84

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1011B Palos Verdes Fire Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-45-25

Longitude: 118-21-11

Elevation: 1275 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.20						
4					0.03	1.78						
5						0.10						
6						0.30						
7		0.28				0.05						
8						0.85						
9												
10					0.65							
11												
12						0.75						
13						0.41						
14						0.30						
15												
16				0.02	0.50							
17							0.93					
18							0.04					
19												
20		0.11			0.35							
21					1.40							0.35
22												0.35
23						1.00						
24				0.63	0.02							
25												
26												
27					0.18							
28												
29											0.02	
30												
31				0.48								
Totals	0.00	0.39	0.00	1.13	5.59	3.28	0.97	0.00	0.00	0.00	0.02	0.70
											Water Year Total:	12.08

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1025 Malibu Beach-Dunne

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-02-00

Longitude: 118-42-42

Elevation: 160 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.25						
5						0.86						
6						0.23						
7												
8		0.37				0.65						
9												
10					0.35							
11					0.16							
12					0.68							
13					0.41							
14					0.21							
15					0.03							
16				0.02	0.21							
17				0.09	0.25		1.70					
18							0.64					
19												
20		0.09			0.17							
21					1.21							
22					0.04							
23				0.03	1.45			0.02	0.02			0.15
24					0.03							
25				0.67								
26												
27				0.07	0.40							
28												
29												
30				0.03								
31				0.35								
Totals	0.00	0.46	0.00	1.26	5.60	1.99	2.34	0.02	0.02	0.00	0.00	0.15
Water Year Total:												11.84

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1029C Tujunga-Mill Creek Summit ranger station

Gage Type: Standard recording gage (DPW)

Observation Time: 800

Latitude 34-23-22

Longitude: 118-04-49

Elevation: 4990 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.05		0.06					0.62	
2				0.06								
3						0.01						
4												
5												
6						1.32						
7												
8		0.55				0.31						
9					0.02	0.15						
10					0.01							
11					0.73							
12												
13					0.91							
14					0.05							
15					0.13							
16				0.02	0.63			0.13				
17		0.03		0.10	0.40		1.76E	0.03				
18				0.32	0.05		0.79E					
19							0.36					
20		0.05										
21					3.17E							
22					0.98E							
23					0.15							
24				0.05	1.10							
25				0.52	T							
26				0.24								
27												
28					0.46							
29												
30												
31				0.21								
Totals	0.00	0.63	0.00	1.57	8.79	1.85	2.91	0.16	0.00	0.00	0.62	0.00
											Water Year Total:	16.53

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1037 Arcadia-Arboretum

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-48

Longitude: 118-02-59

Elevation: 565 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.26		T						
2								T				
3												
4						0.34						
5						1.53						
6						0.02						
7						T						T
8		0.17				0.64						
9												
10						0.35						
11						0.36						
12						0.91						
13						0.20						
14						0.20		T				
15								T				
16				0.01	0.63							
17		T		0.02	0.39		0.91					
18							1.75					
19												
20		0.06			0.62							
21				T	2.08							0.10
22				T	0.30		0.02					T
23				T	1.73							
24					0.06							
25				0.60								
26												
27					0.43							
28					0.26							
29											0.02	
30				T								
31				0.31								
Totals	0.00	0.23	0.00	1.20	8.52	2.53	2.68	0.00	0.00	0.00	0.02	0.10
											Water Year Total:	15.28

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1041B Santa Fe Dam

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-07-04

Longitude: 117-58-24

Elevation: 427 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.02								
2												
3												
4						0.30						
5						1.66						
6												
7						0.01						0.01
8		0.05				0.92						
9												
10					0.23							
11					0.19							
12					0.84							
13					0.19							
14					0.13							
15					0.01							
16					0.87							
17				0.01	0.10		1.47					
18							1.20					
19												
20		0.02			0.85							
21					2.09							
22							0.06	0.22				
23					1.79							0.22
24					0.02		0.01					
25				0.56								
26				0.05								
27					0.44							
28					0.01							
29												
30												
31			0.47	0.25								
Totals	0.00	0.07	0.47	0.89	7.76	2.89	2.74	0.22	0.00	0.00	0.00	0.23
												Water Year Total: 15.27

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1050F Old Topanga Canyon

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-06-24

Longitude: 118-37-43

Elevation: 1000 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.28						
5						0.78						
6						1.07						
7						0.42						
8		0.77				1.00						
9						0.13						
10												
11					1.28							
12					1.47							
13					0.20							
14					0.65							
15												
16		0.10		0.05	0.20		0.10					
17				0.07	0.30		4.34					
18				0.07			0.30					
19												
20					0.38							
21					2.45							0.04
22					1.63							
23					0.66							0.17
24				0.04	1.75							
25				0.75								
26				0.42								
27												
28					0.23							
29												
30				0.30								
31			0.34									
Totals	0.00	0.87	0.34	1.70	11.20	3.68	4.74	0.00	0.00	0.00	0.00	0.21
												Water Year Total: 22.74

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1051B Canoga Park-Pierce College

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-10-51

Longitude: 118-34-23

Elevation: 800 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.01		T						
2												
3						T						
4					T	0.34						
5						0.93						
6						0.24						
7						0.01						
8		0.41				0.46						
9						0.01						
10					0.26							
11					0.04							
12					0.68							
13					0.13							
14					0.60							
15					T							
16				0.03	0.35		1.70					
17				0.08	0.07		1.00					
18				0.02								
19					T							
20		0.13			0.61							
21					1.97							
22					0.18							
23				0.01	1.35			T				0.11
24				0.03								
25				0.78	0.03			0.01				
26				0.03								
27					0.18							
28					0.01							
29											0.06	
30				0.06								
31			0.26	0.11								
Totals	0.00	0.54	0.26	1.16	6.46	1.99	2.70	0.01	0.00	0.00	0.06	0.11
												Water Year Total: 13.29

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1058B Palmdale

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-35-17

Longitude: 118-05-31

Elevation: 2595 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.03								
3						0.06						
4												
5						0.72						
6						0.01						
7												
8		0.02				0.02						
9												
10					0.06							
11					0.07							
12					0.28							
13												
14												
15												
16					0.12							
17		0.01		0.03	0.04		0.11					
18				0.06			0.68					
19												
20					0.04							
21					0.75							
22					0.41							
23				0.01								
24												
25				0.09								
26												
27												
28												
29											0.21	
30												
31												
Totals	0.00	0.03	0.00	0.22	1.77	0.81	0.79	0.00	0.00	0.00	0.21	0.00
												Water Year Total: 3.83

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1070 Manhattan Beach

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-53-00

Longitude: 118-23-19

Elevation: 182 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.36						
5					0.30	0.35						
6						0.93						
7						0.01						
8		0.28				0.44						
9						0.03						
10												
11					0.34							
12					0.45							
13					0.18							
14					0.44							
15												
16					0.33							
17					0.28							
18							1.64					
19												
20					0.11							
21					0.76							
22					1.00							
23					0.34							
24					0.28							
25				0.50								
26				0.12								
27												
28					0.15							
29												
30				0.17								
31												
Totals	0.00	0.28	0.00	0.79	4.96	2.12	1.64	0.00	0.00	0.00	0.00	0.00
	Water Year Total:											9.79

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1071B Descanso Gardens

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-12-07

Longitude: 118-12-46

Elevation: 1325 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.06						
2				0.03		0.50						
3						1.92						
4						0.08						
5												
6						0.64						
7												
8		0.25										
9												
10					0.90							
11					0.15							
12					0.82							
13					0.42							
14					0.40		0.01					
15					0.03							
16					1.40			0.05				
17		0.02		0.10	0.15		1.78					
18							1.32					
19												
20					0.84							
21					2.40							0.10
22					0.10							0.20
23					1.45							0.33
24					0.18							
25				0.76				0.13				
26												
27					0.48							
28					0.16							
29											0.02	
30				0.09								
31			0.17	0.33								
Totals	0.00	0.27	0.17	1.31	9.88	3.20	3.11	0.18	0.00	0.00	0.02	0.63
												Water Year Total: 18.77

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1074 Little Gleason

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-22-43

Longitude: 118-08-57

Elevation: 5600 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1											0.04	
2												
3				0.04		0.04						
4						0.12						
5						0.04						
6												
7												
8		0.74				0.20						
9						0.83						
10					1.26	0.07						
11					0.04							
12					0.82							
13					0.40							
14					0.31							
15								0.04				
16				0.08	1.22			0.08				
17				0.43	0.12		1.50					
18							0.67	0.04				
19							0.35					
20		0.12			2.13							
21					0.08							
22												0.12
23				0.04								0.08
24				0.04								
25				1.10								
26				0.12								0.04
27												
28												
29			0.04								0.23	
30				0.51								
31				0.08								
Totals	0.00	0.86	0.04	2.44	6.38	1.30	2.52	0.16	0.00	0.00	0.27	0.24
											Water Year Total:	14.21

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1076B Monte Cristo Ranger Station

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-19-42

Longitude: 118-07-20

Elevation: 3360 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.16		0.02						
2				0.01							0.01	
3												
4												
5						0.53						
6						1.29						
7												
8		0.15				0.30						
9		0.02			T	0.14						
10					0.02							
11					0.83							
12					0.88							
13					0.06							
14					0.10							
15					0.07		0.15					
16				0.02	0.48			0.12				
17		0.02		0.04	0.63			0.06				
18				0.19			2.66					
19							0.24					
20		0.09			0.31							
21					2.87							
22					0.80							
23					0.11							0.07
24				0.04	1.23							
25				0.90	0.02			T				
26				0.10	T							
27												
28					0.25							
29												
30												T
31				0.10								
Totals	0.00	0.28	0.00	1.56	8.66	2.28	3.05	0.18	0.00	0.00	0.01	0.07
											Water Year Total:	16.09

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1081B Glendale-Gregg

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-11-45

Longitude: 118-14-30

Elevation: 1350 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.03								
3						T						
4						0.47						
5						1.81						
6						0.08						
7		T				T						T
8		0.33			T	0.52						
9												
10					1.04			T				
11					0.02							
12					0.87							
13					0.53							
14					0.38		0.01					
15					0.01							
16				0.01	1.45			0.08				
17		0.01		0.11	0.10		1.84		T			
18							0.95					
19							0.02					
20		0.08			0.65							
21				0.01	1.95							0.12
22					0.14							T
23				0.01	1.65							0.34
24					0.15			0.02				
25				0.76	T			0.06				
26				0.05								
27					0.61	T						
28					0.03		0.01					
29					0.04						0.10	
30				0.05								
31			0.22	0.38								
Totals	0.00	0.42	0.22	1.41	9.62	2.88	2.83	0.16	0.00	0.00	0.10	0.46
	Water Year Total:											18.10

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1087 Green-Verdugo Pumping Plant

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-15-25

Longitude: 118-20-11

Elevation: 1340 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.08								
2				0.06								
3												
4						0.49						
5						0.45						
6						1.48						
7												
8		0.22				0.30						
9		0.01				0.06						
10					0.03							
11					0.59							
12					0.68							
13					0.05							
14					0.10							
15					0.14							
16					0.41							
17				0.04	0.59			0.04				
18				0.02			0.02					
19							2.68					
20		0.02			0.35		0.42					
21		0.01			1.79							0.02
22					0.95							0.12
23					0.13							0.23
24					1.24							
25				0.63	0.01							
26				0.01				0.04				
27												
28					0.29							
29												
30												
31				0.09								
Totals	0.00	0.26	0.00	0.93	7.35	2.78	3.12	0.08	0.00	0.00	0.00	0.37
												Water Year Total: 14.89

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1088B La Habra Heights-Mutual Water Co.

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-56-55

Longitude: 117-57-51

Elevation: 445 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					0.01							
2												
3												
4												
5												
6						1.70						
7												
8		0.10				0.42		0.01				
9						0.22						
10												
11					0.38							
12												
13												
14					0.83							
15		T			0.07							
16					0.32							
17				0.01	0.33							
18							1.42					
19							0.22					
20												
21												
22					2.34							
23					0.21							0.28
24					0.98			0.01				
25				0.33				0.20				
26				0.37								
27												
28					0.21							
29											0.02	
30												
31			0.28	0.26								
Totals	0.00	0.10	0.28	0.97	5.68	2.34	1.64	0.22	0.00	0.00	0.02	0.28
											Water Year Total:	11.53

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1095 Orange County Reservoir

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-56-07

Longitude: 117-52-58

Elevation: 660 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.02								
2												
3												
4						0.39						
5						1.04						
6						0.02						
7												
8		0.05				0.57						
9												
10					0.33							
11					0.28							
12					0.97							
13					0.13							
14					0.26							
15												
16					0.65							
17					0.10		0.76					
18							0.52					
19												
20		0.02			0.29							
21					1.84							
22					0.11							0.05
23					1.20							0.25
24								0.02				
25				0.56				0.11				
26				0.08								
27					0.14							
28												
29												
30												
31			0.21	0.25								
Totals	0.00	0.07	0.21	0.91	6.30	2.02	1.28	0.13	0.00	0.00	0.00	0.30
Water Year Total:												11.22

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1107D La Tuna Debris Basin

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-14-13

Longitude: 118-19-37

Elevation: 1160 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.23						
4						0.24						
5						1.34						
6						0.12						
7						0.04						
8		0.16				0.23						
9												
10					0.63							
11					0.08							
12					0.55							
13					0.12							
14												
15					0.03							
16					0.83							
17				0.04			1.10					
18							0.91					
19												
20					1.69							
21					1.15							0.08E
22												0.05E
23												0.24E
24												
25				0.51								
26				0.04								
27												
28												
29											0.16	
30												
31			0.12	0.08								
Totals	0.00	0.16	0.12	0.67	5.08	2.20	2.01	0.00	0.00	0.00	0.16	0.37
											Water Year Total:	10.77

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1113 Dominguez Water Co.

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 33-49-54

Longitude: 118-13-30

Elevation: 30 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.20						
4						0.04						
5						0.78						
6						0.04						
7												
8		0.11				0.91						
9		0.04										
10					0.16							
11					0.04							
12					0.51							
13					0.39							
14					0.08							
15												
16					0.43							
17							0.94					
18							0.12					
19												
20					0.52							
21					0.78							
22												
23												
24												0.04
25				0.39				0.04				
26												
27												
28												
29											0.04	
30				0.04								
31			0.20	0.04								
Totals	0.00	0.15	0.20	0.47	2.91	1.97	1.06	0.04	0.00	0.00	0.04	0.04
											Water Year Total:	6.88

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1114B Whittier Narrows Dam

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-01-29

Longitude: 118-05-02

Elevation: 239 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.03								
2												
3												
4						0.43						
5						1.15						
6						0.11						
7												
8		0.16				0.88						
9												
10					0.30							
11					0.05							
12					0.51							
13					0.33							
14					0.22							
15												
16					0.77							
17				0.01	0.01		1.17					
18							0.80					
19												
20					1.24							
21					0.96							
22												
23					1.33							0.33
24								0.03				
25				0.48				0.02				
26				0.07								
27					0.17							
28												
29											0.01	
30				0.14								
31			0.47									
Totals	0.00	0.16	0.47	0.73	5.89	2.57	1.97	0.05	0.00	0.00	0.01	0.33
	Water Year Total:											12.18

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1115 San Antonio Dam

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-09-24

Longitude: 117-40-20

Elevation: 2120 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.01								
2												
3												
4						0.21						
5						1.82						
6						0.04						
7						0.03						
8		0.23				0.95		0.08				
9												
10					0.73			0.01				
11					0.36							
12					0.71							
13					0.09							
14					0.09		0.24					
15												
16					1.29							
17					0.10		1.19					
18							2.12					
19												
20		0.06			0.78							
21					2.44							0.04
22							0.26					0.03
23					1.58							0.40
24					0.04			0.15				
25				0.73				0.15				
26				0.04								
27					0.35							
28					0.05							
29											0.01	
30												
31			0.31	0.28								
Totals	0.00	0.29	0.31	1.06	8.61	3.05	3.81	0.39	0.00	0.00	0.01	0.47
Water Year Total:												18.00

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1126A Los Angeles-East Valley

Gage Type: 8.81 inch diameter (DPW)

Observation Time: 800

Latitude 34-12-30

Longitude: 118-24-35

Elevation: 780 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.02		0.01						
2												
3												
4						0.20						
5						0.24						
6						0.11						
7						0.05						
8		0.18				0.22						
9		0.11				0.22						
10					0.04							
11					0.35							
12					0.71							
13					0.12							
14					0.06							
15					T							
16					0.22							
17				0.04	0.45		0.02	0.01				
18				0.03			2.45					
19							0.05					
20		0.04			0.59							
21					0.98							0.01
22					1.37							
23					0.08							0.24
24					1.20							
25				0.48								
26				0.12	0.02			0.02				
27												
28					0.31							
29					T						0.04	
30											0.11	
31				0.16								
Totals	0.00	0.33	0.00	0.85	6.50	1.05	2.52	0.03	0.00	0.00	0.15	0.25
	Water Year Total:											11.68

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1129B Nicholas Canyon

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-02-52

Longitude: 118-54-57

Elevation: 340 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1					0.34							
2												
3												
4						0.33						
5						0.67			0.05			
6						0.82						
7												
8		0.70				0.54						
9												
10					0.32							
11					0.16							
12					0.47							
13					0.43							
14					0.30		0.01					
15					0.03							
16				0.01	0.20							
17				0.07	0.30		2.26					
18				0.01			0.37					
19												
20		0.16			0.74							
21					1.08							0.03
22					0.03							0.04
23				0.02	1.37			0.01				0.10
24				0.01				0.01				
25				0.61								
26				0.12								
27					0.33							
28												
29												
30												
31												
Totals	0.00	0.86	0.00	0.85	6.10	2.36	2.64	0.02	0.05	0.00	0.00	0.17
												Water Year Total: 13.05

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1152 Clear Creek Ranger Station

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-16-15

Longitude: 118-09-11

Elevation: 3625 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.33								
2				0.06								
3												
4						0.30						
5						0.67						
6												
7						1.77						
8		0.31				0.63						
9												
10					0.65							
11												
12												
13												
14												
15					0.50		0.30					
16					0.50			0.05				
17				0.06	1.00			0.03				
18					0.02		3.10					
19							0.27					
20		0.05										
21												
22					2.25		0.03					0.02
23					1.50							0.26
24												
25				0.17								
26								0.16				
27												
28												
29					0.50						0.13	
30											0.01	
31												
Totals	0.00	0.36	0.00	0.62	6.92	3.37	3.70	0.24	0.00	0.00	0.14	0.28
											Water Year Total:	15.63

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1158 Torrance Municipal Airport

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-47-59

Longitude: 118-20-08

Elevation: 102 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.07								
2												
3												
4					0.02	0.03						
5						1.60						
6						0.13						
7												
8		0.07				0.76						
9												
10					0.11							
11												
12					0.75							
13					0.17							
14					0.44							
15												
16					0.43							
17		0.04		0.01	0.01		0.71					
18							0.40					
19												
20		0.04			0.30							
21					1.55							
22					T							T
23					0.72							0.11
24												
25				0.67								
26				0.07								
27					0.03							
28												
29												
30												
31			0.01	0.10								
Totals	0.00	0.15	0.01	0.92	4.53	2.52	1.11	0.00	0.00	0.00	0.00	0.11
	Water Year Total:											9.35

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1166B Mile High Ranch

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-24-40

Longitude: 117-46-15

Elevation: 5280 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4												
5						0.53						
6												
7						0.09						
8						0.21						
9												
10												
11					0.26							
12					0.59							
13												
14												
15					A							
16					0.73A							
17					0.30		0.84					
18				0.50			0.82					
19					A							
20					1.06A							
21					1.90							
22					0.40							
23					0.83							
24				0.09								
25												
26												
27												
28											0.15	
29												
30												
31												
Totals	0.00	0.00	0.00	0.59	6.07	0.83	1.66	0.00	0.00	0.00	0.15	0.00
	Water Year Total:											9.30

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1170B Thousand Oaks Weather Station

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-10-44

Longitude: 118-51-01

Elevation: 805 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						0.01						
2												
3												
4						0.29						
5						0.34						
6						0.64						
7						0.38						
8		0.55				0.41						
9						0.25						
10					0.02							
11			0.01		0.46							
12					0.75							
13					0.08							
14					0.29							
15												
16				0.08	0.10			0.04				
17		0.01		0.01	0.17		0.21					
18				0.09			2.37					
19							0.01					
20		0.15			0.14							
21		0.01			1.73							0.01
22					0.32							
23					0.31							0.10
24				0.02	0.91							
25				0.89	0.01			0.04				
26				0.16								
27												
28					0.35							
29												
30				0.02								
31				0.18								
Totals	0.00	0.72	0.01	1.45	5.64	2.32	2.59	0.08	0.00	0.00	0.00	0.11
	Water Year Total:											12.92

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1171B Camulos Ranch

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-24-22

Longitude: 118-45-21

Elevation: 725 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.12								
2												
3												
4						0.30						
5						0.22						
6						0.94						
7						0.24						
8		0.47				0.38						
9						0.46						
10												
11					0.56							
12					0.93							
13					0.18							
14					0.46							
15					0.10		0.18					
16				0.11	0.10							
17		0.03		0.04	0.27							
18				0.20			1.77					
19							0.25					
20		0.11										
21					1.43							
22					0.56							
23					0.45							
24				0.10	1.35							
25				0.83	0.03							
26				0.30								
27												
28					0.52							
29											0.02	
30												
31				0.47								
Totals	0.00	0.61	0.00	2.17	6.94	2.54	2.20	0.00	0.00	0.00	0.02	0.00
											Water Year Total:	14.48

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1191 Bear Divide

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-21-35

Longitude: 118-23-37

Elevation: 2700 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.05		0.05						
2												
3												
4												
5												
6						2.25						
7						0.06						
8		0.55				0.74						
9					0.02	0.33						
10					0.13							
11					1.50							
12					1.45							
13												
14					0.95							
15					0.50							
16					0.48							
17		0.02			1.21							
18				0.21			2.75					
19							0.21					
20		0.05										
21					4.16							0.04
22					0.10							0.19
23					0.25							0.33
24					1.50							
25				0.78	0.02			0.04				
26				0.28								
27					1.14							
28												
29											0.28	
30											0.03	
31				0.86								
Totals	0.00	0.62	0.00	2.18	13.41	3.43	2.96	0.04	0.00	0.00	0.31	0.56
											Water Year Total:	23.51

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1193 Westlake Village

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-08-19

Longitude: 118-49-05

Elevation: 885 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4												
5												
6						2.83						
7												
8		0.63										
9												
10												
11												
12												
13					1.80							
14												
15												
16					0.42							
17				0.15								
18							3.00					
19												
20					1.67							
21					1.60							
22												
23					1.33							
24												
25				0.99								
26												
27												
28												
29												
30												
31			0.35									
Totals	0.00	0.63	0.35	1.14	6.82	2.83	3.00	0.00	0.00	0.00	0.00	0.00
Water Year Total:												14.77

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1194 Santa Ynez Reservoir

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-04-23

Longitude: 118-33-59

Elevation: 735 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.04								
2												
3												
4						0.19						
5						0.58						
6						0.82						
7						0.17						
8		0.31				0.88						
9		0.09				0.13						
10												
11					0.79							
12					1.20							
13					0.34							
14					0.77							
15					0.05		0.13					
16					0.25							
17				0.04	0.37		0.05		0.13			
18				0.04			2.20					
19												
20		0.04			0.15							
21					1.18							0.04
22					0.93							
23					0.47							0.40
24				0.01								
25				0.73	0.01							
26				0.24				0.01				
27												
28					0.16							
29											0.06	
30				0.01								
31				0.57								
Totals	0.00	0.44	0.00	1.68	6.67	2.77	2.38	0.01	0.13	0.00	0.06	0.44
											Water Year Total:	14.58

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1212 Lancaster FSS/FAA

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-44-00

Longitude: 118-13-00

Elevation: 2340 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.06						
4						T						
5						0.90						
6												
7						T						
8		0.04				0.16			0.08			
9												
10					0.08E							
11												
12					0.43E							
13												
14							0.04					
15												
16					0.12E							
17				0.31E			1.63					
18							0.15					
19												
20					0.22E							
21					0.49E							
22												
23					0.66E							
24				0.10E								
25				0.03E								
26												
27					0.08E							
28												
29												
30				0.02E								
31												
Totals	0.00	0.04	0.00	0.46	2.08	1.12	1.82	0.00	0.08	0.00	0.00	0.00
												Water Year Total: 5.60

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1216 Rancho Palos Verdes

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-45-10

Longitude: 118-23-32

Elevation: 780 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.20						
4					0.04	0.80						
5						0.54						
6												
7		0.10				0.40						
8						0.14						
9												
10					0.48							
11					0.15							
12					0.08							
13					0.85							
14					0.10							0.02
15					0.38							
16		0.16			0.36							
17				0.03			1.10					
18							0.10					
19		0.10			0.19							
20					1.03							
21					2.40							
22					0.24							0.32
23					0.60							
24				0.43								
25				0.45								
26					0.16							
27							0.01					
28												
29												
30				0.40								
31			T									
Totals	0.00	0.36	0.00	1.31	7.06	2.08	1.21	0.00	0.00	0.00	0.00	0.34
												Water Year Total: 12.36

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1217 Los Angeles Country Club

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-04-10

Longitude: 118-25-17

Elevation: 380 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.30						
5						0.28						
6						1.48						
7						0.15						
8		0.55				0.30						
9						0.53						
10					0.05							
11					0.75							
12					0.74							
13					0.64							
14					0.77							
15					0.15							
16					0.27							
17				0.02	0.79							
18				0.05			2.00					
19							0.03					
20		0.08			0.05							
21					1.33							
22					1.32							
23					0.07							0.12
24					1.43							
25				0.36								
26				0.37								
27												
28					0.45							
29											0.07	
30				0.44								
31			0.08									
Totals	0.00	0.63	0.08	1.24	8.81	3.04	2.03	0.00	0.00	0.00	0.07	0.12
	Water Year Total:											16.02

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1222 Northridge-Garland

Gage Type: 8.81 inch diameter (DPW)

Observation Time: 800

Latitude 34-14-17

Longitude: 118-30-59

Elevation: 911 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.01								
2												
3						0.35						
4												
5						1.23						
6						0.16						
7												
8		0.35				0.56						
9												
10					0.43							
11					0.11							
12					0.62							
13					0.20							
14					0.48							
15												
16					0.62							
17				0.12	0.02		1.50					
18							0.72					
19												
20		0.03			0.50							
21					1.77							0.05
22					0.04							
23					1.42							0.18
24												
25				0.75				0.10				
26				0.09								
27					0.50							
28												
29											0.17	
30												
31			0.12	0.42								
Totals	0.00	0.38	0.12	1.39	6.71	2.30	2.22	0.10	0.00	0.00	0.17	0.23
												Water Year Total: 13.62

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1223 Woodland Hills-Sherman

Gage Type: 8.81 inch diameter (DPW)

Observation Time: 800

Latitude 34-10-06

Longitude: 118-38-57

Elevation: 1035 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1						A						
2						A						
3						A						
4						A						
5						1.31A						
6						0.49						
7						0.01						
8		0.39				0.53						
9						0.04						
10						A						
11						0.52A						
12						0.65						
13						0.22						
14						0.26						
15						0.02						
16				0.04	0.23							
17				0.11	0.07		2.04					
18							0.91					
19												
20		0.13			0.70							
21					2.02							0.02
22					A							T
23				0.03	1.50A							0.07
24				0.01				T				
25				0.85	0.05			T				
26				0.05								
27					0.22							
28												
29											T	
30				0.06								
31			0.12	0.12								
Totals	0.00	0.52	0.12	1.27	6.46	2.38	2.95	0.00	0.00	0.00	0.00	0.09
Water Year Total:												13.79

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1239 Malibu-Big Rock Mesa

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-02-34

Longitude: 118-37-16

Elevation: 725 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.16						
4						0.04						
5						1.10						
6						0.43						
7												
8		0.55				1.06						
9												
10					0.43							
11					0.04							
12					0.87							
13					0.78							
14					0.16							
15												
16					0.51		0.04					
17				0.04			1.81					
18							0.40					
19												
20		0.04			0.99							
21					1.22							
22												0.15
23				0.04								
24												
25				0.86								
26												
27												
28										0.04		
29												
30				0.36			0.04					
31				0.04								
Totals	0.00	0.59	0.00	1.34	5.00	2.79	2.29	0.00	0.00	0.04	0.00	0.15
										Water Year Total:		12.20

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1240 Pearblossom-Calif.D.W.R. Booster Sta.

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-30-32

Longitude: 117-55-15

Elevation: 3050 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.03						
4						0.02						
5												
6												
7						0.47						
8												
9						0.03						
10												
11					0.13							
12					0.23							
13					T							
14												
15												
16					0.12			0.02				
17					0.11							
18					T		0.66					
19							0.14					
20					0.04							
21					0.54							
22					0.26							
23					T							
24				0.01	0.52							
25				0.05	T							
26				0.05							0.09	
27												
28					0.02							
29											0.72	
30												
31												
Totals	0.00	0.00	0.00	0.11	1.97	0.55	0.80	0.02	0.00	0.00	0.81	0.00
	Water Year Total:											4.26

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1243 Redman

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-45-52

Longitude: 117-55-30

Elevation: 2360 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2						0.03E						
3												
4												
5						0.63E						
6												
7												
8		0.03E				0.06E						
9												
10					0.01E							
11					0.21E							
12												
13												
14												
15					0.07E							
16												
17				0.17E			0.16					
18							0.24					
19												
20					0.23E							
21					0.32E							
22												
23					0.52E							
24				0.04E								
25												
26												
27					0.04E							
28												
29											0.04	
30												
31				0.04E								
Totals	0.00	0.03	0.00	0.25	1.40	0.72	0.40	0.00	0.00	0.00	0.04	0.00
	Water Year Total:											2.84

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1247 North Lancaster

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-45-41

Longitude: 118-07-30

Elevation: 2310 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.04E						
4												
5						0.72E						
6												
7		0.04E										
8						0.09E						
9												
10												
11												
12						0.28						
13												
14												
15												
16						0.08						
17								0.28				
18				0.30E				0.24				
19												
20						0.08						
21						0.44						
22												
23						0.56						
24												
25				0.12								
26												
27						0.04						
28												
29												
30												
31												
Totals	0.00	0.04	0.00	0.42	1.48	0.85	0.52	0.00	0.00	0.00	0.00	0.00
	Water Year Total: 3.31											

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1250 Avek

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-32-21

Longitude: 117-55-23

Elevation: 2825 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.04						
4												
5						0.36						
6												
7												
8												
9												
10					0.04							
11												
12					0.16							
13												
14												
15												
16					0.16							
17							0.36					
18							0.24					
19												
20					0.24							
21					0.40							
22												
23					0.40							
24					0.04							
25				0.08								
26												
27												0.04
28											0.64	
29												
30												
31												
Totals	0.00	0.00	0.00	0.08	1.44	0.40	0.60	0.00	0.00	0.00	0.64	0.04
											Water Year Total:	3.20

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1252 Palos Verdes Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-45-40

Longitude: 118-20-03

Elevation: 400 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.03								
3						0.32						
4												
5						1.95						
6												
7						0.30						
8		0.12				0.53						
9		0.02										
10												
11					0.35							
12					0.35							
13												
14					1.25							
15					0.12							
16					0.28							
17					0.33		1.00					
18				T			0.22					
19												
20		0.07										
21					2.00							
22		0.02			0.16							
23					0.70							0.24
24												
25				0.49								
26				0.39								
27					0.04							
28												
29												
30												
31												
Totals	0.00	0.23	0.00	0.91	5.58	3.10	1.22	0.00	0.00	0.00	0.00	0.24
Water Year Total:												11.28

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1253 Carson-County Sanitation

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-48-07

Longitude: 118-16-58

Elevation: 40 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.38						
4												
5						1.99						
6						0.15						
7												
8		0.10E				0.78						
9		0.02E										
10					0.28							
11					T							
12					0.68							
13					0.34							
14					0.24							
15												
16				T	0.40							
17		0.02E		T			0.82					
18							0.05					
19												
20		0.04E			1.00							
21					1.01							
22												0.01
23					0.72							0.20
24												
25				0.60	T			T				
26												
27					0.03							
28												
29											T	
30				0.06								
31												
Totals	0.00	0.18	0.00	0.66	4.70	3.30	0.87	0.00	0.00	0.00	0.00	0.21
												Water Year Total: 9.92

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1254 Long Beach Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-48-11

Longitude: 118-05-20

Elevation: 20 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.27						
4						0.94						
5						0.40						
6												
7		0.05				0.18						
8		0.07				0.34						
9												
10					0.25							
11					0.38							
12					0.07							
13					0.23							
14					0.08							
15					0.29							
16		0.01		0.01	0.10							
17							0.87					
18							0.04					
19		0.02			0.21							
20					0.92							
21					0.43							
22					0.14							0.18
23					0.55			0.01				
24				0.15	0.01			0.02				
25				0.30								
26												
27					0.17							
28												
29												
30				0.19								
31												
Totals	0.00	0.15	0.00	0.65	3.83	2.13	0.91	0.03	0.00	0.00	0.00	0.18
												Water Year Total: 7.88

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1255 Los Coyotes Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-53-05

Longitude: 118-06-24

Elevation: 70 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.02								
2												
3						0.38						
4						0.53						
5						0.45						
6												
7		0.07				0.35						
8		0.04				0.48						
9												
10					0.28							
11					0.68							
12					0.15							
13					0.28							
14					0.03							
15					0.23							
16		0.04		0.02	0.40							
17							1.56					
18							0.03					
19		0.05			0.33							
20					1.10							
21					0.81							
22					0.17							0.23
23					0.75			0.02				
24				0.18	0.01			0.07				
25				0.37				0.01				
26												
27					0.14							
28												
29												
30				0.27								
31			0.47									
Totals	0.00	0.20	0.47	0.86	5.36	2.19	1.59	0.10	0.00	0.00	0.00	0.23
Water Year Total:												11.00

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1256 South Gate Transfer Station

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 33-56-40

Longitude: 118-09-56

Elevation: 100 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.19		0.30						
3												
4												
5						1.24						
6						0.07						
7						0.14						
8		0.13				0.47						
9												
10					0.47							
11					0.47							
12												
13					0.27							
14					0.11							
15					0.13							
16					0.38							
17							1.50					
18							0.09					
19												
20		0.03			0.88							
21					0.98							
22		0.02			0.05							
23					0.98							0.15
24				0.17				0.05				
25				0.27				0.01				
26												
27					0.16							
28											0.07	
29												
30				0.17								
31												
Totals	0.00	0.18	0.00	0.80	4.88	2.22	1.59	0.06	0.00	0.00	0.07	0.15
												Water Year Total: 9.95

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1257 San Jose Creek Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-01-55

Longitude: 118-01-16

Elevation: 275 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.55						
4						0.75						
5						0.97						
6												
7		0.10				0.44						0.02
8		0.04				0.66						
9					0.01							
10					0.36							
11					0.65							
12					0.11							
13					0.34							
14					0.20							
15					0.29							
16		0.01			0.62							
17							1.98					
18							0.14					
19		0.01			0.43							
20					1.15							
21					0.62							
22					0.24							0.19
23				0.01	1.05							
24				0.39				0.10				
25				0.34				0.05				
26												
27					0.33							
28												
29												
30				0.19								
31			0.31									
Totals	0.00	0.16	0.31	0.93	6.40	3.37	2.12	0.15	0.00	0.00	0.00	0.21
	Water Year Total:											13.65

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1258 Puente Hills Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-01-35

Longitude: 118-01-49

Elevation: 300 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3				0.27								
4						0.49						
5												
6						1.77						
7												
8		0.06				0.49						
9						0.72						
10												
11					0.45							
12					0.58							
13												
14					0.44							
15					0.23							
16					0.35							
17		0.01		0.04	0.62							
18							2.14					
19							0.19					
20		0.07										
21					1.62							
22					0.60							
23					0.28							0.20
24					1.14							
25				0.39				0.07				
26				0.35				0.05				
27												
28					0.35						0.03	
29												
30												
31				0.25								
Totals	0.00	0.14	0.00	1.30	6.66	3.47	2.33	0.12	0.00	0.00	0.03	0.20
											Water Year Total:	14.25

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1259 Whittier Narrows Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-03-59

Longitude: 118-03-54

Elevation: 225 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.02								
2						0.01						
3						0.56						
4						0.60						
5						0.76						
6												
7		0.15				0.37						
8		0.04				0.55						
9					0.01							
10					0.40							
11					0.52							
12					0.11							
13					0.36							
14					0.17							
15				0.02	0.25							
16		0.04		0.01	0.57							
17				0.02			1.82					
18							0.21					
19		0.02			0.17							
20					0.76							
21					0.73							
22					0.13							0.37
23				0.02	1.21							
24				0.26				0.05				
25				0.39				0.03				
26												
27					0.25							
28												
29				0.01								
30				0.17								
31			0.41									
Totals	0.00	0.25	0.41	0.92	5.64	2.85	2.03	0.08	0.00	0.00	0.00	0.37
Water Year Total:												12.55

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1260 Spadra Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-02-36

Longitude: 117-49-50

Elevation: 700 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.29								
3						0.27						
4												
5						1.39						
6												
7						0.33						
8						0.48						
9		0.09			0.01							
10					0.61							
11					0.56							
12												
13					0.27							
14					0.16							
15					0.29							
16					0.68							
17							1.64					
18							0.29					
19												
20					1.55							
21					1.12							
22					0.11							
23					1.33							0.17
24				0.33				0.08				
25				0.46				0.04				
26												
27					0.32							
28												
29												
30				0.25								
31												
Totals	0.00	0.09	0.00	1.33	7.01	2.47	1.93	0.12	0.00	0.00	0.00	0.17
												Water Year Total: 13.12

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1261 La Canada Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-13-00

Longitude: 118-11-14

Elevation: 1800 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.03								
2												
3						0.40						
4						0.65						
5						1.45						
6												
7		0.18				0.41						
8		0.06				0.16						
9					0.10							
10					1.22							
11					0.55							
12					0.55							
13					0.59							
14					0.18		0.05					
15					0.37			0.80				
16		0.03		0.04	1.20							
17				0.05			2.77					
18							0.50					
19					0.35							
20					2.43							0.05
21					1.10							0.23
22					0.20							0.36
23					1.62							
24				0.60				0.21				
25				0.31				0.11				
26												
27					0.65							
28							0.05					
29											0.07E	
30				0.34								
31			0.15									
Totals	0.00	0.27	0.15	1.37	11.11	3.07	3.37	1.12	0.00	0.00	0.07	0.64
												Water Year Total: 21.17

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1262 Saugus Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-24-48

Longitude: 118-32-23

Elevation: 1150 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						T						
4						0.03						
5					T	1.07						
6						0.49						
7						0.02						
8		0.80				0.74						
9						0.01						
10					0.65							
11					0.31							
12					0.96							
13					0.22							
14					0.44		0.08					
15					0.06		0.02					
16				0.19	0.67							
17				0.12	0.03		0.46					
18				0.08			1.78					
19							0.01					
20		0.01			0.18							T
21					2.80							T
22					0.21							T
23					1.38							0.18
24				0.02	0.02							
25				0.78	0.01			0.09				
26				0.20								
27					0.44							
28					0.11							
29					T						0.50	0.50
30											T	T
31			T	0.64								
Totals	0.00	0.81	0.00	2.03	8.49	2.36	2.35	0.09	0.00	0.00	0.50	0.68
											Water Year Total:	17.31

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1263 Valencia Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-25-55

Longitude: 118-37-13

Elevation: 1000 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.13						
4						0.04						
5						0.86						
6						0.12						
7		0.22				0.14						
8						0.19						
9												
10					0.32							
11					0.73							
12					0.02							
13					0.03							
14					0.02							
15				0.09	0.15							
16		0.01		0.03	0.07							
17				0.15			1.62					
18							0.08					
19					0.01							
20					1.18							
21					0.76							
22					0.09							0.05
23				0.01	1.03							
24				0.62								
25				0.27								
26												
27					0.42							
28												
29												
30				0.20								
31			0.04									
Totals	0.00	0.23	0.04	1.37	4.83	1.48	1.70	0.00	0.00	0.00	0.00	0.05
												Water Year Total: 9.70

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1264 Calabasas Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-25

Longitude: 118-42-35

Elevation: 800 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3				0.46		0.29						
4						0.16						
5						1.04						
6						0.55						
7						0.54						
8		0.56				0.21						
9												
10					0.05							
11					0.67							
12					0.84							
13												
14					0.34							
15					0.05							
16					0.10							
17				0.08	0.19		2.67					
18				0.09			0.19					
19												
20		0.15			0.23							
21					2.00							
22					0.93							
23					0.24							0.11
24				0.03	1.33			0.01				
25				0.73								
26				0.16	0.02							
27												
28					0.23							
29												
30												
31			0.44	0.19								
Totals	0.00	0.71	0.44	1.74	7.22	2.79	2.86	0.01	0.00	0.00	0.00	0.11
Water Year Total:												15.88

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1265 Scholl Canyon Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-38

Longitude: 118-11-07

Elevation: 1000 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2				0.63								
3						0.41						
4												
5						1.94						
6												
7						0.35						
8		0.10				0.17						
9		0.09										
10					0.78							
11					0.91							
12												
13					0.40							
14					0.20							
15					0.35							
16				0.04	0.98							
17				0.05			3.20					
18							0.09					
19												
20					1.88							
21					1.08							0.08
22					0.15							0.05
23					1.59							0.28
24				0.40				0.11				
25				0.24				0.03				
26												
27					0.69							
28											0.02	
29												
30				0.33								
31												
Totals	0.00	0.19	0.00	1.69	9.01	2.87	3.29	0.14	0.00	0.00	0.02	0.41
												Water Year Total: 17.62

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1266 Mission Canyon Landfill

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-08-40

Longitude: 118-28-45

Elevation: 1150 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4												
5						1.61						
6						0.12						
7						0.30						
8		0.54				0.30						
9												
10					0.08							
11					0.34							
12					0.34							
13												
14					1.21			0.03				
15					0.13							
16					0.21		0.03					
17				0.12	0.30		1.55					
18							0.42					
19												
20					0.24E							
21					1.78E							0.02
22					1.58E							
23					0.18							0.12
24				0.02	1.18			0.01				
25				0.54	0.02							
26				0.19								
27												
28					0.21						0.12	
29												
30												
31			0.07									
Totals	0.00	0.54	0.07	0.87	7.80	2.33	2.00	0.04	0.00	0.00	0.12	0.14
												Water Year Total: 13.91

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1267 Lancaster Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-46-38

Longitude: 118-09-11

Elevation: 2302 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2						0.05						
3												
4												
5						0.82						
6												
7		0.05				0.02						
8					0.03	0.10						
9												
10					0.03							
11					0.37							
12												
13												
14							0.06					
15					0.10							
16												
17				0.50			0.37					
18												
19												
20					0.20							
21					0.30							
22												
23					0.63							
24				0.14								
25				0.03								
26												
27					0.08							
28												
29												
30												
31												
Totals	0.00	0.05	0.00	0.67	1.74	0.99	0.43	0.00	0.00	0.00	0.00	0.00
	Water Year Total:											3.88

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1268 Palmdale Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-35-30

Longitude: 118-05-10

Elevation: 2565 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2						0.06						
3												
4												
5						0.61						
6												
7		0.01				0.10						
8					0.01							
9												
10					0.09							
11					0.25							
12												
13												
14												
15					0.08							
16					0.04							
17				0.07E			0.68					
18							0.07					
19					0.01							
20					0.35							
21					0.39							
22												
23					0.41							
24				0.05								
25				0.04								
26												
27					0.09							
28												
29											0.20E	
30												
31												
Totals	0.00	0.01	0.00	0.16	1.72	0.77	0.75	0.00	0.00	0.00	0.20	0.00
	Water Year Total:											3.61

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1271 Pomona Waste Reclamation Plant

Gage Type: Standard 8 inch diameter

Observation Time: 800

Latitude 34-03-18

Longitude: 117-47-34

Elevation: 786 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3						0.21						
4						0.65						
5						0.70						
6												
7						0.31						
8		0.07				0.48						
9												
10					0.52							
11					0.55							
12					0.09							
13					0.18							
14					0.12							
15					0.25							
16					0.63							
17							1.60					
18							0.25					
19		0.02			0.15							
20					1.43							
21					1.05							
22					0.16							0.13
23					1.19							
24				0.21				0.06				
25				0.59				0.04				
26												
27					0.35							
28												
29												
30				0.24								
31			0.29									
Totals	0.00	0.09	0.29	1.04	6.67	2.35	1.85	0.10	0.00	0.00	0.00	0.13
												Water Year Total: 12.52

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1274 Whittier - Valna Drive

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 33-57-39

Longitude: 118-01-10

Elevation: 255 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1												
2												
3												
4						0.55						
5						0.68						
6						0.35						
7												
8		0.04				0.34						
9		0.04				0.43						
10												
11					0.38							
12					0.44							
13					0.14							
14					0.29							
15					0.11							
16					0.31							
17		T		T	0.57		1.34E					
18							1.36E					
19							0.18					
20		0.01			0.54		0.02					
21					1.02							
22					0.65							
23					0.31							0.16
24				T	1.00			0.01				
25				0.33				0.15				
26				0.26	T			0.05				
27												
28					0.26						0.02	
29												
30												
31			0.34	0.22								
Totals	0.00	0.09	0.34	0.81	6.02	2.35	2.90	0.21	0.00	0.00	0.02	0.16
	Water Year Total:											12.90

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1277 DPW Headquarters, Fremont

Gage Type: Daily Automatic (DPW)

Observation Time: 2400

Latitude 34-05-12

Longitude: 118-09-01

Elevation: 450 Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.02E								
2												
3						0.39						
4		0.12				0.08						
5		0.04				1.66						
6												
7												
8		0.16				0.78						
9												
10					0.39							
11					0.04							
12					0.59							
13					0.32							
14					0.24							
15												
16					0.94							
17				0.01E	0.04		1.30					
18							0.55					
19												
20					1.34							
21					1.34							
22												0.24
23												0.08
24												
25				0.52E				0.12				
26												
27												
28												
29											0.04	
30				0.01E								
31			0.32	0.19E								
Totals	0.00	0.32	0.32	0.75	5.24	2.91	1.85	0.12	0.00	0.00	0.04	0.32
											Water Year Total:	11.87

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

PRECIPITATION

DAILY RAINFALL SUMMARY

1278 La Canada Flintridge

Gage Type: Standard 8 inch diameter (DPW)

Observation Time: 800

Latitude 34-13-22

Longitude: 118-12-17

Elevation: Feet

Water Year from 10/01/1999 to 09/30/2000

Day	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
1				0.03								
2												
3												
4						0.50						
5						1.97						
6												
7												0.02
8		0.04				0.82						
9												
10					1.33							
11												
12					0.98							
13					0.65							
14					0.48		0.05					
15								0.19				
16				0.03	1.60							
17				0.12	0.14		2.35					
18							0.95					
19												
20		0.06			1.38							
21					2.36		0.07					0.59
22					0.10							0.11
23				0.04	1.79							0.37
24								0.05				
25				0.92				0.32				
26				0.11								
27					0.70							
28							0.06					
29					0.02						0.12	
30				0.03							0.06	
31			0.23	0.40								
Totals	0.00	0.10	0.23	1.68	11.53	3.29	3.48	0.56	0.00	0.00	0.18	1.09
Water Year Total:												22.14

NOTE: All Values are in units of inches, unless otherwise specified.

LEGEND: A - Acculated Total
 E - Estimated
 T - Trace, unmeasurable amount of rain

Data Revised: March 2011

APPENDIX B



HYDROLOGIC REPORT 1999 – 2000

RUNOFF - STREAM GAGING STATION INFORMATION

RUNOFF - STREAM GAGING STATION INFORMATION

ALHAMBRA WASH

above Klingerman Street
STATION NO. F81D-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading or from footbridge.

DRAINAGE AREA 15.20 square miles.

LOCATION 250 feet *above* Klingerman Street and 2650 feet *below* Garvey Avenue, South San Gabriel

REGULATION none.

DIVERSION none.

CHANNEL concrete, rectangular in section, 40.0 feet wide by 12.7 feet deep.

CONTROL channel forms control.



LENGTH OF RECORD at Station F81-R, January 14, 1930 to September 30, 1934; at Station F81B-R, October 1, 1934 to February 25, 1935; at Station F81C-R February 25, 1935 to April 27, 1936; at Station F81B-R April 27, 1936 to May 22, 1936; at Station F81D-R, September 2, 1936 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

ARCADIA WASH

below Grand Avenue

STATION NO. F317-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT low flows measured by wading. High flows measured from upstream side of Grand Avenue bridge.

DRAINAGE AREA 8.50 square miles.

LOCATION on the west wall of Arcadia Wash about 75 feet downstream from centerline of Grand Avenue.

REGULATION several debris basins located upstream.

DIVERSION none.

CHANNEL concrete, rectangular section.



CONTROL LENGTH OF RECORD December 12, 1955 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

AZUSA CONDUIT

(Sandbox 20' weir)

STATION NO. F250-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT weir formula with gage height observation.

DRAINAGE AREA 202.70 square miles.

LOCATION on the concrete conduit which diverts from San Gabriel Dam, 160 feet below the dam.

REGULATION regulated in section.

DIVERSION none.

CHANNEL 25-foot concrete weir.

CONTROL channel forms control.

LENGTH OF RECORD February 26, 1933 to date.



REMARKS approximate capacity 95 second-feet.

RUNOFF - STREAM GAGING STATION INFORMATION

BALLONA CREEK

above Sawtelle Blvd.

STATION NO. F38C-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 88.60 square miles.

LOCATION 530.0 feet above Sawtelle Boulevard, 1.5 miles southwest of Culver City.

REGULATION Stone Canyon Reservoir prior to January, 1951. Upper and Lower Franklin Canyon Reservoir, Hollywood Reservoir, and Silverlake Reservoir.

DIVERSION none.

CHANNEL concrete rubble, trapezoidal in section.



CONTROL channel forms control.

LENGTH OF RECORD at station F38-R, February 27, 1928 to April 27, 1936; at Station F38B-R, May 14, 1936 to August 10, 1967; at Station F38C-R, August 10, 1967 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

BOUQUET CANYON CREEK

@ Urbandale Avenue
STATION NO. F377-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from bridge.

DRAINAGE AREA 51.90 square miles.

LOCATION Bouquet Canyon Creek @ Urbandale Avenue, 3.5 miles northeast of Saugus.

REGULATION Bouquet Reservoir.

DIVERSION none.

CHANNEL concrete sides with natural bottom, trapezoidal in section.

CONTROL concrete stabilizer.



LENGTH OF RECORD October 11, 1967 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

BRADBURY CHANNEL

below Central Avenue

STATION NO. F329-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT low flows measured by wading. High flows measured from footbridge four feet downstream from recorder.

DRAINAGE AREA 3.30 square miles.

LOCATION on the east wall of Bradbury Channel, 200 feet downstream from the centerline of Central Avenue, one mile east of Dart.

REGULATION two debris basins located upstream.

DIVERSION none.

CHANNEL rectangular concrete, 18 feet wide, 12 feet deep.

CONTROL channel forms control.



LENGTH OF RECORD June 14, 1957 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

BRANFORD STREET CHANNEL

below Sharp Avenue

STATION NO. F342-R



RECORDER 15 min. punch tape.

METHOD OF MEASUREMENT low flows measured by wading. High flows measured by floats.

DRAINAGE AREA 5.01 square miles.

LOCATION on the south bank of channel, 125 feet downstream from Sharp Avenue, about 3.6 miles south of San Fernando.

REGULATION flow from Lopez Creek is diverted to Hansen Dam at the mouth of Lopez Canyon.

DIVERSION none.



CHANNEL trapezoidal, 10 feet wide at bottom and 7.5 feet deep with 1.5 to 1 side slopes.

CONTROL channel forms control.

LENGTH OF RECORD January 12, 1962 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

BURBANK WESTERN STORM DRAIN @ Riverside Drive STATION NO. E285-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from bridge.

DRAINAGE AREA 25 square miles.

LOCATION 20 feet upstream from Riverside Drive, Glendale.

REGULATION several debris basins on tributaries.

DIVERSION none.

CHANNEL concrete, rectangular section.

CONTROL channel forms control.

LENGTH OF RECORD October 1, 1949 to date.



REMARKS operated in cooperation with the USCE.

RUNOFF - STREAM GAGING STATION INFORMATION

COMPTON CREEK

near Greenleaf Drive

STATION NO. F37B-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from bridge.

DRAINAGE AREA 22.60 square miles.

LOCATION 120.0 feet above Greenleaf Boulevard, 1.5 miles south west of Compton.

REGULATION none.

DIVERSION none.

CHANNEL concrete, rectangular in section, 60 feet wide by 13 feet deep.

CONTROL channel forms control.



LENGTH OF RECORD at Station F37-R, January 22, 1928 to June 9, 1938; at Station F37B-R, October 3, 1938 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

COYOTE CREEK

below Spring Street

STATION NO. F354-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 185 square miles.

LOCATION 241 feet below Spring Street, 5.7 miles northeast of Long Beach.

REGULATION partially regulated by Fullerton Dam, Brea Dam, and Carbon Canyon Dam.

DIVERSION none.

CHANNEL concrete, trapezoidal in section.

CONTROL channel forms control.

LENGTH OF RECORD December 19, 1936 to date.



REMARKS previous gaging station for record correlation: Station F41-S, December 1, 1928 to January 14, 1930; Station F41-R, January 14, 1930 to October 30, 1936; Station F41B-R, October 30, 1936 to February 17, 1937; Station F41C-R, February 18, 1937 to February 8, 1956; Station F320-R, February 9, 1956 to July 2, 1965.

RUNOFF - STREAM GAGING STATION INFORMATION

DALTON WASH

@ Merced Avenue

STATION NO. F274B-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT low flows measured by wading. High flows measured from footbridge 100 feet from station.

DRAINAGE AREA 35.95 square miles.

LOCATION on the west bank and upstream of Merced Avenue about 150 feet, about one-half miles above the junction with Walnut Wash and about one mile south of Baldwin Park.

REGULATION partly regulated by Big Dalton Dam, San Dimas Dam, Puddingstone Diversion Dam, Big Dalton Spreading Grounds, Little Dalton Spreading Grounds, Big Dalton Debris Basin, Little Debris Basin and Irwindale Spreading Grounds.

DIVERSION none.

CHANNEL concrete, rectangular section.

CONTROL channel forms control.



LENGTH OF RECORD REMARKS flow may include imported water originating at San Dimas.

RUNOFF - STREAM GAGING STATION INFORMATION

EATON WASH

@ Loftus Drive

STATION NO. F318-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT low flows measured by wading. High flows measured from upstream side of East Loftus Drive bridge.

DRAINAGE AREA 22.80 square miles.

LOCATION on the west wall of the channel 52 feet above the centerline of East Loftus Drive bridge, 1.3 miles west of El Monte.

REGULATION partly regulated by Eaton Dam.

DIVERSION the Pasadena Water Department diverts some water just above the mouth of Eaton Canyon. The Flood Control District Diverts water to spreading grounds below Eaton Dam and below Huntington Drive.

CHANNEL rectangular concrete, 60 feet wide, 11.3 feet.

CONTROL channel forms control.



LENGTH OF RECORD 1956 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

FISH CREEK

above Mouth of Canyon

STATION NO. U7-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading.

DRAINAGE AREA 6.36 square miles.

LOCATION 0.8 miles upstream of Mouth of Canyon and 3.0 miles northeast of Duarte.

REGULATION none.



DIVERSION none.

CHANNEL natural, rock and gravel.

CONTROL concrete control.

LENGTH OF RECORD July to September 1916; July 1917 to date.

REMARKS operated and maintained by USGS until October 1, 1971.

RUNOFF - STREAM GAGING STATION INFORMATION**LITTLE ROCK CREEK***above Little Rock Dam***STATION NO. L1-R**

RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 49.20 square miles.

LOCATION 2.0 miles above Little Rock Dam, 5.0 miles south of Little Rock.

REGULATION none.

DIVERSION none.

CHANNEL Sand, gravel, and boulder, natural in section.

CONTROL channel forms control.



LENGTH OF RECORD October 1, 1930 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

LOS ANGELES RIVER

below Wardlow River Road

STATION NO. F319-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 815.00 square miles.

LOCATION 900.0 feet below Wardlow Road, Long Beach.

REGULATION flow is subject to the same regulation as Station F34D-R and P45B-R.

DIVERSION flows diverted to Dominguez Gap Spreading Grounds.

CHANNEL trapezoidal, concrete, 302.0 feet wide at bottom with 2.25:1 side slopes. Low flow channel 28.0 feet wide by 1.0 foot deep in center of channel.

CONTROL channel forms control.

LENGTH OF RECORD at Station F180-R, October 31, 1931 to January 13, 1956; at Station F319-R, January 13, 1956 to date.



REMARKS prior to 1931, see Station F36-R.

RUNOFF - STREAM GAGING STATION INFORMATION

LOS ANGELES RIVER

below Firestone Blvd.

STATION NO. F34D-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from bridge.

DRAINAGE AREA 596.00 square miles.

LOCATION 472.0 feet downstream of Firestone Boulevard, 3.0 miles west of Downey.

REGULATION partially regulated by Sepulveda, Pacoima, Big Tujunga, Hansen, and Devil's Gate Dam; and by several spreading grounds, reservoirs, and debris basins.

DIVERSION none.

CHANNEL concrete, with rip-rap side slopes, trapezoidal in section, with trapezoidal low flow channel.

CONTROL channel forms control.

LENGTH OF RECORD at Station F34-R, March 1, 1928 to April 11, 1938; at Station F34B-r, April 11, 1938 to November 3, 1949; at Station F34C-R, November 4, 1949 to December 11, 1956; at Station F34D-R, December 11, 1956 to date.



REMARKS subject to diversion from Big Tujunga Creek, Arroyo Seco, and other domestic irrigation diversions.

RUNOFF - STREAM GAGING STATION INFORMATION

LOS ANGELES RIVER

@ Tujunga Avenue

STATION NO. F300-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 401 square miles.

LOCATION 200 feet above Tujunga Avenue bridge, Studio City.

REGULATION flow regulated by Sepulveda, Big Tujunga, Hansen, Pacoima Dams, Lopez Debris Dam, and Project No. 85 Diversion.

DIVERSION none.

CHANNEL concrete, rectangular section, 120 feet wide by 19 feet deep.

CONTROL channel forms control.

LENGTH OF RECORD from May 8, 1950 to date.



REMARKS subject to diversions at mouth of Big Tujunga and Pacoima Canyons for irrigation, at Big Tujunga, Branford, Hansen, and Pacoima Spreading Grounds.

RUNOFF - STREAM GAGING STATION INFORMATION

MALIBU CREEK

below Cold Creek

STATION NO. F130-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 104.96 square miles.

LOCATION 0.2 mile downstream of Cold Creek, 6.0 miles southwest of Calabasas.

REGULATION Lake Sherwood Dam, Lake Eleanor Dam, Malibu Lake Dam and Crag's Dam. Other small recreational dams affect low summer flows.



DIVERSION none.



CHANNEL coarse sand and gravel, lined with trees and brush, natural in section.

CONTROL concrete stabilizer.

LENGTH OF RECORD January 17, 1931 to date.

REMARKS cableway washed out on January 25, 1969; no high flow measurements since that date.

RUNOFF - STREAM GAGING STATION INFORMATION**MINT CANYON CREEK****@ Fitch Avenue****STATION NO. F328-R****RECORDER** continuous water stage.**METHOD OF MEASUREMENT** wading or from cable car.**DRAINAGE AREA** 26.90 square miles.**LOCATION** 8.5 miles northeast of Saugus on west end of Fitch Avenue bridge.**REGULATION** none.**DIVERSION** none.**CHANNEL** natural, sand and gravel.**CONTROL** concrete control at downstream end of bridge.**LENGTH OF RECORD** October 26, 1956 to date.



RUNOFF - STREAM GAGING STATION INFORMATION**MONTEBELLO STORM DRAIN***outlet to Rio Hondo***STATION NO. F181-R****RECORDER** continuous water stage.**METHOD OF MEASUREMENT** wading or from footbridge.**DRAINAGE AREA** 9.60 square miles.**LOCATION** 150.0 feet east of Mines Avenue and 500.0 feet west of Rio Hondo.**REGULATION** none.**DIVERSION** none.**CHANNEL** 14.0 foot by 10.0 foot concrete, box section.**CONTROL** channel forms control.**LENGTH OF RECORD** January 12, 1932 to date.**REMARKS** may be affected by backwater during flood flows.

RUNOFF - STREAM GAGING STATION INFORMATION

PALLETT CREEK

@ Valyermo Highway

STATION NO. F122-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from bridge.

DRAINAGE AREA 15.80 square miles.

LOCATION upstream side of Valyermo Highway bridge, 5.0 miles southeast of Pearblossom.

REGULATION none.

DIVERSION none.

CHANNEL sand and gravel, natural section.

CONTROL channel forms control for low flows; bridge form control for high flows.



LENGTH OF RECORD at Station F122-S, December 29, 1930 to October 31, 1961; at Station F122-R, October 31, 1961 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

RIO HONDO

above Stuart and Gray Road

STATION NO. F45B-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 140 square miles.

LOCATION 0.6 mile upstream of the confluence of Rio Hondo and Los Angeles River, 1.5 miles west of Downey.

REGULATION partially regulated by Sierra Madre, Santa Anita, Sawpit, Eaton, Santa Fe, and Whittier Narrows Dams, several debris basins, and spreading grounds.

DIVERSION none.

CHANNEL concrete with rip-rap side slopes, trapezoidal in section.

CONTROL channel forms control.



LENGTH OF RECORD at Station F45-R, March 1, 1928 to April 18, 1951; at Station F45B-R, October 31, 1951 to date.

REMARKS subject to diversions from Eaton Creek, Monrovia Creek, Sawpit Creek, Little Santa Anita Canyon, and other locations for irrigation and spreading. High flows from San Gabriel River may flow into Rio Hondo above Whittier Narrows Dam.

RUNOFF - STREAM GAGING STATION INFORMATION

RIO HONDO

above Mission Bridge
STATION NO. F64-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 115 square miles.

LOCATION 1,000 feet above San Gabriel Boulevard, west of Rosemead Boulevard, 2.0 miles northeast of Montebello.

REGULATION partially regulated by Sierra Madre, Santa Anita, Sawpit, Eaton, and Santa Fe Dams and several debris basins.

DIVERSION none.

CHANNEL sand and silt, natural in section.

CONTROL none.



LENGTH OF RECORD July 1, 1928 to date.

REMARKS subject to diversion; water purchased from the MWD passes this station for spreading in the coastal basin.

RUNOFF - STREAM GAGING STATION INFORMATION

RIO HONDO

below Lower Azusa Avenue
STATION NO. F192B-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading.

DRAINAGE AREA 40.90 square miles.

LOCATION 300 feet downstream from Lower Azusa Road, 1.5 miles north of El Monte.

REGULATION partially regulated by Sierra Madre Dam, Santa Anita Dam, Sawpit Dam, Santa Fe Dam, Peck Pit, Buena Vista Pit, and several debris basins.

DIVERSION none.

CHANNEL concrete, trapezoidal section.

CONTROL channel forms control.

LENGTH OF RECORD at Station F192-R, February 22, 1932 to May 7, 1958; at Station F192B-R, May 7, 1058 to date.



REMARKS subject to diversions from Monrovia, Sawpit, and Little Santa Anita Creeks. Also from the San Gabriel River below Santa Fe Dam; and from irrigation and spreading.

RUNOFF - STREAM GAGING STATION INFORMATION

RUBIO DIVERSION CHANNEL

below Gooseberry Inlet

STATION NO. F338-R



RECORDER 15 min. punch tape.

METHOD OF MEASUREMENT low flows measured by wading. High flows measured from steel footbridge 27 feet above station.

DRAINAGE AREA 2.10 square miles.

LOCATION on the north bank, 375 feet upstream of Crest Drive, 3.5 miles northeast of Pasadena.

REGULATION flow partially regulated by Rubio and Goosebury Debris Basins.

DIVERSION none.

CHANNEL rectangular concrete, 12 feet wide and 11 feet deep.

CONTROL channel forms control.



LENGTH OF RECORD December 16, 1959 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

RUBIO WASH

@ Glendon Way

STATION NO. F82C-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT low flows measured by wading. High flows measured from footbridge at station.

DRAINAGE AREA 10.90 square miles.

LOCATION on the east side of channel, 10 feet south of the westerly extension of Glendon Way, Rosemead.

REGULATION partly regulated by Las Flores and Rubio debris basins.

DIVERSION none.

CHANNEL rectangular concrete.

CONTROL channel forms control.



LENGTH OF RECORD see station summary.

RUNOFF - STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

below San Gabriel River Parkway

STATION NO. F263C-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 206.30 square miles.

LOCATION 462 feet below San Gabriel River Parkway, 1.4 miles northeast of Pico Rivera.

REGULATION partially regulated by Santa Fe, Big Dalton, Puddingstone Diversion, Puddingstone, and Thompson Creek Dams. Flows may include imported water from several Metropolitan Water District outlets. Water is at times diverted to the Zone one ditch, upstream of Whittier Narrows Dam.

DIVERSION none.

CHANNEL rip-rap slopes with sand bottom trapezoidal section.

CONTROL concrete stabilizer.

LENGTH OF RECORD at Station F263-R, February 4, 1937 to March 6, 1952; at Station F263B-R, March 6, 1952 to August 9, 1968; at Station F263C-R, August 9, 1968 to date.



REMARKS

RUNOFF - STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

above Spring Street

STATION NO. F42B-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 231 square miles.

LOCATION 455 feet north of Spring Street, 4.0 miles east of Signal Hill, Long Beach.

REGULATION partially regulated by Cogswell, San Gabriel, Morris, Santa Fe, Big Dalton, San Dimas, Puddingstone Diversion, Puddingstone, Live Oak, Thompson Creek, and Whittier Narrows Dams, Several debris basins, MWD outlet, and several spreading grounds.

DIVERSION none.

CHANNEL concrete, trapezoidal section with low flow channel.

CONTROL channel forms control.

LENGTH OF RECORD at Station F42-R, February 6, 1928 to May 26, 1964; at Station F42B-R, November 16, 1964 to date.



REMARKS high flows into Whittier Narrows Reservoir are partially diverted to the Rio Hondo.

RUNOFF - STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

@ Foothill Blvd.

STATION NO. F190-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 230 square miles.

LOCATION downstream side of Foothill Boulevard bridge, 2 miles west of Azusa.

REGULATION partially regulated by Cogswell, San Gabriel, and Morris Dams.

DIVERSION none.

CHANNEL sand, gravel and rock, trapezoidal section with soft bottom.

CONTROL gunited rock stabilizers.

LENGTH OF RECORD February 22, 1932 to date.



REMARKS flows may include imported originating at the Metropolitan Water District outlet below Morris Dam.

RUNOFF - STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

below Morris Dam

STATION NO. U8-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 212.4 square miles.

LOCATION 1.1 miles downstream of Morris Dam, 27 miles northeast of Azusa.

REGULATION all flows regulated by Cogswell Dam, 27 miles northeast of Azusa.

DIVERSION none.

CHANNEL gravel and boulder, natural section.

CONTROL concrete control.



LENGTH OF RECORD May 1894 to date.

REMARKS flows up to 90 cfs are at times diverted past the station through the Azusa Conduit, flows at station may include imported water from the MWD outlet below Morris Dam.

RUNOFF - STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

above Florence Avenue
STATION NO. F262C-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 215.80 square miles.

LOCATION 1,400 feet above Florence Avenue, 2 miles east of Downey.

REGULATION partially regulated by Cogswell, San Gabriel, Morris, Santa Fe, Big Dalton, San Dimas, Puddingstone Diversion, Puddingstone, Live Oak, Thompson Creek, and Whittier Narrows Dams, Several debris basin, MWD outlets, and several spreading grounds.

DIVERSION none.

CHANNEL sand bottom with rip-rap slopes, trapezoidal section.

CONTROL concrete stabilizer.

LENGTH OF RECORD at Station F267-R, February 27, 1937 to September 30, 1967; at Station F262B-R, August 6, 1968 to date.



REMARKS no recording during 1967-1968 season due to channel construction.

RUNOFF - STREAM GAGING STATION INFORMATION

SAN GABRIEL RIVER

below Valley Blvd.

STATION NO. F261C-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading.

DRAINAGE AREA 118.00 square miles.

LOCATION 1,150.0 feet below Valley Boulevard, 2.5 miles east of El Monte.

REGULATION partially regulated by Santa Fe, Big Dalton, Puddingstone Diversion, and Puddingstone Dams.

DIVERSION none.

CHANNEL sand and gravel bottom with rip-rap side slopes; trapezoidal section.

CONTROL concrete stabilizer with low-flow notch.

LENGTH OF RECORD at Station F261-R, March 11, 1937 to September 30, 1941; at Station F361B-R, October 1, 1941 to April 23, 1946; at Station F261C-R, November 29, 1960 to date.



REMARKS flows may include imported water originating at Metropolitan Water District outlets at San Dimas Canyon and below San Bernardino Road.

RUNOFF - STREAM GAGING STATION INFORMATION

SAN JOSE CHANNEL

below Seventh Avenue

STATION NO. F312B-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 83.4 square miles.

LOCATION 1,650 feet above Workman Mill Road, 3 miles southeast of El Monte.

REGULATION partially regulated by Thompson Creek Dam and Pomona Sewage Treatment Plant.

DIVERSION none.

CHANNEL grouted rip-rap side slopes with natural bottom, trapezoidal section.

CONTROL rock stabilizer.

LENGTH OF RECORD September 13, 1955 to date.



REMARKS

RUNOFF - STREAM GAGING STATION INFORMATION

SANTA ANITA WASH

@ Longden Avenue

STATION NO. F193B-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading or from bridge.

DRAINAGE AREA 18.80 square miles.

LOCATION 30.0 feet above Longden Avenue, 1.5 miles south of Arcadia.

REGULATION regulated by Santa Anita and Sierra Madre Dams, and Santa Anita Debris Basin.

DIVERSION none.

CHANNEL concrete, rectangular section.

CONTROL channel forms control.



LENGTH OF RECORD at Station F193-R, April 25, 1932 to March 1, 1938; at Station F193B-R, January 5, 1960 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

SANTA CLARA RIVER

@ Old Road Bridge

STATION NO. F92C-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from cable car.

DRAINAGE AREA 410.40 square miles.

LOCATION downstream side of Old Highway bridge, 3 miles west of Saugus.

REGULATION partially regulated by Bouquet Canyon and Dry Canyon Reservoirs.

DIVERSION none.

CHANNEL sand and gravel with brush, natural section.

CONTROL none.

LENGTH OF RECORD at Station F92-R, January 18, 1930 to March 28, 1938, and September 24, 1956 to date; at Station F92B-R, October 1, 1938 to September 24, 1956.



REMARKS subject to diversions for irrigation.

RUNOFF - STREAM GAGING STATION INFORMATION

SANTA FE DIVERSION CHANNEL

below Santa Fe Dam

STATION NO. F280-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading or from footbridge.

DRAINAGE AREA Controlled square miles.

LOCATION 400 feet downstream of Santa Fe Dam outlet and 1.5 miles north of Baldwin Park.

REGULATION flow regulated by five gates of stilling basin outlet of Santa Fe Dam.

DIVERSION none.

CHANNEL sand and gravel, natural section.

CONTROL concrete stabilizer.



LENGTH OF RECORD at Station F280-S, October 1, 1942 to May 12, 1944; at Station F280-R, May 12, 1944 to date.

REMARKS

RUNOFF - STREAM GAGING STATION INFORMATION

SANTIAGO CREEK

above Little Rock Creek
STATION NO. F125-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading.

DRAINAGE AREA 11.20 square miles.

LOCATION 1,000 feet above Little Creek and 4.5 miles south of Little Rock.

REGULATION none.

DIVERSION none.

CHANNEL sand, gravel and boulders.

CONTROL concrete and rubble wall.

LENGTH OF RECORD September 29, 1953 to date.



REMARKS no high flow measurements.

RUNOFF - STREAM GAGING STATION INFORMATION

SAWPIT WASH

below Live Oak Avenue

STATION NO. F194B-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading from footbridge.

DRAINAGE AREA 16.10 square miles.

LOCATION 1,500 feet below Arrow Highway, 3.0 miles south of Monrovia.



REGULATION partially regulated by Sawpit and Santa Fe Dams, and several debris basins.

DIVERSION none.

CHANNEL concrete, rectangular section.

CONTROL channel forms control.

LENGTH OF RECORD at Station F194-R, February 22, 1932 to September 1, 1935; at Station F194B-R, December 5, 1960 to date.

RUNOFF - STREAM GAGING STATION INFORMATION**TOPANGA CREEK***above Mouth of Canyon***STATION NO. F54C-R**

RECORDER continuous water stage.

METHOD OF MEASUREMENT wading.

DRAINAGE AREA 18.00 square miles.

LOCATION downstream side to Topanga Canyon Road bridge, 2.0 miles north of Topanga Beach.

REGULATION none.

DIVERSION none.

CHANNEL rock and gravel, natural section.

CONTROL none.



LENGTH OF RECORD at Station F54-R, January 1, 1930 to June 4, 1940; at Station F54B-R, June 5, 1940 to January 31, 1990; at Station 54C-R, October 1, 1997 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

VERDUGO WASH

@ Estelle Avenue

STATION NO. F252-R



RECORDER continuous water stage.

METHOD OF MEASUREMENT wading or from Concord Street bridge.

DRAINAGE AREA 26.80 square miles.

LOCATION 800 feet east of San Fernando Road, 2.0 miles northwest of Glendale.

REGULATION partially regulated by several debris basins.

DIVERSION none.

CHANNEL concrete, rectangular section.

CONTROL channel forms control.



LENGTH OF RECORD December 2, 1935 to date.

RUNOFF - STREAM GAGING STATION INFORMATION

WALNUT CREEK

above Puente Avenue

STATION NO. F304-R



RECORDER 5 min. interval data logger.

METHOD OF MEASUREMENT wading or from footbridge.

DRAINAGE AREA 57.60 square miles.

LOCATION 845.0 feet upstream of Puente Avenue bridge, Baldwin park.

REGULATION partially regulated by San Dimas, Puddingstone Diversion, Puddingstone, and Live Oak Dams.

DIVERSION none.

CHANNEL concrete, rectangular section.

CONTROL channel forms control.

LENGTH OF RECORD October 14, 1952 to April 11, 1961, January 3, 1962 to date.

REMARKS no record during April 11, 1961 to January 3, 1962 due to channel construction.

APPENDIX C

HYDROLOGIC REPORT 1999 – 2000

RUNOFF – DAILY DISCHARGE

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F277-R ARROYO SECO BELOW DEVIL'S GATE

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	9.8	1.7	.36	.04	.04	0	0
2	0	0	0	0	0	9.5	1.7	.36	.04	.04	0	0
3	0	0	0	0	0	23	1.7	.36	.04	.04	0	0
4	0	0	0	0	0	30	1.7	.34	.04	.04	0	0
5	0	0	0	0	0	325	1.7	.32	.04	.04	0	0
6	0	0	0	0	0	27	1.6	.32	.04	.04	0	0
7	0	0	0	0	0	14	1.6	.32	.04	.04	0	0
8	0	.86	0	0	0	73	1.6	.32	.04	.04	0	0
9	0	0	0	0	0	16	1.6	.32	.04	.04	0	0
10	0	0	0	0	21	13	1.6	.32	.04	.04	0	0
11	0	0	0	0	.68	13	1.4	.32	.04	.04	0	0
12	0	0	0	0	29	14	.36	.32	.04	.04	0	0
13	0	0	0	0	6.0	12	.32	.32	.04	.01	0	0
14	0	0	0	0	4.0	10	.32	.32	.04	0	0	0
15	0	0	0	0	0	9.5	.32	.32	.04	0	0	0
16	0	0	0	0	43	9.6	.32	.35	.04	0	0	0
17	0	0	0	0	6.8	9.5	137	.32	.04	0	0	0
18	0	0	0	0	0	9.5	96	.32	.04	.02	0	0
19	0	0	0	0	0	9.5	5.9	.32	.04	.06	0	0
20	0	0	0	0	45	10	.56	.32	.06	0	0	0
21	0	0	0	0	157	10	.48	.32	.05	0	0	0
22	0	0	0	0	18	11	.44	.29	.05	0	0	.11
23	0	0	0	0	121	10	.40	.28	.04	0	0	2.8
24	0	0	0	0	20	11	.39	.28	.04	0	0	0
25	0	0	0	6.0	5.1	10	.36	.28	.04	0	0	0
26	0	0	0	.02	0	9.5	.36	.28	.08	0	0	0
27	0	0	0	0	11	9.5	.36	.28	.04	0	0	0
28	0	0	0	0	13	9.5	.36	.28	.04	0	0	0
29	0	0	0	0	11	9.6	.36	.28	.04	0	0	0
30	0	0	0	1.5	-----	11	.36	.28	.04	0	0	0
31	0	-----	.80	1.4	-----	9.9	-----	.28	-----	0	0	-----
TOTAL	0	0.86	0.80	8.92	511.58	757.9	262.87	9.70	1.28	0.57	0	2.91
MEAN	0	.029	.026	.29	17.6	24.4	8.76	.31	.043	.018	0	.097
MAX	0	.86	.80	6.0	157	325	137	.36	.08	.06	0	2.8
MIN	0	0	0	0	0	9.5	.32	.28	.04	0	0	0
AC-FT	0	1.7	1.6	18	1,010	1,500	521	19	2.5	1.1	0	5.8

CAL YEAR 1999 TOTAL* 1.66 MEAN .018 MAX .86 MIN 0 AC-FT 3.3
 WTR YEAR 2000 TOTAL 1,557.39 MEAN 4.26 MAX 325 MIN 0 AC-FT 3,090

* Incomplete Record Record estimated; Dates: 2/28/00 to 3/31/00. No gage height, recorder inoperative; Dates: 6/13/00 thru 6/20/00.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F220B-R AZUSA CONDUIT (SANDBOX 10' WEIR)

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	71	35	25	24	16	0	28	35	0	70	70	69
2	71	34	25	24	16	0	28	36	0	69	69	72
3	71	34	25	18	16	0	5.9	34	0	69	69	69
4	71	28	25	15	16	0	0	32	0	68	69	67
5	72	25	25	15	16	0	0	32	0	68	69	67
6	71	25	25	15	16	0	17	32	0	68	69	67
7	69	25	25	16	18	0	45	34	28	70	69	68
8	69	25	25	16	20	0	43	34	45	71	68	67
9	69	25	24	16	20	0	41	33	44	71	68	65
10	69	25	25	16	20	0	42	34	43	71	68	64
11	69	25	25	16	20	0	42	34	43	70	68	67
12	68	25	24	16	20	0	42	34	42	70	68	66
13	51	25	23	16	20	9.8	42	35	40	70	68	65
14	44	25	23	16	20	27	37	35	38	70	67	65
15	44	25	23	16	7.7	27	36	36	37	70	67	66
16	44	25	23	16	0	27	37	37	58	70	66	65
17	44	25	23	16	0	27	35	37	68	70	66	68
18	44	25	23	16	0	28	10	35	68	70	66	69
19	44	25	23	16	0	28	0	42	67	70	67	67
20	44	25	23	16	0	27	17	44	67	70	67	66
21	40	25	23	16	0	27	31	45	66	70	65	68
22	40	25	23	16	0	27	31	45	66	70	65	71
23	39	25	23	16	0	26	31	45	65	70	65	70
24	39	25	24	16	0	26	33	45	65	70	64	71
25	35	25	24	16	0	26	34	45	66	70	62	69
26	34	25	24	16	0	26	36	45	67	70	61	68
27	34	25	24	16	0	26	36	44	69	70	61	65
28	34	25	24	16	0	27	36	43	70	70	60	49
29	34	25	24	16	0	27	36	42	70	70	60	41
30	34	25	24	16	-----	27	36	13	70	70	61	39
31	33	-----	24	16	-----	28	-----	0	-----	70	65	-----
TOTAL	1,595	781	743	511	261.7	493.8	887.9	1,117	1,362	2,165	2,047	1,950
MEAN	51.5	26.0	24.0	16.5	9.02	15.9	29.6	36.0	45.4	69.8	66.0	65.0
MAX	72	35	25	24	20	28	45	45	70	71	70	72
MIN	33	25	23	15	0	0	0	0	0	68	60	39
AC-FT	3,160	1,550	1,470	1,010	519	979	1,760	2,220	2,700	4,290	4,060	3,870
CAL YEAR 1999 TOTAL*		3,119.0	MEAN	33.9	MAX	72	MIN	23	AC-FT	6,190		
WTR YEAR 2000 TOTAL		13,914.4	MEAN	38.0	MAX	72	MIN	0	AC-FT	27,600		

* Incomplete Record SAN GABRIEL DAM AZUSA CONDUIT (SANDBOX 10' WEIR) STATION F220B-R STEVEN AXSYS
RECORDER DATA AS OF 11-07-2000 BY SOO KHOO.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F250-R AZUSA CONDUIT (SANDBOX 20' WEIR)

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	73	36	23	23	16	0	28	35	0	70	70	69
2	73	36	23	23	16	0	28	36	0	69	70	72
3	70	36	23	17	16	0	5.7	34	0	69	70	69
4	68	27	23	14	16	0	0	32	0	68	70	67
5	68	24	23	15	16	0	0	31	0	68	70	67
6	68	25	23	16	16	0	16	32	0	68	70	67
7	68	26	23	16	18	0	46	34	31	70	70	68
8	66	26	23	16	20	0	43	34	45	71	69	67
9	68	26	23	16	20	0	40	33	44	71	69	65
10	69	25	24	16	20	0	42	33	43	71	69	64
11	68	25	24	16	20	0	42	34	43	70	69	67
12	67	25	24	16	20	0	42	35	42	70	69	66
13	52	26	24	16	20	9.6	42	36	39	70	69	65
14	45	26	24	16	20	26	37	36	36	70	68	65
15	43	27	25	16	6.8	27	36	36	35	70	68	66
16	44	28	25	16	0	27	37	37	57	70	67	65
17	44	27	25	16	0	27	34	37	70	70	66	68
18	45	26	25	16	0	27	9.7	35	68	70	67	69
19	44	24	25	16	0	28	0	42	67	70	67	67
20	43	24	25	16	0	28	17	44	66	70	66	66
21	39	24	26	16	0	27	31	45	67	70	66	68
22	39	24	25	16	0	27	31	45	67	70	66	71
23	41	24	24	16	0	26	31	45	64	70	66	70
24	42	23	24	16	0	25	33	45	64	70	65	71
25	36	24	24	16	0	26	34	44	64	70	63	69
26	35	24	25	16	0	26	36	45	67	70	62	68
27	34	23	24	16	0	26	36	44	69	70	62	65
28	34	23	24	16	0	26	36	43	70	70	60	49
29	35	23	24	16	0	26	37	42	72	70	60	41
30	35	23	23	16	-----	27	36	12	70	70	61	39
31	36	-----	23	16	-----	28	-----	0	-----	70	66	-----
TOTAL	1,592	780	743	508	260.8	489.6	886.4	1,116	1,360	2,165	2,070	1,950
MEAN	51.4	26.0	24.0	16.4	8.99	15.8	29.5	36.0	45.3	69.8	66.8	65.0
MAX	73	36	26	23	20	28	46	45	72	71	70	72
MIN	34	23	23	14	0	0	0	0	0	68	60	39
AC-FT	3,160	1,550	1,470	1,010	517	971	1,760	2,210	2,700	4,290	4,110	3,870
CAL YEAR 1999	TOTAL*	3,115.0	MEAN	33.9	MAX	73	MIN	23	AC-FT	6,180		
WTR YEAR 2000	TOTAL	13,920.8	MEAN	38.0	MAX	73	MIN	0	AC-FT	27,610		

* Incomplete Record SAN GABRIEL DAM AZUSA CONDUIT (SANDBOX 20' WEIR) STATION F250-R STEVEN AXSYS
RECORDER DATA AS OF 11-07-2000 BY SOO KHOO.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F38C-R BALLONA CREEK ABOVE SAWTELLE

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	8.4	23	20	14	19	22	35	35	27	15	9.5	27
2	8.2	25	20	12	17	21	38	40	19	15	9.8	25
3	7.8	27	18	12	20	224	43	37	19	15	11	24
4	8.3	30	15	13	22	115	32	37	28	11	11	24
5	12	36	15	13	28	1,690	26	39	39	14	11	27
6	13	33	17	13	31	58	32	36	38	16	10	24
7	14	32	18	14	37	22	34	28	27	18	12	26
8	13	382	20	14	37	745	27	34	14	17	12	28
9	14	18	20	15	36	24	30	36	12	19	13	26
10	14	16	19	17	746	20	31	37	14	22	13	26
11	14	16	19	17	51	19	30	41	15	18	11	27
12	15	16	19	17	766	20	29	47	15	17	12	26
13	15	19	21	18	380	20	28	53	15	15	12	24
14	15	18	18	19	173	20	30	65	16	17	11	29
15	16	17	18	18	18	21	24	71	15	14	11	35
16	15	18	23	20	901	21	20	80	16	16	15	30
17	14	18	20	28	34	21	1,420	81	16	17	15	27
18	15	17	20	22	17	24	474	82	17	14	15	32
19	15	18	19	21	15	23	20	87	21	14	15	26
20	16	17	20	23	723	26	17	100	22	13	17	25
21	16	15	22	25	1,680	23	16	103	24	9.8	20	32
22	17	16	22	23	40	24	16	115	26	16	24	69
23	16	17	19	25	1,440	27	15	109	28	16	34	116
24	15	17	19	28	38	23	20	109	32	18	34	18
25	18	16	22	644	23	24	22	99	32	16	33	18
26	18	16	33	36	22	25	25	80	35	16	34	17
27	19	16	30	20	319	27	27	73	34	15	37	18
28	20	16	17	19	27	27	26	74	21	12	39	19
29	21	18	19	20	24	30	24	80	17	8.8	74	20
30	23	19	16	83	-----	32	27	72	16	9.4	27	19
31	21	-----	392	282	-----	34	-----	48	-----	9.4	27	-----
TOTAL	466.7	962	990	1,545	7,684	3,452	2,638	2,028	670	463.4	629.3	884
MEAN	15.1	32.1	31.9	49.8	265	111	87.9	65.4	22.3	14.9	20.3	29.5
MAX	23	382	392	644	1,680	1,690	1,420	115	39	22	74	116
MIN	7.8	15	15	12	15	19	15	28	12	8.8	9.5	17
AC-FT	926	1,910	1,960	3,060	15,240	6,850	5,230	4,020	1,330	919	1,250	1,750
CAL YEAR 1999	TOTAL*	2,418.7	MEAN	26.3	MAX	392	MIN	7.8	AC-FT	4,800		
WTR YEAR 2000	TOTAL	22,412.4	MEAN	61.2	MAX	1,690	MIN	7.8	AC-FT	44,450		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F120B-R BIG DALTON CREEK BELOW DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	.40	8.1	1.1	.36	0	0	0
2	0	0	0	0	0	.40	7.4	.92	.36	0	0	0
3	0	0	0	0	0	.40	2.8	.81	0	0	0	0
4	0	0	0	0	0	.40	.90	1.8	0	0	0	0
5	0	0	0	0	0	.40	.71	2.2	0	0	0	0
6	0	0	0	0	0	.36	.60	2.3	.30	0	0	0
7	0	0	0	0	0	.30	.60	1.3	.40	0	0	0
8	0	0	0	0	0	.36	.60	1.2	.06	0	0	0
9	0	0	0	0	0	.40	.60	.10	0	0	0	0
10	0	0	0	0	0	.40	.55	0	0	0	0	0
11	0	0	0	0	0	.40	.72	0	0	0	0	0
12	0	0	0	0	0	.40	.69	1.6	.77	0	0	0
13	0	0	0	0	0	.40	.87	.68	1.0	0	0	0
14	0	0	0	0	0	.40	.83	.20	.24	0	0	0
15	0	0	0	0	0	.37	.90	1.6	0	0	0	0
16	0	0	0	0	0	.30	.84	1.7	0	0	0	0
17	0	0	0	0	0	.30	.88	1.5	0	0	0	0
18	0	0	0	0	0	.30	.99	.81	0	0	0	0
19	0	0	0	0	0	.30	.99	.20	0	0	0	0
20	0	0	0	0	.10	.25	1.0	.20	0	0	0	0
21	0	0	0	0	.59	.20	.95	.16	0	0	0	0
22	0	0	0	0	.50	.20	.90	.06	0	0	0	0
23	0	0	0	0	.74	.20	.97	0	0	0	0	0
24	0	0	0	0	.51	.15	.98	.70	0	0	0	0
25	0	0	0	0	.47	.10	1.0	.46	0	0	0	0
26	0	0	0	0	.40	.10	1.2	0	0	0	0	0
27	0	0	0	0	.40	3.9	1.6	0	0	0	0	0
28	0	0	0	0	.40	10	1.2	0	0	0	0	0
29	0	0	0	0	.40	9.8	.60	0	0	0	0	0
30	0	0	0	0	-----	9.1	.70	0	0	0	0	0
31	0	-----	0	0	-----	8.8	-----	.40	-----	0	0	-----
TOTAL	0	0	0	0	4.51	49.79	41.67	22.00	3.49	0	0	0
MEAN	0	0	0	0	.16	1.61	1.39	.71	.12	0	0	0
MAX	0	0	0	0	.74	10	8.1	2.3	1.0	0	0	0
MIN	0	0	0	0	0	.10	.55	0	0	0	0	0
AC-FT	0	0	0	0	8.9	99	83	44	6.9	0	0	0
CAL YEAR 1999	TOTAL*	0.00	MEAN	0	MAX	0	MIN	0	AC-FT	0		
WTR YEAR 2000	TOTAL	121.46	MEAN	.33	MAX	10	MIN	0	AC-FT	241		

* Incomplete Record AS OF 10/05/00.AR.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F394-R BIG ROCK CREEK UPSTREAM OF PALLETTE CREEK

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.0	.57	.65	1.1	.77	3.0	1.9	6.9	6.4	3.7	2.1	1.9
2	1.0	.57	.68	1.2	.56	2.0	1.9	7.5	6.0	3.7	2.1	1.9
3	1.1	.57	.79	1.2	.49	.90	2.1	7.8	6.0	3.7	2.1	1.9
4	1.1	.57	.84	1.2	.48	.84	2.2	7.9	5.9	3.7	1.9	1.9
5	1.0	.57	.84	1.2	.50	.98	2.3	8.2	5.8	3.5	1.8	1.7
6	1.0	.60	.96	1.2	.49	1.2	2.4	7.9	5.7	3.4	1.8	1.6
7	.88	.60	.97	1.3	.48	1.6	2.9	7.9	5.6	3.4	1.8	1.6
8	.82	.60	1.1	1.3	.48	1.6	3.3	8.4	5.6	3.3	1.8	1.6
9	.78	.60	1.1	1.3	.48	1.8	3.7	8.5	5.6	3.3	1.9	1.6
10	.73	.60	1.2	1.1	.54	1.8	3.9	8.6	5.5	3.1	1.8	1.6
11	.71	.60	1.2	.92	.60	1.8	3.9	8.7	5.4	3.1	1.8	1.6
12	.65	.60	1.2	.99	.86	1.7	3.8	8.7	5.4	3.1	1.8	1.6
13	.66	.55	1.2	.96	.84	1.6	3.9	8.5	5.4	3.0	1.8	1.6
14	.78	.48	1.2	.96	.84	1.6	3.9	8.1	5.3	2.8	1.8	1.6
15	.86	.48	1.1	.90	.84	1.8	3.7	8.2	5.3	2.7	1.8	1.6
16	.87	.48	1.1	.84	3.1	1.9	3.7	8.3	5.2	2.5	1.9	1.4
17	.93	.51	.96	.93	.75	2.0	9.2	8.3	4.9	2.5	1.9	1.4
18	1.0	.56	.96	.97	.60	1.9	21	8.3	4.8	2.5	1.8	1.4
19	.85	.56	.85	.94	.60	1.9	7.8	8.2	4.5	2.5	1.8	1.4
20	.69	.60	.84	.90	330	1.9	4.4	7.7	4.2	2.4	1.7	1.4
21	.68	.73	.75	.89	152	1.8	4.2	7.5	4.1	2.3	1.7	1.4
22	.68	.72	.72	.85	12	1.8	4.0	7.4	4.1	2.1	1.7	1.4
23	.65	.72	.72	.84	23	1.8	4.0	7.2	3.9	2.1	1.7	1.3
24	.61	.72	.71	.84	11	1.8	4.1	7.1	3.8	2.2	1.8	1.3
25	.67	.72	.60	.89	5.2	1.8	4.4	7.3	3.8	2.4	1.8	1.2
26	.67	.73	.60	.95	3.0	1.8	4.9	7.0	3.8	2.3	1.9	1.3
27	.68	.73	.63	.96	5.0	1.9	5.2	7.0	3.9	2.3	1.9	1.3
28	.72	.74	.76	.96	6.2	1.9	5.6	6.8	4.0	2.0	2.0	1.4
29	.70	.69	.91	.96	2.8	1.9	6.1	6.7	4.0	2.0	2.1	1.4
30	.57	.64	1.0	.96	-----	1.9	6.3	6.6	3.9	2.1	2.0	1.4
31	.57	-----	1.1	.93	-----	1.9	-----	6.5	-----	2.1	2.0	-----
TOTAL	24.61	18.41	28.24	31.44	564.50	54.12	140.7	239.7	147.8	85.8	57.8	45.7
MEAN	.79	.61	.91	1.01	19.5	1.75	4.69	7.73	4.93	2.77	1.86	1.52
MAX	1.1	.74	1.2	1.3	330	3.0	21	8.7	6.4	3.7	2.1	1.9
MIN	.57	.48	.60	.84	.48	.84	1.9	6.5	3.8	2.0	1.7	1.2
AC-FT	49	37	56	62	1,120	107	279	475	293	170	115	91
CAL YEAR 1999 TOTAL*		71.26	MEAN	.77	MAX	1.2	MIN	.48	AC-FT	141		
WTR YEAR 2000 TOTAL		1,438.82	MEAN	3.93	MAX	330	MIN	.48	AC-FT	2,850		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F168-R BIG TUJUNGA CREEK BELOW DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.05	.05	.05	.04	.02	77	19	.04	.04	.22	.01	0
2	.05	.05	.05	.03	.02	44	21	.03	.04	.10	.03	0
3	.04	.05	.05	.02	.01	14	22	.03	.03	.04	.05	.01
4	.04	.05	.05	.02	.02	13	20	.03	.04	.05	.07	.01
5	.04	.05	.05	.02	.02	26	17	.03	.04	.05	.05	.02
6	.05	.05	.06	.02	.02	75	11	.03	.04	.06	.03	.03
7	.05	.06	.06	.02	13	70	.25	.03	.04	.06	.02	.03
8	.05	26	.05	.02	23	66	.06	.03	.05	.07	.01	.02
9	.05	38	.05	.02	21	62	.04	16	.06	.08	.01	.01
10	.04	16	.06	.02	13	59	.04	26	.06	.09	.02	0
11	.04	.40	.05	18	1.2	56	.04	26	.05	.10	.01	0
12	.04	.07	.05	56	1.7	53	.04	26	.05	.10	0	0
13	.04	.05	.05	31	.30	43	.04	26	.04	.12	0	0
14	.04	.04	.05	.95	.10	26	.05	26	.03	.07	0	0
15	.04	.03	.05	.05	.06	25	.05	26	.03	.04	0	0
16	.05	.04	.05	.02	.68	29	.05	12	.03	.02	0	0
17	.05	.04	.05	.02	.53	35	10	1.3	.03	.01	0	0
18	.06	3.3	.04	.02	.52	30	42	.28	.04	.03	0	0
19	.06	.97	.04	.02	.73	27	78	.07	.04	.05	0	0
20	.06	.10	.04	.02	3.3	26	65	.05	.04	.04	0	0
21	.05	.05	13	.02	123	23	49	.05	.04	.04	0	0
22	.05	.05	21	.02	74	22	31	.05	25	.03	0	0
23	.04	.05	20	.02	66	20	2.7	.05	44	.03	0	.01
24	.05	.05	8.7	.02	76	9.4	.60	.06	43	.04	0	.04
25	.04	.04	.24	.08	55	.49	.11	.07	41	.02	0	.03
26	.05	.05	.05	.03	59	.22	35	.07	30	0	0	.03
27	.05	.04	.04	.02	39	.13	46	.06	4.5	0	0	.03
28	.05	.04	.03	.02	10	.11	27	.05	2.5	0	0	.03
29	.05	.04	.03	.02	43	.20	1.3	.04	1.3	0	0	.03
30	.05	.05	.03	.02	-----	4.6	.10	.03	.55	0	0	.04
31	.04	-----	.05	.03	-----	17	-----	.04	-----	0	.02	-----
TOTAL	1.46	85.86	64.17	106.63	624.23	953.15	498.47	186.52	192.71	1.56	0.33	0.37
MEAN	.047	2.86	2.07	3.44	21.5	30.7	16.6	6.02	6.42	.050	.011	.012
MAX	.06	38	21	56	123	77	78	26	44	.22	.07	.04
MIN	.04	.03	.03	.02	.01	.11	.04	.03	.03	0	0	0
AC-FT	2.9	170	127	212	1,240	1,890	989	370	382	3.1	.7	.7
CAL YEAR 1999	TOTAL*	151.49	MEAN	1.65	MAX	38	MIN	.03	AC-FT	300		
WTR YEAR 2000	TOTAL	2,715.46	MEAN	7.42	MAX	123	MIN	0	AC-FT	5,390		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F377-R BOUQUET CANYON CREEK AT URBANDALE

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	.46	.01	0	.01
2	0	0	0	0	0	0	.04	.09	.01	.01	0	.01
3	0	0	0	0	0	0	.13	.08	0	.02	.02	0
4	0	0	0	0	0	0	0	.06	.09	.01	.04	.03
5	0	0	0	0	0	11	0	.05	.14	.05	.02	0
6	0	0	0	0	0	0	0	.06	.02	.07	0	.05
7	0	0	0	0	0	0	.02	.07	.10	0	0	.08
8	0	0	0	0	0	3.4	0	.05	.05	0	.04	0
9	0	0	0	0	0	0	0	.05	.08	0	.02	0
10	0	0	0	0	.34	0	0	.02	.10	0	.04	.01
11	0	0	0	0	0	0	.11	.08	0	0	.02	0
12	0	0	0	0	2.1	0	.43	.03	.06	.01	.02	0
13	0	0	0	0	0	0	0	.03	.06	0	0	0
14	0	0	0	0	.09	0	0	.03	.05	0	0	0
15	0	0	0	0	0	0	0	.04	.14	0	.05	0
16	0	0	0	0	.65	0	.02	.04	.03	0	.03	.02
17	0	0	0	0	.50	0	11	.06	.02	.01	.01	.01
18	0	0	0	0	4.8	0	4.5	.03	.05	.01	.02	0
19	0	0	0	0	20	0	.68	.06	.08	.08	.06	0
20	0	0	0	0	41	0	.36	.04	.06	0	0	.02
21	0	0	0	0	6.3	0	0	.02	.12	0	0	.17
22	0	0	0	0	25	0	0	.05	.10	0	.01	0
23	0	0	0	0	111	0	.18	.05	.06	0	0	.01
24	0	0	0	0	6.3	0	.08	.07	0	0	0	0
25	0	0	0	.66	.63	0	.10	.09	.07	.02	0	0
26	0	0	0	0	.40	0	.13	.03	.10	0	0	.03
27	0	0	0	0	.66	0	.15	.02	0	0	0	0
28	0	0	0	0	.25	0	.64	.06	.06	0	0	0
29	0	0	0	0	.10	0	0	.03	.06	.04	.04	0
30	0	0	0	0	-----	0	.03	.02	.01	.07	.02	0
31	0	-----	0	0	-----	0	-----	.05	-----	.03	0	-----
TOTAL	0	0	0	0.66	220.12	14.4	18.60	1.46	2.18	0.44	0.46	0.45
MEAN	0	0	0	.021	7.59	.46	.62	.047	.073	.014	.015	.015
MAX	0	0	0	.66	111	11	11	.09	.46	.08	.06	.17
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC-FT	0	0	0	1.3	437	29	37	2.9	4.3	.9	.9	.9
CAL YEAR 1999	TOTAL*	0.00	MEAN	0	MAX	0	MIN	0	AC-FT	0		
WTR YEAR 2000	TOTAL	258.77	MEAN	.71	MAX	111	MIN	0	AC-FT	513		

* Incomplete Record 4/1-4/30:N/C @ various times during flow. 5/1-5/31:N/C 6/1-6/30:N/C

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F329-R BRADBURY CHANNEL @ CENTRAL

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.03	.76	1.8	.10	1.0	.10	.43	.10	1.0	.59	1.0	1.0
2	.04	.52	1.8	.10	.71	.10	.65	.11	1.0	.59	1.0	1.0
3	.04	.60	.71	.21	.14	.57	.41	.10	1.0	.61	1.0	1.0
4	.05	.78	2.2	.37	.14	1.8	.62	.10	.51	.59	1.0	1.0
5	.22	.84	2.6	.22	.10	11	.59	.15	.55	.83	.93	1.0
6	.24	.35	2.9	.23	.10	.52	.64	.36	.60	1.0	.67	1.0
7	.32	.32	3.1	.51	.16	.49	.69	.30	.56	1.0	1.1	1.0
8	.15	.73	2.5	.59	.19	3.8	.97	.30	.59	.95	1.2	1.0
9	.14	.56	2.9	.59	.18	.69	.98	.30	.57	.59	1.0	1.0
10	.24	.72	2.6	.60	4.4	.59	.95	.30	.45	1.0	1.0	1.0
11	.23	1.0	2.9	.63	.03	.54	1.3	.30	.59	1.2	1.0	1.0
12	.14	1.1	2.7	.68	9.1	.30	1.0	.30	.40	1.1	1.0	.60
13	.14	1.0	3.3	1.0	.09	.30	.71	.47	.30	1.5	1.0	.30
14	.10	1.1	3.2	.68	.21	.30	1.3	.59	.31	1.5	1.0	.30
15	.10	1.5	3.3	.10	.03	.30	.43	.59	.30	1.5	1.0	.30
16	.10	1.2	3.6	.10	4.3	.30	.25	.60	.30	1.5	.94	.30
17	.10	.91	3.8	.10	.03	.27	25	.59	.25	1.7	1.1	.30
18	.14	.89	3.6	.06	.03	.10	15	.60	.10	2.0	1.0	.30
19	.09	.71	3.3	.03	.03	.10	1.9	.59	.15	1.7	1.0	.30
20	.09	1.3	3.2	.03	21	.24	1.5	.72	.10	1.5	1.0	.30
21	.07	.96	.37	.05	7.2	.34	1.6	1.0	.10	1.5	1.0	.30
22	.09	1.2	3.3	.03	.12	.31	.99	1.0	.24	1.5	1.0	.30
23	.07	1.0	3.8	.04	19	.39	.59	1.0	.30	1.5	1.0	.30
24	.10	1.1	3.1	.11	.62	.34	.59	1.1	.39	1.5	1.0	.30
25	.10	1.2	3.2	2.0	.50	.30	.59	6.1	.40	1.5	1.0	.30
26	.11	.85	3.2	.08	.30	.30	.59	2.1	.40	1.5	1.0	.30
27	.08	1.5	3.0	.07	2.3	.33	.59	2.1	.30	1.5	1.0	.33
28	.16	1.5	2.6	.07	.31	.31	.48	1.3	.30	1.3	1.0	.80
29	.16	1.7	2.6	.07	.21	.31	.11	1.0	.31	1.1	1.0	.58
30	.13	1.7	2.9	.78	-----	.30	.10	1.0	.36	1.0	1.0	.76
31	.16	-----	2.1	.35	-----	.30	-----	1.0	-----	1.0	1.0	-----
TOTAL	3.93	29.60	86.18	10.58	72.53	25.94	61.55	26.17	12.73	37.85	30.94	18.27
MEAN	.13	.99	2.78	.34	2.50	.84	2.05	.84	.42	1.22	1.00	.61
MAX	.32	1.7	3.8	2.0	21	11	25	6.1	1.0	2.0	1.2	1.0
MIN	.03	.32	.37	.03	.03	.10	.10	.10	.10	.59	.67	.30
AC-FT	7.8	59	171	21	144	51	122	52	25	75	61	36
CAL YEAR 1999	TOTAL*	119.71	MEAN	1.30	MAX	3.8	MIN	.03	AC-FT	237		
WTR YEAR 2000	TOTAL	416.27	MEAN	1.14	MAX	25	MIN	.03	AC-FT	826		

* Incomplete Record BRADBURY CHANNEL BELOW CENTRAL AVE. RUNOFF STATION F329-R STEVEN AXSYS RECORDER DATA AS OF 10-31-2000 BY SOO KHOO.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F342-R BRANFORD STREET CHANNEL

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.25	.19	.17	.19	.20	.24	.22	.30	.37	.30	.32	.30
2	.26	.20	.18	.18	.21	.20	.24	.31	.35	.29	.35	.29
3	.28	.15	.18	.20	.19	9.7	.29	.33	.32	.42	.35	.26
4	.27	.18	.17	.25	.22	2.5	.33	.29	.30	.33	.39	.27
5	.30	.18	.15	.26	.24	44	.33	.31	.71	.34	.34	.25
6	.32	.19	.18	.21	.25	.56	.30	.29	.30	1.1	.40	.29
7	.23	.24	.16	.22	.23	.36	.33	.31	.32	.31	.35	.30
8	.23	10	.14	.23	.22	9.0	.30	.30	.29	.31	.33	.30
9	.22	.18	.16	.24	.26	.25	.30	.32	.30	.29	.32	.30
10	.21	.19	.14	.26	20	.24	.34	.30	.29	.30	.31	.27
11	.21	.23	.13	.24	.59	.23	.31	.28	.27	.32	.34	.30
12	.21	.21	.18	.27	23	.25	.32	.32	.30	.31	.34	.30
13	.23	.20	.18	.27	6.6	.20	.31	.29	.32	.31	.32	.30
14	.23	.20	.18	.27	2.3	.21	.32	.29	.30	.32	.33	.31
15	.26	.21	.21	.24	.31	.24	.32	.31	.32	.31	.33	.30
16	.23	.20	.21	.24	32	.23	.31	.29	.31	.31	.35	.31
17	.14	.19	.21	2.8	.32	.24	39	.31	.30	.30	.34	.30
18	.16	.22	.21	.31	.21	.23	44	.32	.30	.31	.40	.30
19	.17	.21	.20	.30	.23	.23	.32	.33	.29	.33	.33	.30
20	.18	.25	.18	.30	55	.19	.26	.31	.31	.33	.31	.29
21	.17	.20	.21	.30	63	.15	.25	.35	.32	.31	.33	.60
22	.18	.11	.15	.30	.38	.23	.27	.32	.29	.30	.33	2.1
23	.17	.15	.15	.30	49	.23	.30	.30	.32	.30	.33	3.5
24	.17	.19	.15	.30	.34	.25	.28	.32	.31	.30	.31	.27
25	.18	.18	.15	28	.22	.24	.26	.83	.28	.30	.32	.25
26	.19	.16	.15	.29	.26	.25	.28	.56	.30	.30	.33	.26
27	.20	.19	.15	.20	17	.27	.31	.50	.32	.30	.30	.28
28	.20	.17	.15	.20	.27	.23	.30	.47	.30	.30	.35	.26
29	.18	.19	.15	.22	.22	.27	.28	.43	.32	.30	3.7	.27
30	.18	.16	.15	6.1	-----	.25	.28	.41	.33	.30	.30	.28
31	.17	-----	.20	3.5	-----	.20	-----	.39	-----	.30	.29	-----
TOTAL	6.58	15.52	5.28	47.19	273.27	71.87	91.26	10.99	9.66	10.45	13.74	13.91
MEAN	.21	.52	.17	1.52	9.42	2.32	3.04	.35	.32	.34	.44	.46
MAX	.32	10	.21	28	63	44	44	.83	.71	1.1	3.7	3.5
MIN	.14	.11	.13	.18	.19	.15	.22	.28	.27	.29	.29	.25
AC-FT	13	31	10	94	542	143	181	22	19	21	27	28
CAL YEAR 1999	TOTAL*	27.38	MEAN	.30	MAX	10	MIN	.11	AC-FT	54		
WTR YEAR 2000	TOTAL	569.72	MEAN	1.56	MAX	63	MIN	.11	AC-FT	1,130		

* Incomplete Record Recorder inoperative, record estimated 12/22/99 thru 01/03/00, 7/21/00 thru 8/01/00.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

E285-R BURBANK WESTERN STORM DRAIN

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	9.9	12	9.8	12	11	7.9	8.9	10	13	13	11	13
2	10	13	10	10	11	8.2	10	10	13	13	12	12
3	11	12	9.9	11	9.1	40	11	11	13	13	13	12
4	11	13	11	11	8.6	25	10	11	12	13	12	13
5	10	12	10	10	10	279	8.8	13	15	14	13	12
6	9.7	13	10	11	9.7	30	7.4	13	12	12	12	14
7	10	13	9.9	10	9.2	12	8.2	12	12	11	12	12
8	10	24	10	10	10	58	6.3	13	14	11	12	12
9	9.9	13	10	10	10	10	6.3	12	13	12	14	12
10	9.8	13	11	9.1	71	8.0	6.9	11	13	13	13	12
11	10	13	10	9.2	11	10	6.9	12	13	15	13	11
12	9.8	13	10	9.0	119	9.4	6.6	11	12	15	12	11
13	9.3	13	10	9.3	30	9.8	8.5	11	12	14	13	12
14	9.2	12	10	9.8	14	9.8	6.3	11	12	14	13	12
15	11	11	10	9.6	11	9.1	6.2	12	12	14	13	12
16	11	13	11	9.7	131	9.4	6.5	12	12	14	14	11
17	11	11	9.5	13	9.8	9.2	253	12	12	13	11	12
18	12	8.6	10	10	10	9.4	159	11	12	12	12	12
19	11	10	9.4	9.9	11	9.3	10	11	13	12	11	12
20	12	11	9.8	10	226	8.7	12	12	12	9.3	12	12
21	12	11	10	9.8	220	9.0	11	12	12	12	12	13
22	13	11	10	9.8	15	8.9	11	12	13	10	12	20
23	13	10	10	9.8	252	9.0	11	12	13	12	13	22
24	12	10	10	10	15	9.2	11	12	12	11	13	13
25	12	11	9.1	66	11	9.1	12	13	11	11	12	12
26	13	9.4	10	11	10	9.1	12	13	12	11	13	12
27	12	9.5	9.8	9.9	51	9.6	13	11	11	11	13	12
28	13	10	9.8	11	8.9	9.5	13	10	12	12	12	12
29	13	10	10	11	6.5	9.8	12	12	13	12	20	12
30	12	10	11	15	-----	9.7	12	12	13	13	14	12
31	13	-----	16	14	-----	9.7	-----	12	-----	11	13	-----
TOTAL	345.6	355.5	317.0	380.9	1,321.8	674.8	676.8	362	374	383.3	395	381
MEAN	11.1	11.9	10.2	12.3	45.6	21.8	22.6	11.7	12.5	12.4	12.7	12.7
MAX	13	24	16	66	252	279	253	13	15	15	20	22
MIN	9.2	8.6	9.1	9.0	6.5	7.9	6.2	10	11	9.3	11	11
AC-FT	685	705	629	756	2,620	1,340	1,340	718	742	760	783	756
CAL YEAR 1999 TOTAL*		1,018.1	MEAN	11.1	MAX	24	MIN	8.6	AC-FT	2,020		
WTR YEAR 2000 TOTAL		5,967.7	MEAN	16.3	MAX	279	MIN	6.2	AC-FT	11,840		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F354-R COYOTE CREEK BELOW SPRING STREET

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	21	14	11	21	26	12	18	17	16	4.9	5.6	13
2	19	20	11	14	19	9.1	17	11	15	4.5	6.9	11
3	15	20	8.7	13	16	154	17	12	11	4.9	7.9	11
4	14	23	7.7	14	20	118	15	11	14	5.4	7.5	10
5	12	24	8.4	19	20	646	18	14	13	7.7	6.9	10
6	13	28	6.8	16	19	81	23	15	12	5.9	6.3	12
7	13	20	7.3	15	21	19	25	16	12	6.2	6.4	12
8	12	55	17	15	23	324	32	18	11	6.9	6.4	14
9	11	13	13	14	21	48	35	19	7.1	7.1	5.6	14
10	11	15	17	16	137	20	40	17	6.1	8.2	9.5	16
11	15	10	22	13	115	12	48	19	5.4	8.8	9.0	16
12	23	11	20	13	450	11	53	14	3.9	8.7	7.5	15
13	17	7.7	22	16	133	15	53	13	7.8	6.9	8.5	15
14	14	6.4	23	15	190	15	54	14	8.7	8.3	8.6	15
15	15	8.2	23	16	13	20	61	16	9.1	9.9	7.5	17
16	20	10	23	16	285	19	67	18	8.5	12	8.1	17
17	11	8.8	18	18	93	19	573	21	12	9.7	8.6	14
18	11	10	24	18	23	15	322	23	7.4	12	9.2	13
19	16	7.9	27	17	16	15	42	22	7.0	12	9.2	11
20	12	19	21	17	450	16	21	22	10	12	8.6	8.8
21	13	16	23	16	1,180	12	13	20	14	15	9.5	12
22	13	10	14	17	85	15	12	31	12	16	9.5	28
23	15	9.7	16	16	862	20	15	34	13	12	8.7	79
24	13	7.1	15	32	83	22	19	33	8.4	12	8.2	6.9
25	13	5.7	12	269	27	16	21	79	9.9	14	8.7	9.6
26	13	6.8	14	85	20	15	18	33	14	10	8.8	12
27	15	8.2	12	21	93	17	11	29	7.4	7.9	8.9	14
28	17	9.0	8.5	15	31	19	14	22	6.0	5.8	11	15
29	20	11	10	15	15	20	16	16	6.8	6.3	21	10
30	19	16	7.9	25	-----	19	15	15	4.8	5.6	13	12
31	17	-----	71	147	-----	18	-----	13	-----	5.7	12	-----
TOTAL	463	430.5	534.3	974	4,486	1,781.1	1,688	657	293.3	272.3	273.1	463.3
MEAN	14.9	14.4	17.2	31.4	155	57.5	56.3	21.2	9.78	8.78	8.81	15.4
MAX	23	55	71	269	1,180	646	573	79	16	16	21	79
MIN	11	5.7	6.8	13	13	9.1	11	11	3.9	4.5	5.6	6.9
AC-FT	918	854	1,060	1,930	8,900	3,530	3,350	1,300	582	540	542	919

CAL YEAR 1999 TOTAL* 1,427.8 MEAN 15.5 MAX 71 MIN 5.7 AC-FT 2,830
WTR YEAR 2000 TOTAL 12,315.9 MEAN 33.7 MAX 1,180 MIN 3.9 AC-FT 24,430

* Incomplete Record
Data as up 10/05/00

MB

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F274B-R DALTON WASH @ MERCED AVE.

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.43	.52	.11	5.2	179	.14	.82	.35	1.7	.93	.51	.66
2	.40	.43	.11	4.3	284	.18	.68	.37	1.3	.79	.47	1.1
3	.45	2.7	.13	3.5	241	26	.77	.36	1.2	.72	.57	1.6
4	.36	4.8	.11	2.8	222	38	.66	.44	1.1	.72	.66	3.0
5	1.7	5.2	.10	74	221	151	1.3	.31	1.1	.72	.46	1.8
6	.50	4.6	.10	152	224	2.4	1.6	.29	.97	.72	.43	2.1
7	.45	3.1	.10	151	178	5.1	3.0	.27	1.7	.72	.67	.50
8	.42	9.5	.10	152	44	89	4.3	.24	1.0	.72	.77	.22
9	.51	4.0	.12	151	3.2	1.3	4.2	.21	.82	.72	.62	.24
10	.52	3.9	.10	149	84	2.1	3.5	54	.72	2.5	.59	.27
11	.55	3.9	.11	150	8.0	1.1	1.6	152	.72	1.6	.21	.85
12	.47	5.4	.11	146	193	.77	1.4	155	.72	.73	.19	.15
13	.31	3.6	.11	145	17	1.8	1.4	150	.65	.81	.19	.97
14	.28	3.5	.11	141	23	5.8	1.9	146	.55	.78	.18	.48
15	.25	4.1	.11	142	6.4	3.9	1.9	76	.55	.70	.17	.80
16	.27	2.7	.11	144	105	6.6	2.7	.43	.49	.24	.16	.99
17	.22	.51	.12	145	1.7	6.0	232	.17	.41	.70	.88	2.5
18	.21	.50	.13	143	.89	5.3	112	88	.41	.52	.73	1.5
19	.23	.52	.12	142	.51	5.6	.26	152	1.0	.64	.88	.22
20	.21	.80	.12	145	117	4.3	.21	149	.85	.71	.83	.20
21	1.5	.49	.12	155	93	2.0	.42	148	1.1	.18	.91	1.2
22	1.5	.43	.11	159	.34	2.0	.59	148	.87	.17	.70	3.8
23	2.0	.27	.42	160	219	3.9	.14	51	.82	.15	.82	17
24	1.1	.26	148	119	1.0	9.1	.14	82	.72	.15	.66	7.1
25	1.5	.14	145	74	.27	8.8	.20	121	.72	.14	.30	4.9
26	1.2	.15	148	62	.21	9.5	.17	1.8	1.3	.14	.35	1.6
27	1.5	.15	144	120	63	6.2	.24	1.2	1.2	.14	.39	.81
28	2.4	.14	233	123	.61	4.4	.35	1.2	1.2	.14	.33	.65
29	.63	.12	291	121	.47	3.9	.21	1.2	1.2	.12	.21	.55
30	.54	.12	121	120	-----	3.9	.17	97	1.0	.10	.16	.47
31	.57	-----	36	119	-----	2.3	-----	106	-----	.99	.83	-----
TOTAL	23.18	66.55	1,310.46	3,619.8	2,530.60	412.39	378.83	1,883.84	28.09	19.11	15.83	58.23
MEAN	.75	2.22	42.3	117	87.3	13.3	12.6	60.8	.94	.62	.51	1.94
MAX	2.4	9.5	291	160	284	151	232	155	1.7	2.5	.91	17
MIN	.21	.12	.10	2.8	.21	.14	.14	.17	.41	.10	.16	.15
AC-FT	46	132	2,600	7,180	5,020	818	751	3,740	56	38	31	115
CAL YEAR 1999	TOTAL*	1,400.19	MEAN	15.2	MAX	291	MIN	.10	AC-FT	2,780		
WTR YEAR 2000	TOTAL	10,346.91	MEAN	28.3	MAX	291	MIN	.10	AC-FT	20,520		

* Incomplete Record AS OF 10/05/00.AR.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F271-R EATON WASH BELOW EATON DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	15	0	0	0	0	0	0
2	0	0	0	0	0	19	0	0	0	0	0	0
3	0	0	0	0	0	9.2	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	.03	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	21	0	0	0	0	0	0
14	0	0	0	0	0	29	0	0	0	0	0	0
15	0	0	0	0	0	25	0	0	0	0	0	0
16	0	0	0	0	0	23	0	0	0	0	0	0
17	0	0	0	0	0	12	.04	0	0	8.2	0	0
18	0	0	0	0	0	0	0	0	0	9.4	0	0
19	0	0	0	0	0	0	0	0	0	6.7	0	0
20	0	0	0	0	.01	0	0	0	0	1.4	0	0
21	0	0	0	0	.03	.01	0	0	0	0	0	0
22	0	0	0	0	0	.43	0	0	0	0	0	.03
23	0	0	0	0	.09	.48	0	0	0	0	0	.06
24	0	0	0	0	60	.78	0	0	0	0	0	0
25	0	0	0	0	67	.76	0	0	0	0	0	0
26	0	0	0	0	23	.90	0	0	.06	0	0	0
27	0	0	0	.19	11	7.6	0	0	0	0	0	0
28	0	0	0	0	0	6.8	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	0	0
30	0	0	0	0	-----	0	0	0	0	0	0	0
31	0	-----	.16	0	-----	0	-----	0	-----	0	0	-----
TOTAL	0	0.03	0.16	0.19	161.13	170.96	0.04	0	0.06	25.7	0	0.09
MEAN	0	.001	.005	.006	5.56	5.51	.001	0	.002	.83	0	.003
MAX	0	.03	.16	.19	67	29	.04	0	.06	9.4	0	.06
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC-FT	0	.06	.3	.4	320	339	.08	0	.1	51	0	.2
CAL YEAR 1999 TOTAL*		0.19	MEAN	.002	MAX	.16	MIN	0	AC-FT	.4		
WTR YEAR 2000 TOTAL		358.36	MEAN	.98	MAX	67	MIN	0	AC-FT	711		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

U7-R FISH CREEK

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.15	.15	.74	.94	1.0	5.0	2.3	3.1	1.3	.24	.08	.06
2	.15	.15	.77	.94	1.0	6.6	2.2	3.1	1.3	.22	.08	.06
3	.15	.15	.80	.94	1.4	8.2	2.2	3.5	1.2	.22	.08	.06
4	.15	.15	.84	.94	1.4	9.8	2.3	4.0	1.1	.21	.07	.06
5	.15	.15	.87	.94	1.5	11	2.5	3.9	1.1	.18	.06	.06
6	.15	.15	.90	.94	1.5	13	2.4	3.8	.96	.17	.06	.06
7	.15	.17	.94	.94	1.5	12	2.3	3.7	.94	.17	.06	.06
8	.15	.19	.94	.94	1.4	10	2.3	3.6	.87	.17	.06	.06
9	.15	.19	.94	.94	1.4	9.0	2.2	3.5	.82	.15	.06	.06
10	.15	.22	.94	.94	1.4	8.3	2.1	3.4	.80	.15	.06	.06
11	.15	.22	.94	.94	1.4	7.5	3.2	3.2	.77	.15	.06	.06
12	.15	.25	.94	.94	1.4	6.8	4.4	3.1	.74	.15	.06	.06
13	.15	.25	.94	.94	1.4	6.0	5.5	3.1	.74	.14	.06	.06
14	.15	.28	.94	.94	1.4	4.0	6.6	3.0	.73	.13	.06	.06
15	.15	.28	.94	.94	1.4	3.9	7.8	2.8	.68	.13	.06	.08
16	.15	.32	.94	.94	1.4	3.8	8.9	2.7	.60	.13	.06	.08
17	.15	.32	.94	.94	1.4	3.8	10	2.6	.60	.13	.06	.08
18	.15	.36	.94	.94	1.4	3.7	17	2.5	.55	.13	.06	.08
19	.15	.37	.94	.91	1.0	3.6	15	2.4	.53	.11	.06	.09
20	.15	.40	.94	.87	3.0	3.5	13	2.3	.53	.11	.06	.10
21	.15	.42	.94	.87	5.0	3.3	11	2.2	.51	.11	.06	.10
22	.15	.46	.94	.87	7.0	3.0	8.3	2.2	.45	.11	.06	.10
23	.15	.47	.94	.87	12	2.9	6.2	2.1	.42	.11	.06	.10
24	.15	.51	.94	.87	11	2.8	4.0	2.0	.42	.10	.06	.11
25	.15	.53	.94	.87	9.2	2.7	3.7	1.9	.37	.10	.06	.10
26	.15	.58	.94	.92	7.8	2.6	3.3	1.9	.37	.10	.06	.11
27	.15	.60	.94	.94	6.4	2.5	3.0	1.7	.34	.10	.06	.10
28	.15	.65	.94	.94	5.0	2.5	3.1	1.6	.26	.10	.06	.10
29	.15	.68	.94	.94	3.6	2.5	3.3	1.6	.25	.09	.06	.11
30	.15	.71	.94	.94	-----	2.4	3.4	1.5	.25	.08	.06	.11
31	.15	-----	.94	.94	-----	2.4	-----	1.4	-----	.08	.06	-----
TOTAL	4.65	10.33	28.42	28.67	95.7	169.1	163.5	83.4	20.50	4.27	1.93	2.39
MEAN	.15	.34	.92	.92	3.30	5.45	5.45	2.69	.68	.14	.062	.080
MAX	.15	.71	.94	.94	12	13	17	4.0	1.3	.24	.08	.11
MIN	.15	.15	.74	.87	1.0	2.4	2.1	1.4	.25	.08	.06	.06
AC-FT	9.2	20	56	57	190	335	324	165	41	8.5	3.8	4.7
CAL YEAR 1999	TOTAL*	43.40	MEAN	.47	MAX	.94	MIN	.15	AC-FT	86		
WTR YEAR 2000	TOTAL	612.86	MEAN	1.67	MAX	17	MIN	.06	AC-FT	1,220		

* Incomplete Record FISH CANYON CREEK RUNOFF STATION U-7R STEVEN AXSYS RECORDER DATA AS OF 10-19-00 BY SOO KHOO. THE STATION STILLING WELL FILLED WITH MUD AND THE STREAM FLOW IS RUNNING BELOW THE COMMUNICATION HOLE, SO THAT NO WATER GETTING INSIDE STILLING WELL. ABOVE DATA ARE BASED ON MEASUREMENT AND VISUAL ESTIMATION.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F251-R LEAKAGE @ TOE OF COGSWELL DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.2	0	0	0	.06	3.9	6.9	8.3	9.6	7.3	6.9	4.7
2	1.1	0	0	0	.10	3.7	6.9	8.3	9.6	7.3	6.8	4.6
3	1.1	0	0	0	.17	3.4	6.9	8.7	9.6	7.2	6.7	4.6
4	.97	0	0	0	.18	3.4	6.9	9.2	9.5	7.1	6.7	4.6
5	.86	0	0	0	.16	4.3	6.9	9.8	9.3	7.0	6.7	4.6
6	.76	0	0	0	.15	4.3	6.9	10	9.3	7.0	6.7	4.9
7	.69	0	0	0	.15	4.0	6.8	10	9.3	7.0	6.6	5.3
8	.63	0	0	0	.14	4.9	6.7	10	9.1	7.0	6.5	5.2
9	.56	0	0	0	.14	4.9	6.7	10	9.1	7.0	6.4	5.2
10	.37	0	0	0	.19	5.0	6.7	10	9.0	7.0	6.3	5.1
11	.09	0	0	0	.19	5.2	6.7	10	8.9	7.0	6.3	5.1
12	0	0	0	0	.30	5.2	6.7	10	8.7	7.0	6.2	5.1
13	0	0	0	0	.28	5.3	6.6	10	8.6	7.0	6.1	5.0
14	0	0	0	0	.29	5.4	6.7	10	8.6	7.0	6.1	5.0
15	0	0	0	0	.32	5.6	6.8	10	8.5	7.0	6.0	4.9
16	0	0	0	0	.50	5.7	6.7	10	8.4	7.0	5.9	4.8
17	0	0	0	0	.59	5.8	8.6	10	8.4	7.0	5.9	4.8
18	0	0	0	0	.58	5.8	12	10	8.1	7.0	5.6	4.7
19	0	0	0	0	.62	5.7	11	10	7.9	7.0	5.4	4.7
20	0	0	0	0	1.4	5.6	10	10	7.9	7.0	5.4	4.7
21	0	0	0	0	4.7	5.5	9.7	10	7.9	7.0	5.3	4.6
22	0	0	0	0	5.2	5.5	9.2	10	7.9	7.0	5.3	4.5
23	0	0	0	0	5.9	6.1	9.0	10	7.9	7.0	5.3	4.5
24	0	0	0	0	6.1	6.7	8.8	10	7.8	7.0	5.2	4.5
25	0	0	0	.13	5.2	6.7	8.6	10	7.7	7.0	5.1	4.4
26	0	0	0	.15	4.7	6.7	8.5	10	7.6	7.0	5.1	4.3
27	0	0	0	.11	4.5	6.7	8.4	10	7.6	7.0	5.0	4.2
28	0	0	0	.08	4.5	6.9	8.3	10	7.6	7.0	4.9	4.1
29	0	0	0	.07	4.1	6.9	8.3	10	7.5	6.9	4.9	4.1
30	0	0	0	.07	-----	6.9	8.3	10	7.5	6.9	4.8	4.1
31	0	-----	0	.07	-----	6.9	-----	9.8	-----	6.9	4.7	-----
TOTAL	8.33	0	0	0.68	51.41	168.6	237.2	304.1	254.4	217.6	180.8	140.9
MEAN	.27	0	0	.022	1.77	5.44	7.91	9.81	8.48	7.02	5.83	4.70
MAX	1.2	0	0	.15	6.1	6.9	12	10	9.6	7.3	6.9	5.3
MIN	0	0	0	0	.06	3.4	6.6	8.3	7.5	6.9	4.7	4.1
AC-FT	17	0	0	1.3	102	334	470	603	505	432	359	279
CAL YEAR 1999	TOTAL*	8.33	MEAN	.091	MAX	1.2	MIN	0	AC-FT	17		
WTR YEAR 2000	TOTAL	1,564.02	MEAN	4.27	MAX	12	MIN	0	AC-FT	3,100		

* Incomplete Record \OE OF COGSWELL DAM LEAKAGE STATION F251-R STEVEN AXSYS RECORDER DATA AS OF 11-06-2000 BY SOO KHOO.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

L1-R LITTLE ROCK CK. ABOVE LITTLE ROCK DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	1.6	14	20	17	3.9	.49	0	0
2	0	0	0	0	1.6	13	19	16	3.7	.63	0	0
3	0	0	0	0	1.6	14	19	15	3.4	.61	0	0
4	0	0	0	.01	1.6	14	20	14	3.3	.51	0	0
5	0	0	0	1.3	1.4	17	21	13	3.1	.35	0	0
6	0	0	0	1.9	1.3	17	21	13	2.9	.12	0	0
7	0	0	0	2.0	1.4	15	20	13	2.7	.09	0	0
8	0	0	0	1.9	1.6	16	19	12	2.5	0	0	0
9	0	0	0	1.9	1.8	16	19	12	2.2	0	0	0
10	0	0	0	1.9	2.0	17	18	11	2.0	0	0	0
11	0	0	0	2.0	2.3	20	17	10	1.7	0	0	0
12	0	0	0	2.0	2.4	28	16	9.9	1.5	0	0	0
13	0	0	0	1.8	2.6	38	16	9.6	1.4	0	0	0
14	0	0	0	1.9	2.8	48	16	9.2	1.3	0	0	0
15	0	0	0	1.8	3.0	57	16	8.9	1.3	0	0	0
16	0	0	0	1.9	3.2	63	15	8.6	1.2	0	0	0
17	0	0	0	1.9	8.4	63	28	8.3	1.1	0	0	0
18	0	0	0	1.8	3.7	54	59	7.9	.79	0	0	0
19	0	0	0	1.8	3.7	51	38	7.6	.59	0	0	0
20	0	0	0	1.8	35	58	52	7.5	.62	0	0	0
21	0	0	0	1.8	169	39	64	7.1	.46	0	0	0
22	0	0	0	1.6	27	29	56	6.9	.39	0	0	0
23	0	0	0	1.7	23	26	52	6.6	.35	0	0	0
24	0	0	0	1.7	18	24	42	6.2	.22	0	0	0
25	0	0	0	1.6	13	23	34	6.0	.10	0	0	0
26	0	0	0	1.6	13	23	29	5.5	.16	0	0	0
27	0	0	0	1.5	15	25	25	5.2	.25	0	0	0
28	0	0	0	1.6	16	24	23	5.0	.39	0	0	0
29	0	0	0	1.7	14	23	21	4.7	.41	0	0	0
30	0	0	0	1.7	-----	22	19	4.5	.43	0	0	0
31	0	-----	0	1.7	-----	22	-----	4.3	-----	0	0	-----
TOTAL	0	0	0	47.81	391.0	913	834	285.5	44.36	2.80	0	0
MEAN	0	0	0	1.54	13.5	29.5	27.8	9.21	1.48	.090	0	0
MAX	0	0	0	2.0	169	63	64	17	3.9	.63	0	0
MIN	0	0	0	0	1.3	13	15	4.3	.10	0	0	0
AC-FT	0	0	0	95	776	1,810	1,650	566	88	5.6	0	0
CAL YEAR 1999	TOTAL*	0.00	MEAN	0	MAX	0	MIN	0	AC-FT	0		
WTR YEAR 2000	TOTAL	2,518.47	MEAN	6.88	MAX	169	MIN	0	AC-FT	5,000		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F356-R LIVE OAK CREEK BELOW LIVE OAK DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	.26	.48	0	.17	0	0	0
2	0	0	0	0	0	.26	.49	.05	.59	0	0	0
3	0	0	0	0	0	.26	.51	.13	.46	0	0	0
4	0	0	0	0	0	.26	.57	.13	.39	0	0	0
5	0	0	0	0	0	.28	.52	.13	.30	0	0	0
6	0	0	0	0	0	.26	.53	.13	.26	0	0	0
7	0	0	0	0	0	.26	.78	.13	.08	0	0	0
8	0	0	0	0	.10	.27	.57	.13	.17	0	0	0
9	0	0	0	0	.26	.26	.46	.13	.08	0	0	0
10	0	0	0	0	.35	.26	.40	.13	.12	0	0	0
11	0	0	0	0	.67	.26	.39	.13	0	0	0	0
12	0	0	0	0	.51	.26	.49	.13	.04	0	0	0
13	0	0	0	0	.39	.26	.52	.13	0	0	0	0
14	0	0	0	0	.39	.26	.45	.13	0	0	0	0
15	0	0	0	0	.39	.26	.44	.13	0	0	0	0
16	0	0	0	0	.39	.26	.50	.02	0	0	0	0
17	0	0	0	0	.51	.26	.48	0	0	0	0	0
18	0	0	0	0	.55	.26	.26	0	.18	0	0	0
19	0	0	0	0	.46	.26	.13	.07	.03	0	0	0
20	0	0	0	0	.40	.30	.13	.10	.12	0	0	0
21	0	0	0	0	.30	.58	.13	.13	0	0	0	0
22	0	0	0	0	.26	.65	.13	.13	0	0	0	0
23	0	0	0	0	.38	.81	.13	.13	0	0	0	0
24	0	0	0	0	.39	.78	.13	.18	0	0	0	0
25	0	0	0	.06	.39	.78	.13	.16	0	0	0	0
26	0	0	0	.02	.39	.78	.13	.13	0	0	0	0
27	0	0	0	0	.39	.78	.08	.10	0	0	0	0
28	0	0	0	0	.33	.89	.02	.11	0	0	0	0
29	0	0	0	0	.26	.91	0	.10	0	0	0	0
30	0	0	0	0	-----	1.1	0	.13	0	0	0	0
31	0	-----	0	.13	-----	.92	-----	.13	-----	0	0	-----
TOTAL	0	0	0	0.21	8.46	14.25	9.98	3.36	2.99	0	0	0
MEAN	0	0	0	.007	.29	.46	.33	.11	.10	0	0	0
MAX	0	0	0	.13	.67	1.1	.78	.18	.59	0	0	0
MIN	0	0	0	0	0	.26	0	0	0	0	0	0
AC-FT	0	0	0	.4	17	28	20	6.7	5.9	0	0	0
CAL YEAR 1999 TOTAL*		0.00	MEAN	0	MAX	0	MIN	0	AC-FT	0		
WTR YEAR 2000 TOTAL		39.25	MEAN	.11	MAX	1.1	MIN	0	AC-FT	78		

* Incomplete Record

INSTRUMENT IS NOT WORKING MONTH OF SEPT.A.R.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F300-R LOS ANGELES RIVER @ TUJUNGA AVE.

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	73	70	64	73	70	61	67	90	90	87	87	88
2	72	67	64	64	65	60	67	91	90	83	89	84
3	69	71	50	60	52	172	65	88	88	82	60	82
4	75	73	62	62	50	332	69	68	86	86	90	83
5	73	67	65	60	47	2,050	69	90	87	89	90	87
6	81	69	65	63	53	465	68	96	90	96	88	90
7	77	66	65	64	61	109	70	92	93	93	92	88
8	77	465	67	64	61	983	66	91	90	94	91	85
9	80	66	64	64	60	124	64	91	90	89	89	89
10	79	77	64	68	475	92	63	98	85	90	89	88
11	82	77	61	63	144	83	65	92	84	92	92	90
12	76	74	61	64	1,120	67	65	90	90	94	93	87
13	75	68	65	64	373	63	80	89	87	95	83	76
14	74	66	74	64	460	63	85	85	93	90	89	60
15	79	62	65	58	99	60	86	87	91	94	89	70
16	79	69	62	51	671	62	88	89	90	92	92	71
17	72	70	64	95	127	57	2,260	90	93	92	91	91
18	75	52	66	64	71	56	1,650	91	84	97	89	92
19	63	62	65	54	68	56	139	88	83	92	82	97
20	78	99	64	60	2,180	53	114	90	86	88	80	102
21	76	64	63	60	2,660	50	102	91	88	91	92	81
22	80	66	63	61	221	55	101	94	86	93	95	106
23	80	68	63	59	2,790	56	96	94	87	88	90	233
24	82	63	62	65	244	61	93	92	83	92	94	96
25	85	62	62	863	124	60	91	104	82	94	85	95
26	84	67	66	107	97	59	95	88	84	87	89	86
27	80	64	66	65	493	54	96	91	86	92	82	86
28	78	62	70	62	124	58	100	85	90	90	90	75
29	82	77	62	59	68	67	91	84	92	94	279	99
30	81	68	67	181	-----	71	89	92	87	93	97	95
31	73	-----	189	277	-----	70	-----	88	-----	96	90	-----
TOTAL	2,390	2,451	2,110	3,138	13,128	5,729	6,254	2,789	2,635	2,825	2,928	2,752
MEAN	77.1	81.7	68.1	101	453	185	208	90.0	87.8	91.1	94.5	91.7
MAX	85	465	189	863	2,790	2,050	2,260	104	93	97	279	233
MIN	63	52	50	51	47	50	63	68	82	82	60	60
AC-FT	4,740	4,860	4,190	6,220	26,040	11,360	12,400	5,530	5,230	5,600	5,810	5,460
CAL YEAR 1999 TOTAL*		6,951	MEAN	75.6	MAX	465	MIN	50	AC-FT	13,790		
WTR YEAR 2000 TOTAL		49,129	MEAN	134	MAX	2,790	MIN	47	AC-FT	97,450		

* Incomplete Record

Record estimated due to construction; Sept 16-21, 2000.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F34D-R LOS ANGELES RIVER BELOW FIRESTONE

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	128	150	115	313	149	102	144	182	122	129	136	152
2	146	139	115	108	113	99	142	190	124	128	135	147
3	156	133	115	96	107	200	145	195	124	127	132	144
4	164	136	105	95	96	915	148	182	124	124	123	148
5	166	138	113	94	88	6,620	154	180	124	127	132	160
6	159	135	115	94	89	663	154	197	126	130	138	177
7	168	134	115	95	96	356	155	203	128	133	144	188
8	165	746	116	97	97	1,900	159	196	129	132	150	190
9	157	195	116	96	100	397	156	191	129	135	155	192
10	146	109	118	96	1,220	174	154	187	128	137	157	198
11	132	109	115	99	473	145	152	185	128	141	159	207
12	128	106	113	98	2,950	130	147	180	129	152	159	210
13	125	104	112	99	496	121	137	179	133	157	158	210
14	124	102	116	99	650	118	129	168	132	159	154	193
15	124	101	118	99	339	115	134	152	137	154	156	188
16	125	102	116	98	2,000	111	130	146	135	152	157	187
17	129	112	116	99	450	108	5,680	141	137	148	156	161
18	127	108	116	135	143	106	3,590	131	137	142	154	144
19	128	100	116	102	108	103	381	125	134	142	153	144
20	127	121	116	96	3,950	106	182	121	135	137	151	147
21	128	126	116	99	7,070	102	151	122	140	128	150	150
22	129	110	116	100	655	98	138	128	140	126	155	149
23	130	108	116	101	7,260	101	135	133	139	125	158	460
24	131	109	116	103	638	106	133	135	137	126	155	251
25	137	109	114	1,470	254	113	137	141	134	129	158	162
26	143	112	113	372	166	113	142	146	133	132	154	150
27	147	113	113	118	886	119	152	135	133	131	153	142
28	146	108	113	100	369	117	163	129	131	132	152	140
29	150	104	114	96	143	127	177	124	131	131	344	141
30	154	114	112	95	-----	135	177	123	132	134	325	151
31	154	-----	352	615	-----	143	-----	123	-----	135	174	-----
TOTAL	4,373	4,193	3,792	5,477	31,155	13,863	13,678	4,870	3,945	4,215	5,037	5,383
MEAN	141	140	122	177	1,074	447	456	157	132	136	162	179
MAX	168	746	352	1,470	7,260	6,620	5,680	203	140	159	344	460
MIN	124	100	105	94	88	98	129	121	122	124	123	140
AC-FT	8,670	8,320	7,520	10,860	61,800	27,500	27,130	9,660	7,820	8,360	9,990	10,680
CAL YEAR 1999 TOTAL*		12,358	MEAN	134	MAX	746	MIN	100	AC-FT	24,510		
WTR YEAR 2000 TOTAL		99,981	MEAN	273	MAX	7,260	MIN	88	AC-FT	198,300		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F57C-R LOS ANGELES RIVER ABOVE ARROYO SECO

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	106	98	93	106	126	89	238	84	100	95	105	96
2	108	95	93	89	119	91	230	86	99	94	109	95
3	106	100	89	85	112	190	229	87	96	92	92	96
4	103	101	95	88	104	665	216	82	96	93	107	98
5	99	99	98	84	98	3,390	208	93	95	95	109	101
6	98	100	99	89	102	504	199	99	97	97	109	105
7	100	96	98	89	111	139	193	100	99	113	109	102
8	97	511	99	91	118	1,320	183	101	100	129	110	104
9	99	87	98	91	117	150	163	104	101	129	114	107
10	96	89	99	93	1,040	108	167	107	100	129	115	107
11	100	91	99	90	229	105	162	108	104	129	117	107
12	99	89	96	91	1,880	95	164	109	108	129	113	108
13	100	88	98	94	435	97	185	112	108	129	111	110
14	102	86	104	94	557	100	190	110	117	129	111	105
15	105	87	100	95	148	97	181	114	121	129	112	115
16	105	92	99	90	1,450	100	181	119	124	129	110	110
17	101	98	99	109	203	98	3,560	115	123	129	108	94
18	100	90	102	104	102	101	2,340	119	119	109	109	108
19	96	96	102	86	99	102	143	116	117	103	109	122
20	102	119	103	87	2,950	108	126	130	121	98	108	128
21	100	96	101	90	4,370	106	115	142	123	99	114	119
22	103	92	102	90	302	116	115	155	123	101	120	143
23	103	94	101	90	4,120	130	116	161	116	100	117	208
24	104	92	101	90	316	147	115	159	107	101	121	105
25	105	91	97	1,330	134	155	115	151	100	103	122	104
26	106	96	101	196	114	164	120	113	95	101	121	99
27	105	94	101	109	756	184	127	104	94	102	124	102
28	104	86	102	106	155	188	132	100	96	102	127	97
29	107	95	98	104	98	219	130	98	95	105	236	114
30	106	95	101	136	-----	227	125	102	95	107	101	114
31	100	-----	243	436	-----	242	-----	101	-----	108	96	-----
TOTAL	3,165	3,243	3,211	4,622	20,465	9,527	10,468	3,481	3,189	3,408	3,586	3,323
MEAN	102	108	104	149	706	307	349	112	106	110	116	111
MAX	108	511	243	1,330	4,370	3,390	3,560	161	124	129	236	208
MIN	96	86	89	84	98	89	115	82	94	92	92	94
AC-FT	6,280	6,430	6,370	9,170	40,590	18,900	20,760	6,900	6,330	6,760	7,110	6,590
CAL YEAR 1999 TOTAL*		9,619	MEAN	105	MAX	511	MIN	86	AC-FT	19,080		
WTR YEAR 2000 TOTAL		71,688	MEAN	196	MAX	4,370	MIN	82	AC-FT	142,200		

* Incomplete Record Record partly estimated, recorder inoperative; Dates: Sept 15, 16, 22, and 23, 2000.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F319B-R LOS ANGELES RIVER BELOW WARDLOW

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1											203	189
2											178	184
3											207	175
4											169	169
5											204	165
6											165	168
7											217	166
8											191	165
9											226	164
10											202	164
11											215	178
12											184	218
13											212	225
14											204	221
15											218	241
16											211	242
17											206	220
18											193	207
19											189	185
20											183	191
21											199	187
22											211	194
23											204	477
24											201	200
25											212	189
26											209	187
27											207	182
28											204	184
29											353	180
30					-----						217	180
31		-----			-----		-----		-----		189	-----
TOTAL											6,383	5,997
MEAN											206	200
MAX											353	477
MIN											165	164
AC-FT											12,660	11,900
CAL YEAR 1999	TOTAL*											
WTR YEAR 2000	TOTAL*	12,380	MEAN	203	MAX	477	MIN	164	AC-FT	24,560		

* Incomplete Record

STATION START OPERATED ON 08/01/2000. A.RIVERA

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F130-R MALIBU CREEK BELOW COLD CREEK

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.2	3.5	2.9	9.1	8.4	44	29	15	8.8	3.2	2.5	2.7
2	3.3	3.4	2.4	9.2	8.3	44	28	16	8.9	3.4	3.4	2.9
3	3.6	3.2	2.7	7.7	11	40	28	15	8.6	3.6	2.8	3.0
4	3.7	3.3	2.6	6.1	11	65	27	15	8.3	3.6	3.3	3.0
5	3.8	3.0	5.0	7.1	11	244	24	15	8.0	3.6	2.8	2.5
6	3.6	3.0	3.8	6.5	11	277	27	15	8.1	3.4	2.5	2.4
7	3.0	3.5	3.9	5.5	12	147	30	15	8.6	3.4	2.9	2.0
8	3.2	7.8	2.6	6.7	11	313	29	15	9.5	3.4	3.0	2.0
9	3.4	9.5	5.4	8.4	9.5	169	26	15	9.9	3.4	2.8	3.1
10	3.3	9.9	5.0	6.2	31	111	22	14	9.2	3.2	2.6	2.2
11	3.0	8.4	2.9	7.1	46	88	19	15	15	3.1	3.3	1.7
12	3.1	8.1	5.1	7.8	147	74	20	15	26	2.9	3.4	1.5
13	2.9	5.9	4.5	6.3	39	61	19	15	7.9	2.8	3.4	1.6
14	2.7	5.7	3.5	6.6	43	55	25	17	6.0	3.0	2.9	1.8
15	2.8	3.1	3.8	4.9	26	51	18	17	5.0	3.2	2.3	1.8
16	2.9	6.2	4.8	7.3	26	46	14	18	4.5	3.2	1.8	1.5
17	2.7	6.5	4.4	7.8	33	41	483	19	4.1	2.9	2.0	1.4
18	2.4	6.9	4.8	11	22	36	405	19	4.2	2.9	1.9	1.4
19	2.7	6.2	4.4	9.7	18	34	147	21	4.4	2.6	2.3	1.8
20	2.9	7.1	6.0	8.3	193	35	81	14	4.0	2.5	2.0	2.2
21	2.9	7.8	3.3	11	465	33	56	14	4.1	2.7	2.2	2.8
22	2.8	6.4	5.4	8.9	115	29	43	23	4.2	2.8	2.4	2.7
23	2.9	6.7	4.9	7.5	701	27	31	10	4.1	2.8	2.4	3.0
24	3.0	5.9	4.6	7.5	236	26	32	8.9	3.4	2.8	2.0	2.7
25	3.1	5.3	3.8	64	103	24	25	11	3.4	2.9	2.0	3.5
26	3.6	5.1	6.8	21	68	26	22	8.8	3.3	2.9	2.3	3.6
27	12	5.3	6.0	11	61	27	20	7.9	3.1	3.0	2.5	3.6
28	6.1	6.1	5.2	9.0	74	27	19	9.9	3.3	2.8	2.6	3.6
29	4.4	5.4	6.2	8.9	50	29	18	9.6	3.3	2.5	2.7	3.6
30	3.9	4.5	5.0	7.3	-----	29	16	9.0	3.4	2.4	2.7	3.6
31	3.7	-----	9.9	10	-----	28	-----	8.7	-----	2.4	2.7	-----
TOTAL	110.6	172.7	141.6	315.4	2,590.2	2,280	1,783	440.8	204.6	93.3	80.4	75.2
MEAN	3.57	5.76	4.57	10.2	89.3	73.5	59.4	14.2	6.82	3.01	2.59	2.51
MAX	12	9.9	9.9	64	701	313	483	23	26	3.6	3.4	3.6
MIN	2.4	3.0	2.4	4.9	8.3	24	14	7.9	3.1	2.4	1.8	1.4
AC-FT	219	343	281	626	5,140	4,520	3,540	874	406	185	159	149
CAL YEAR 1999	TOTAL*	424.9	MEAN	4.62	MAX	12	MIN	2.4	AC-FT	843		
WTR YEAR 2000	TOTAL	8,287.8	MEAN	22.6	MAX	701	MIN	1.4	AC-FT	16,440		

* Incomplete Record

AS OF 10/19/00.DW.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F395-R Mescal Creek @ Mouth of Canyon

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	1.1	.16	.56	.06	0	0	0
2	0	0	0	0	0	.27	.40	.58	.06	0	0	0
3	0	0	0	0	0	.02	.65	.58	.05	0	0	0
4	0	0	0	0	0	0	.73	.55	.04	0	0	0
5	0	0	0	0	0	0	.83	.57	.03	0	0	0
6	0	0	0	0	0	.07	.90	.55	.04	0	0	0
7	0	0	0	0	0	1.5	.95	.53	.04	0	0	0
8	0	0	0	0	0	2.0	1.1	.53	.06	0	0	0
9	0	0	0	0	0	1.3	1.4	.58	.07	0	0	0
10	0	0	0	0	0	1.0	1.4	.54	.06	0	0	0
11	0	0	0	0	0	1.3	1.2	.54	.07	0	0	0
12	0	0	0	0	0	1.1	1.3	.50	.05	0	0	0
13	0	0	0	0	0	.28	1.3	.50	0	0	0	0
14	0	0	0	0	0	0	1.3	.50	.02	0	0	0
15	0	0	0	0	0	.29	1.2	.48	.02	0	0	0
16	0	0	0	0	.36	.20	1.2	.40	.02	0	0	0
17	0	0	0	0	.39	.38	1.6	.37	.01	0	0	0
18	0	0	0	0	.08	.62	1.6	.32	.01	0	0	0
19	0	0	0	0	.03	.41	1.6	.30	.01	0	0	0
20	0	0	0	0	.33	.45	1.7	.26	.13	0	0	0
21	0	0	0	0	1.0	.41	1.3	.19	0	0	0	0
22	0	0	0	0	.40	.21	1.2	.10	0	0	0	0
23	0	0	0	0	.78	.18	1.5	.09	0	0	0	0
24	0	0	0	0	.02	.17	1.2	.09	0	0	0	0
25	0	0	0	0	.10	.17	1.0	.08	0	0	0	0
26	0	0	0	0	.07	.17	.98	.08	0	0	0	0
27	0	0	0	0	0	.17	.96	.07	0	0	0	0
28	0	0	0	0	0	.18	.84	.07	0	0	0	0
29	0	0	0	0	0	.17	.75	.06	0	0	0	0
30	0	0	0	0	-----	.16	.65	.06	0	0	0	0
31	0	-----	0	0	-----	.17	-----	.06	-----	0	0	-----
TOTAL	0	0	0	0	3.56	14.45	32.90	10.69	0.85	0	0	0
MEAN	0	0	0	0	.12	.47	1.10	.34	.028	0	0	0
MAX	0	0	0	0	1.0	2.0	1.7	.58	.13	0	0	0
MIN	0	0	0	0	0	0	.16	.06	0	0	0	0
AC-FT	0	0	0	0	7.1	29	65	21	1.7	0	0	0
CAL YEAR 1999 TOTAL*		0.00	MEAN	0	MAX	0	MIN	0	AC-FT	0		
WTR YEAR 2000 TOTAL		62.45	MEAN	.17	MAX	2.0	MIN	0	AC-FT	124		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F328-R MINT CANYON CREEK AT FITCH AVE.

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	.08	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	.02
5	0	0	0	0	0	1.3	0	0	0	0	0	.08
6	0	0	0	0	0	.61	.03	0	0	0	0	0
7	0	0	0	0	0	.66	0	0	0	0	0	0
8	0	0	0	0	0	1.3	0	0	.02	0	0	0
9	0	0	0	0	0	.46	0	0	0	0	0	.01
10	0	0	0	0	3.5	0	0	0	0	0	0	0
11	0	0	0	0	.29	0	0	.01	0	0	0	0
12	0	0	0	0	3.1	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	.02	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	.91	0	0	0	0	0	0	0
17	0	.01	0	0	0	0	1.4	0	0	0	0	0
18	.01	0	0	0	0	0	5.6	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	.02	0	0	2.5	0	.01	0	.01	0	0	0
21	0	0	0	0	22	0	0	0	.01	0	0	0
22	0	0	0	0	2.5	0	0	0	.02	0	0	.01
23	0	0	0	0	40	0	0	0	0	0	0	.04
24	0	0	0	0	11	0	0	0	0	0	0	0
25	0	0	.04	.57	4.8	0	0	0	0	0	0	0
26	0	0	0	0	1.9	.04	0	0	0	0	0	0
27	0	0	0	0	5.7	.02	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	0	0	0	0
29	0	0	0	0	0	0	0	0	0	0	.02	0
30	0	0	0	0	-----	0	0	0	0	0	0	0
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
TOTAL	0.01	0.03	0.04	0.57	98.22	4.47	7.04	0.01	0.06	0	0.02	0.16
MEAN	0	.001	.001	.018	3.39	.14	.23	0	.002	0	.001	.005
MAX	.01	.02	.04	.57	40	1.3	5.6	.01	.02	0	.02	.08
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC-FT	.02	.06	.08	1.1	195	8.9	14	.02	.1	0	.04	.3
CAL YEAR 1999 TOTAL*		0.08	MEAN	.001	MAX	.04	MIN	0	AC-FT	.2		
WTR YEAR 2000 TOTAL		110.63	MEAN	.30	MAX	40	MIN	0	AC-FT	219		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F118B-R PACIOMA DAM OUTFLOW

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	7.1	0	0	18	0	0	0	0	0	0
2	0	0	0	0	0	18	0	0	0	0	0	0
3	0	0	0	0	0	18	0	0	0	0	0	0
4	0	0	0	0	0	18	0	0	0	0	0	0
5	0	0	0	0	0	18	0	0	0	0	0	0
6	0	0	0	0	0	17	0	0	0	0	0	0
7	0	0	0	0	0	16	0	0	0	0	0	0
8	0	0	0	0	0	16	0	9.1	0	0	0	0
9	0	0	0	0	0	16	0	25	0	0	.24	0
10	0	0	0	0	0	16	14	25	0	0	0	0
11	0	0	0	0	0	16	24	24	0	0	0	0
12	0	0	0	0	0	16	25	24	0	0	0	0
13	0	0	0	0	0	5.6	25	24	0	0	0	0
14	0	0	0	0	0	0	26	24	0	0	0	0
15	0	0	0	0	0	0	22	24	0	0	0	0
16	0	0	0	0	0	0	21	24	0	0	0	0
17	0	0	0	0	0	0	6.1	24	0	0	0	0
18	0	1.2	0	0	0	0	0	24	0	0	0	0
19	0	0	0	0	0	0	0	24	0	0	0	0
20	0	0	0	0	.01	0	0	24	0	0	0	0
21	0	0	0	0	0	0	0	24	0	0	0	0
22	0	0	0	0	0	0	0	23	1.7	0	0	0
23	0	0	0	0	0	0	0	9.8	0	0	0	0
24	0	0	0	0	20	0	0	0	0	0	0	0
25	0	0	0	0	30	0	0	0	0	0	0	0
26	0	0	0	0	29	0	0	0	0	0	0	0
27	0	0	0	0	29	0	0	0	0	0	0	0
28	0	0	0	0	26	0	0	0	0	0	0	0
29	0	12	0	0	18	0	0	0	0	0	0	0
30	0	21	0	0	-----	0	0	0	0	0	0	0
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
TOTAL	0	34.2	7.1	0	152.01	208.6	163.1	355.9	1.7	0	0.24	0
MEAN	0	1.14	.23	0	5.24	6.73	5.44	11.5	.057	0	.008	0
MAX	0	21	7.1	0	30	18	26	25	1.7	0	.24	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC-FT	0	68	14	0	302	414	324	706	3.4	0	.5	0
CAL YEAR 1999 TOTAL*		41.30	MEAN	.45	MAX	21	MIN	0	AC-FT	82		
WTR YEAR 2000 TOTAL		922.85	MEAN	2.52	MAX	30	MIN	0	AC-FT	1,830		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F305-R PACOIMA DIVERSION @ BRANFORD

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.1	4.0	2.6	3.6	2.4	2.4	3.8	3.5	3.7	3.0	3.5	3.0
2	3.0	4.2	2.4	6.4	2.5	2.4	3.9	3.5	3.7	3.0	3.3	3.0
3	2.9	4.3	2.6	3.1	2.5	33	3.9	3.5	3.4	3.1	3.4	2.9
4	2.9	3.4	2.4	3.2	2.6	6.8	3.9	3.6	3.4	4.2	3.4	2.8
5	2.8	3.5	2.5	2.8	2.4	89	4.0	3.8	3.7	3.0	3.3	3.1
6	2.9	3.6	2.6	2.3	2.6	2.4	4.1	3.6	3.4	2.8	3.3	3.1
7	3.0	3.0	2.8	2.6	2.6	2.4	4.1	3.5	3.4	2.9	3.3	3.0
8	3.0	32	2.8	2.5	2.5	23	4.0	3.4	4.0	2.9	3.3	3.1
9	2.9	2.9	2.8	2.5	2.5	3.1	3.9	3.2	3.7	2.9	3.0	3.0
10	2.8	3.4	2.9	2.6	21	3.1	4.0	3.5	3.5	3.1	2.9	3.1
11	2.8	3.1	2.5	2.7	7.5	3.3	4.3	3.1	3.4	3.1	2.9	3.0
12	2.8	2.7	3.1	2.9	65	3.1	3.5	3.5	3.4	3.1	2.8	3.0
13	2.9	2.6	3.1	2.8	22	4.6	3.5	3.4	3.1	2.9	3.4	3.6
14	3.3	2.8	3.2	2.7	10	4.9	3.8	3.3	3.3	2.8	3.4	3.6
15	3.4	2.8	2.4	2.7	3.6	4.7	3.7	3.7	3.2	2.8	2.9	3.6
16	3.6	2.7	2.8	3.1	36	4.7	3.9	3.8	3.4	2.8	3.0	3.6
17	3.1	2.8	3.0	8.6	3.7	4.6	55	3.8	3.7	2.8	3.1	3.6
18	3.2	2.7	3.4	3.0	3.0	4.6	100	3.9	3.6	3.0	3.5	3.6
19	3.3	2.6	3.2	3.6	2.8	4.6	4.0	3.8	3.6	2.6	3.0	3.6
20	3.3	3.1	3.0	4.7	169	4.4	4.1	4.0	3.6	2.8	2.9	3.6
21	3.5	2.7	3.1	3.2	119	4.2	4.0	4.4	3.6	2.9	2.9	3.6
22	3.7	2.4	2.7	3.2	9.9	4.2	4.0	4.5	3.8	3.1	3.2	3.6
23	3.5	2.4	3.2	3.2	134	4.4	3.9	5.0	3.8	2.7	3.1	3.6
24	3.7	2.4	3.5	3.4	8.8	4.3	3.9	4.3	3.1	2.9	3.1	3.6
25	3.7	2.5	3.4	33	3.1	4.1	3.9	5.3	3.0	3.0	3.2	3.6
26	3.7	2.6	3.2	3.2	3.0	4.2	3.8	3.4	3.1	3.0	3.0	3.6
27	3.9	2.8	3.2	2.5	19	4.0	3.8	3.4	3.0	2.9	3.1	3.6
28	4.3	2.8	3.5	2.4	2.4	4.1	3.8	3.3	3.3	2.9	3.2	3.6
29	3.9	2.8	3.7	2.4	2.4	4.1	3.7	3.4	3.0	3.4	18	3.6
30	3.9	2.9	3.7	35	-----	4.2	3.6	3.7	3.1	3.1	3.2	3.6
31	4.2	-----	5.4	24	-----	3.9	-----	3.6	-----	3.2	2.9	-----
TOTAL	103.0	118.5	94.7	183.9	667.8	256.8	263.8	115.7	103.0	92.7	112.5	100.9
MEAN	3.32	3.95	3.05	5.93	23.0	8.28	8.79	3.73	3.43	2.99	3.63	3.36
MAX	4.3	32	5.4	35	169	89	100	5.3	4.0	4.2	18	3.6
MIN	2.8	2.4	2.4	2.3	2.4	2.4	3.5	3.1	3.0	2.6	2.8	2.8
AC-FT	204	235	188	365	1,320	509	523	229	204	184	223	200
CAL YEAR 1999 TOTAL*		316.2	MEAN	3.44	MAX	32	MIN	2.4	AC-FT	627		
WTR YEAR 2000 TOTAL		2,213.3	MEAN	6.05	MAX	169	MIN	2.3	AC-FT	4,390		

* Incomplete Record

Recorder inoperative, record estimated; Sept 13-30, 2000.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F122-R PALLETT CREEK @ VALYERMO HWY.

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.07	.08	.10	.10	.10	.17	.34	.27	.05	0	0	0
2	.07	.11	.05	.10	.09	.18	.33	.13	.07	0	0	0
3	.07	.16	.04	.10	.10	.26	.40	.07	.05	0	0	0
4	.07	.12	.10	.05	.10	.31	.40	.10	.03	0	0	0
5	.07	.08	.10	.04	.10	.44	.35	.10	.01	0	0	0
6	.11	.10	.10	.10	.19	.30	.30	.08	.03	0	0	0
7	.15	.05	.08	.03	.20	.29	.28	.04	.04	0	0	0
8	.14	.09	.19	.08	.25	.30	.27	.02	.08	0	0	0
9	.14	.10	.11	.09	.29	.30	.21	.06	.16	0	0	0
10	.10	.11	.13	.10	.26	.30	.17	.06	.11	0	0	0
11	.08	.10	.20	.11	.21	.30	.16	.11	.05	0	0	.02
12	.08	.10	.11	.14	.31	.29	.16	.12	.06	0	0	.04
13	.08	.10	.10	.10	.36	.20	.17	.09	.08	0	0	.05
14	.10	.10	.06	.10	.40	.21	.20	.05	.03	0	0	.05
15	.13	.10	.05	.10	.40	.21	.19	.05	.03	0	0	.10
16	.13	.10	.09	.09	.38	.20	.29	.05	.01	0	0	.05
17	.15	.10	.10	.10	.20	.20	.38	.06	.05	0	0	.11
18	.18	.10	.10	.14	.10	.20	.43	.08	.10	0	0	.09
19	.10	.08	.10	.12	.10	.15	.35	.11	.07	0	0	.17
20	.08	.13	.10	.17	4.6	.18	.27	.07	.01	0	0	.05
21	.08	.17	.11	.08	8.9	.15	.29	.03	.03	0	0	.17
22	.10	.08	.10	.10	.13	.20	.25	.03	.02	0	0	.09
23	.10	.10	.10	.10	6.1	.20	.24	.02	.03	0	0	.06
24	.10	.10	.10	.10	.17	.20	.25	.04	0	0	0	.03
25	.06	.10	.10	.11	.15	.20	.25	.09	.03	0	0	.07
26	.07	.10	.10	.10	.14	.20	.26	.06	.02	0	0	.05
27	.08	.10	.09	.10	.17	.20	.33	.04	0	0	0	.04
28	.10	.11	.10	.09	.19	.20	.35	.06	.03	0	.01	.11
29	.13	.11	.09	.10	.19	.23	.34	.06	.01	0	0	.06
30	.17	.10	.10	.10	-----	.20	.29	.05	0	0	0	.06
31	.10	-----	.10	.10	-----	.25	-----	.04	-----	0	0	-----
TOTAL	3.19	3.08	3.10	3.04	24.88	7.22	8.50	2.24	1.29	0	0.01	1.47
MEAN	.10	.10	.10	.098	.86	.23	.28	.072	.043	0	0	.049
MAX	.18	.17	.20	.17	8.9	.44	.43	.27	.16	0	.01	.17
MIN	.06	.05	.04	.03	.09	.15	.16	.02	0	0	0	0
AC-FT	6.3	6.1	6.1	6.0	49	14	17	4.4	2.6	0	.02	2.9
CAL YEAR 1999	TOTAL*	9.37	MEAN	.10	MAX	.20	MIN	.04	AC-FT	19		
WTR YEAR 2000	TOTAL	58.02	MEAN	.16	MAX	8.9	MIN	0	AC-FT	115		

* Incomplete Record 10/1-10/31 water not flowing properly into cmp.no commun holes at lower levels
 11/22@1100 installed new commun. holes to cmp. 1/12@1400 removed dam
 which created false gage heights.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F338-R RUBIO DIVERSION CHANNEL

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.20	.20	.20	.40	.90	.89	.21	.34	.20	.20	.20	.20
2	.20	.20	.20	.23	.87	.40	1.1	.48	.20	.20	.20	.20
3	.20	.20	.20	.20	.21	1.1	1.9	.84	.20	.20	.20	.20
4	.20	.20	.20	.20	.24	.51	.99	.48	.20	.20	.20	.20
5	.20	.20	.20	.20	.59	5.9	.99	.20	.20	.20	.20	.20
6	.20	.20	.20	.24	.60	2.6	.21	.20	.20	.20	.20	.20
7	.20	.20	.20	.36	.52	1.6	.21	.20	.20	.20	.22	.20
8	.20	.40	.28	.23	.20	3.2	.20	.20	.20	.20	.20	.20
9	.20	.23	.27	.40	.29	1.5	.23	.20	.20	.20	.20	.20
10	.20	.20	.20	.45	3.7	.94	.39	.31	.20	.20	.20	.20
11	.20	.20	.20	.54	.66	.65	.20	.42	.20	.20	.22	.20
12	.20	.20	.20	.42	3.8	.48	.20	.40	.20	.20	.20	.20
13	.20	.20	.21	.20	1.6	.40	.20	.40	.20	.20	.20	.20
14	.20	.20	.20	.20	1.4	.40	.50	.48	.20	.20	.20	.21
15	.20	.20	.31	.39	.60	.40	1.1	.63	.20	.20	.20	.20
16	.20	.20	.40	.20	4.9	.73	1.4	.68	.20	.20	.20	.20
17	.20	.20	.21	.42	.98	.76	5.3	.45	.20	.20	.20	.20
18	.20	.20	.20	.57	.51	.40	3.4	.20	.20	.20	.20	.20
19	.20	.20	.23	.26	.20	.40	.65	.20	.20	.20	.20	.20
20	.20	.30	.24	.20	6.0	.54	.29	.20	.20	.20	.20	.21
21	.20	.20	.27	.20	5.5	1.1	.41	.20	.20	.20	.20	1.1
22	.20	.23	.35	.20	2.7	.90	.20	.20	.20	.20	.20	.60
23	.20	.20	.40	.20	5.3	.75	.20	.20	.20	.20	.20	.63
24	.20	.20	.40	.20	3.6	.80	.20	.23	.20	.20	.20	.20
25	.20	.20	.40	4.0	1.9	.40	.20	.79	.20	.20	.20	.23
26	.20	.20	.40	.92	1.4	.40	.46	.20	.20	.20	.20	.22
27	.20	.20	.40	.62	2.5	.74	.24	.21	.20	.20	.20	.27
28	.20	.20	.40	.53	1.3	.35	.22	.28	.20	.20	.20	.39
29	.20	.20	.57	.64	1.0	.28	.20	.21	.20	.20	.20	.24
30	.20	.20	.49	1.5	-----	.21	.20	.20	.20	.20	.20	.21
31	.20	-----	.92	.98	-----	.23	-----	.20	-----	.20	.20	-----
TOTAL	6.20	6.36	9.55	16.30	53.97	29.96	22.20	10.43	6.00	6.20	6.24	8.11
MEAN	.20	.21	.31	.53	1.86	.97	.74	.34	.20	.20	.20	.27
MAX	.20	.40	.92	4.0	6.0	5.9	5.3	.84	.20	.20	.22	1.1
MIN	.20	.20	.20	.20	.20	.21	.20	.20	.20	.20	.20	.20
AC-FT	12	13	19	32	107	59	44	21	12	12	12	16
CAL YEAR 1999	TOTAL*	22.11	MEAN	.24	MAX	.92	MIN	.20	AC-FT	44		
WTR YEAR 2000	TOTAL	181.52	MEAN	.50	MAX	6.0	MIN	.20	AC-FT	360		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F303-R SAN DIMAS CREEK BELOW DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.08	.95	1.3	1.9	.18	.18	.16	.36	.40	.40	.36	.36
2	.05	.94	1.4	1.7	.16	.16	.33	.27	.40	.38	.36	.36
3	.04	.99	1.4	1.7	.16	.16	.32	.17	.40	1.4	.36	.36
4	.22	.91	1.4	1.7	.16	.16	.26	.16	.38	.38	.36	.34
5	.39	.95	1.4	1.6	.16	.34	.16	.16	.32	.36	.36	.34
6	.63	1.0	1.4	1.5	.16	.25	.16	.16	.20	.40	.36	.33
7	.88	1.1	1.4	1.5	.16	.18	.16	.16	.31	.36	.36	.32
8	.68	1.3	1.4	1.4	.16	.34	.16	.16	.27	.36	.36	.34
9	.44	1.5	1.2	1.4	.16	.24	.16	.16	.21	.36	.36	.32
10	.29	1.4	1.2	1.4	.41	.18	.16	.16	.21	.40	.36	.32
11	.20	1.3	1.1	1.4	.32	.16	.16	.16	.28	.40	.36	.32
12	.28	1.1	1.2	1.5	.45	.16	.16	.17	.30	.40	.36	.32
13	.31	1.1	1.2	1.5	.23	.16	.16	.30	.32	.40	.36	.32
14	.23	1.1	1.2	1.5	.20	.16	.18	.33	.34	.40	.36	.33
15	.50	1.1	1.2	1.4	.20	.16	.30	.57	.31	.40	.36	.33
16	.89	1.2	1.2	1.4	.52	.16	.34	.63	.26	.40	.36	.32
17	.94	1.3	1.2	1.6	.31	.16	.57	.40	.22	.40	.36	.32
18	.91	1.4	1.2	1.3	.20	.16	.63	.40	.31	.38	.36	.32
19	.93	1.5	.97	.36	.18	.16	.40	.40	.31	.37	.36	.34
20	.93	1.6	1.3	.38	.67	.16	.40	.34	.29	.36	.36	.34
21	.94	1.6	1.1	.31	.81	.17	.40	.33	.26	.36	.36	.36
22	.96	1.5	1.1	.28	.34	.40	.34	.37	.19	1.0	.36	.36
23	.95	1.4	1.1	.24	.99	.29	.34	.34	.16	.48	.36	.34
24	.88	1.4	1.1	.21	.60	.23	.37	.37	.14	.40	.36	.32
25	.89	1.3	1.1	.20	.41	.16	.34	.38	.12	.40	.36	.34
26	.95	1.3	1.1	.20	.27	.16	.37	.40	3.7	.39	.36	.32
27	1.0	1.3	1.1	.20	.21	.16	.38	.40	4.6	.36	.36	.33
28	1.1	1.3	1.3	.20	.20	.16	.40	.40	7.4	.36	.36	.36
29	1.2	1.2	1.4	.20	.20	.16	.40	.40	6.7	.36	.36	.36
30	1.1	1.2	1.4	.20	-----	.16	.40	.40	5.3	.36	.36	.35
31	.98	-----	1.5	.20	-----	.16	-----	.40	-----	.36	.36	-----
TOTAL	20.77	37.24	38.57	30.58	9.18	6.00	9.07	9.81	34.61	13.54	11.16	10.09
MEAN	.67	1.24	1.24	.99	.32	.19	.30	.32	1.15	.44	.36	.34
MAX	1.2	1.6	1.5	1.9	.99	.40	.63	.63	7.4	1.4	.36	.36
MIN	.04	.91	.97	.20	.16	.16	.16	.16	.12	.36	.36	.32
AC-FT	41	74	77	61	18	12	18	19	69	27	22	20
CAL YEAR 1999 TOTAL*		96.58	MEAN	1.05	MAX	1.6	MIN	.04	AC-FT	192		
WTR YEAR 2000 TOTAL		230.62	MEAN	.63	MAX	7.4	MIN	.04	AC-FT	457		

* Incomplete Record
AS OF 10/05/00 AR.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F218-R

SAN DIMAS WASH BELOW PUDDINGSTONE DIVERSION

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	6.5	0	0
2	0	0	0	0	0	0	0	0	0	4.5	0	0
3	0	0	0	0	0	0	0	0	0	.42	0	0
4	0	0	0	0	0	0	0	0	0	.14	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	13	0	0	0
13	0	0	0	0	0	0	0	0	21	0	0	0
14	0	0	0	0	0	0	0	0	32	0	0	0
15	0	0	0	0	0	0	0	0	21	0	0	0
16	0	0	0	0	0	0	0	0	12	0	0	0
17	0	0	0	0	0	0	0	0	15	0	0	0
18	0	0	0	0	0	0	0	0	15	0	0	0
19	0	0	0	0	0	0	0	0	15	0	0	0
20	0	0	0	0	0	0	0	0	25	0	0	0
21	0	0	0	0	0	0	0	0	35	0	0	0
22	0	0	0	0	0	0	0	0	26	0	0	0
23	0	0	0	0	.02	0	0	0	9.7	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0
28	0	0	0	0	0	0	0	0	5.4	0	0	0
29	0	0	0	0	0	0	0	0	13	0	0	0
30	0	0	0	0	-----	0	0	0	9.3	0	0	0
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
TOTAL	0	0	0	0	0.02	0	0	0	267.4	11.56	0	0
MEAN	0	0	0	0	.001	0	0	0	8.91	.37	0	0
MAX	0	0	0	0	.02	0	0	0	35	6.5	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC-FT	0	0	0	0	.04	0	0	0	530	23	0	0
CAL YEAR 1999	TOTAL*	0.00	MEAN	0	MAX	0	MIN	0	AC-FT	0		
WTR YEAR 2000	TOTAL	278.98	MEAN	.76	MAX	35	MIN	0	AC-FT	553		

* Incomplete Record AS OF 10/05/00. AR.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F209-R SAN GABRIEL RIVER BELOW COGSWELL

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.86	.73	.74	.60	.70	7.7	11	12	14	12	11	11
2	.47	.67	.74	.61	.82	7.5	11	13	14	12	11	11
3	.55	.67	.74	.72	.89	7.2	11	13	14	12	11	11
4	.72	.66	.74	.68	.91	7.2	11	14	14	12	11	11
5	.60	.65	.73	.74	.72	9.5	11	14	14	12	11	10
6	.63	.67	.71	.70	.62	8.7	11	14	13	12	11	10
7	.59	.67	.66	.66	.67	8.5	11	14	13	12	11	10
8	.61	1.1	.72	.63	.67	9.7	11	14	13	12	11	11
9	.62	.89	.70	.65	.67	9.8	11	14	13	12	11	11
10	.61	.78	.67	.67	.97	10	11	14	13	12	11	11
11	.56	.74	.64	.67	.49	10	11	14	13	12	11	10
12	.93	.71	.66	.67	1.0	10	11	14	13	12	11	10
13	1.0	.70	.67	.67	.82	10	11	14	13	12	11	10
14	.89	.67	.67	.67	.84	11	11	14	13	12	11	10
15	.86	.68	.67	.67	.89	11	11	14	13	12	11	10
16	.77	.69	.67	.71	1.6	11	11	14	13	12	11	12
17	.77	.67	.67	.74	1.4	11	12	14	12	12	11	13
18	.71	.68	.72	.74	1.5	11	12	14	12	12	11	13
19	.64	.67	.85	.74	1.5	11	12	14	12	12	11	13
20	.63	.72	1.0	.78	7.3	11	12	14	12	12	11	13
21	.67	.78	1.0	.82	10	11	12	14	12	12	11	13
22	.76	.77	.90	.77	8.5	11	12	14	12	12	11	13
23	.71	.77	.77	.74	11	11	12	14	12	12	11	13
24	.62	.77	.67	.80	9.4	11	12	14	12	12	11	13
25	.66	.77	.65	1.1	8.5	11	12	14	12	12	11	13
26	.66	.78	.60	.82	8.0	11	12	14	12	12	11	13
27	.60	.74	.60	.74	8.0	11	12	14	12	12	11	13
28	.69	.74	.60	.74	7.9	11	12	14	12	12	11	13
29	.58	.74	.60	.74	7.9	11	12	14	12	12	11	13
30	.84	.74	.84	.75	-----	11	12	14	12	11	11	13
31	.67	-----	.56	.80	-----	11	-----	14	-----	11	11	-----
TOTAL	21.48	22.02	22.16	22.54	104.18	313.8	344	430	381	370	341	351
MEAN	.69	.73	.71	.73	3.59	10.1	11.5	13.9	12.7	11.9	11.0	11.7
MAX	1.0	1.1	1.0	1.1	11	11	12	14	14	12	11	13
MIN	.47	.65	.56	.60	.49	7.2	11	12	12	11	11	10
AC-FT	43	44	44	45	207	622	682	853	756	734	676	696
CAL YEAR 1999 TOTAL*		65.66	MEAN	.71	MAX	1.1	MIN	.47	AC-FT	130		
WTR YEAR 2000 TOTAL		2,723.18	MEAN	7.44	MAX	14	MIN	.47	AC-FT	5,400		

* Incomplete Record SAN GABRIEL RIVER BELOW COGSWELL DAM OUT FLOW STATION F209-R STEVEN AXSYS RECORDER DATA AS OF 11-06-2000 BY SOO KHOO.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

U8-R

SAN GABRIEL RIVER BELOW MORRIS DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	3.2	56	3.5	2.3	127	120	2.1	304	53	2.0	173	93
2	3.2	56	3.5	1.2	127	120	2.1	117	51	2.0	173	2.8
3	3.2	56	3.5	62	117	120	27	2.3	51	2.0	173	2.6
4	3.2	56	3.5	3.1	91	32	45	2.1	51	2.0	57	2.5
5	75	56	3.5	2.9	91	33	43	2.1	51	115	2.0	225
6	182	56	3.5	2.4	91	32	43	2.1	51	120	1.7	316
7	182	56	3.4	2.0	91	32	17	2.1	29	2.1	1.7	94
8	105	56	3.4	2.0	108	33	2.2	120	2.0	2.0	1.7	1.9
9	3.3	56	3.4	2.0	124	32	2.1	178	2.0	2.0	1.7	2.3
10	3.2	56	3.4	2.0	125	32	138	108	2.0	1.9	1.8	2.7
11	3.2	56	3.4	2.0	122	32	300	2.6	2.0	1.8	1.8	164
12	80	24	3.4	2.0	120	32	70	2.1	107	2.3	1.8	147
13	181	3.8	3.4	56	72	38	3.3	2.1	184	38	1.8	233
14	182	3.8	3.4	89	31	20	2.4	2.1	184	3.5	1.8	231
15	107	3.8	3.4	89	67	3.1	2.3	276	72	3.4	111	123
16	3.4	3.7	3.4	89	120	47	75	268	2.0	3.4	181	2.7
17	3.3	3.6	3.4	89	120	91	3.7	2.2	2.0	130	76	2.7
18	3.2	3.5	3.4	89	120	91	113	2.1	2.0	166	3.8	167
19	3.2	3.6	3.4	89	119	91	179	2.1	106	144	3.6	167
20	3.2	3.5	3.4	89	67	91	72	2.1	185	60	3.6	121
21	3.2	3.5	3.4	110	33	91	2.3	2.1	183	2.1	142	251
22	3.2	3.5	3.4	123	32	91	2.1	284	183	2.0	225	153
23	3.2	3.5	3.4	122	34	91	2.1	211	95	1.9	242	3.1
24	3.2	3.5	3.4	123	32	91	69	2.1	2.0	1.9	245	2.6
25	3.3	3.5	3.4	88	32	91	114	2.5	2.0	1.9	79	171
26	23	3.5	3.4	112	32	59	3.2	2.1	113	1.9	2.9	252
27	56	3.5	3.4	126	33	2.4	12	2.1	185	2.3	2.8	249
28	56	3.7	3.4	126	56	42	2.3	2.1	184	2.9	161	247
29	56	3.7	3.5	125	120	3.9	2.2	20	73	3.0	267	151
30	56	3.5	87	125	-----	2.2	2.2	55	2.0	3.0	315	2.8
31	56	-----	5.1	127	-----	2.1	-----	55	-----	111	309	-----
TOTAL	1,451.9	704.7	191.4	2,071.9	2,454	1,688.7	1,353.6	2,037.1	2,211.0	937.3	2,963.5	3,583.7
MEAN	46.8	23.5	6.17	66.8	84.6	54.5	45.1	65.7	73.7	30.2	95.6	119
MAX	182	56	87	127	127	120	300	304	185	166	315	316
MIN	3.2	3.5	3.4	1.2	31	2.1	2.1	2.1	2.0	1.8	1.7	1.9
AC-FT	2,880	1,400	380	4,110	4,870	3,350	2,680	4,040	4,390	1,860	5,880	7,110
CAL YEAR 1999 TOTAL*		2,348.0	MEAN	25.5	MAX	182	MIN	3.2	AC-FT	4,660		
WTR YEAR 2000 TOTAL		21,648.8	MEAN	59.1	MAX	316	MIN	1.2	AC-FT	42,940		

* Incomplete Record SAN GABRIEL RIVER BELOW MORRIS DAM OUT FLOW STATION U-8R STEVEN AXSYS RECORDER DATA AS OF 10-17-00 BY SOO KHOO.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

E281-R SANTA FE DAM OUTFLOW

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.94	.35	0	15	45	43	36	0	18	0	0	0
2	.70	.35	0	6.0	40	34	49	0	27	0	0	0
3	.70	.35	0	.75	36	31	5.9	0	37	0	0	0
4	.74	.35	0	0	31	28	0	0	49	0	0	0
5	.70	.35	0	0	27	26	0	38	18	0	0	0
6	.70	.35	0	0	22	24	0	55	.35	.09	0	0
7	.70	.35	0	0	17	22	0	50	.35	.77	0	0
8	.70	.21	0	0	13	20	0	17	.35	0	0	0
9	.70	0	0	0	8.0	18	0	0	.35	0	0	0
10	.70	0	0	0	12	16	0	0	.35	0	0	0
11	.70	0	0	0	16	15	0	0	.40	0	0	0
12	.35	0	0	0	20	14	0	61	.49	0	0	0
13	.35	0	0	0	24	12	0	19	.48	0	0	0
14	.35	16	0	0	28	10	0	53	.92	0	0	0
15	17	0	0	0	31	9.5	0	17	38	0	0	0
16	7.1	0	0	0	35	8.1	0	0	50	0	0	0
17	0	0	0	0	15	6.1	0	0	49	0	0	0
18	0	0	0	0	5.3	4.1	0	0	50	.02	0	0
19	0	0	0	0	5.6	2.0	0	53	18	.22	0	0
20	0	0	0	0	5.8	2.0	4.8	16	.15	.17	0	0
21	0	0	0	0	6.0	8.7	42	50	0	0	0	0
22	0	0	0	0	6.3	25	49	17	25	0	0	0
23	0	0	0	0	6.5	29	47	0	53	0	0	0
24	0	0	0	0	19	26	15	0	51	0	0	0
25	0	0	0	0	51	16	0	0	50	0	0	0
26	0	0	0	0	52	9.9	0	35	18	0	0	0
27	0	0	0	0	53	7.0	0	51	1.5	0	0	0
28	0	0	0	0	55	1.2	0	50	.33	0	0	0
29	0	0	0	0	52	.04	0	17	0	0	0	0
30	0	0	0	0	-----	0	0	0	0	0	0	0
31	0	-----	26	0	-----	0	-----	0	-----	0	0	-----
TOTAL	33.13	18.66	26	21.75	737.5	467.64	248.7	599	557.02	1.27	0	0
MEAN	1.07	.62	.84	.70	25.4	15.1	8.29	19.3	18.6	.041	0	0
MAX	17	16	26	15	55	43	49	61	53	.77	0	0
MIN	0	0	0	0	5.3	0	0	0	0	0	0	0
AC-FT	66	37	52	43	1,460	928	493	1,190	1,100	2.5	0	0
CAL YEAR 1999	TOTAL*	77.79	MEAN	.85	MAX	26	MIN	0	AC-FT	154		
WTR YEAR 2000	TOTAL	2,710.67	MEAN	7.41	MAX	61	MIN	0	AC-FT	5,380		

* Incomplete Record Missing data from 1/23 through 2/18/00, no power.
 Data from field observation.
 Data as up 10/17/00

MB

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F263C-R SAN GABRIEL RIVER @ S.G. RIVER PARKWAY

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.12	2.6	73	50	39	35	9.4	28	45	25	48	51
2	.18	.12	66	24	208	29	8.5	21	36	29	52	55
3	.21	.12	70	19	157	34	9.4	17	36	31	51	54
4	.12	.12	71	22	188	37	11	15	38	32	53	58
5	.12	.12	81	35	185	273	11	29	42	37	56	62
6	.12	.12	79	95	181	165	12	42	80	37	56	61
7	.12	.12	24	105	181	94	11	47	49	33	56	19
8	.12	.12	16	112	90	607	10	42	120	28	55	1.4
9	.12	.14	30	117	33	104	9.6	35	105	33	54	8.6
10	.12	.12	11	123	51	77	6.8	55	105	42	53	15
11	.12	.12	8.7	124	103	63	5.8	97	103	35	51	8.0
12	.12	.12	9.9	45	106	63	6.5	101	107	35	47	1.1
13	.12	.12	12	21	85	69	14	103	106	37	44	.77
14	.13	.12	13	37	205	110	41	114	104	38	49	.76
15	.11	.12	12	107	144	83	37	120	109	37	52	.35
16	.12	.13	10	106	181	80	38	88	109	41	48	.18
17	.12	.11	.46	114	243	82	572	87	104	45	44	.20
18	.12	.13	21	114	137	81	450	99	102	22	46	.20
19	.12	.12	21	121	96	84	107	123	105	15	48	.22
20	.12	.12	16	125	175	86	81	144	104	31	52	.24
21	.12	.10	2.4	129	334	73	65	160	104	40	54	.15
22	.12	.19	6.7	131	109	71	109	169	107	41	50	.12
23	.12	.13	7.2	130	376	85	77	157	97	41	45	2.1
24	.12	.12	74	122	167	95	64	66	88	21	43	1.0
25	.12	.12	103	195	72	101	61	83	101	29	59	1.2
26	.12	.12	111	121	52	104	51	38	106	49	62	.24
27	.12	.12	120	30	51	101	52	20	100	54	45	.24
28	.12	.12	77	20	44	240	51	17	43	57	53	.15
29	.10	5.0	98	13	36	190	51	16	17	49	41	.06
30	.16	36	90	11	-----	92	53	15	20	44	55	.07
31	8.3	-----	60	103	-----	59	-----	64	-----	45	39	-----
TOTAL	12.07	46.93	1,394.36	2,621	4,029	3,467	2,085.0	2,212	2,492	1,133	1,561	402.35
MEAN	.39	1.56	45.0	84.5	139	112	69.5	71.4	83.1	36.5	50.4	13.4
MAX	8.3	36	120	195	376	607	572	169	120	57	62	62
MIN	.10	.10	.46	11	33	29	5.8	15	17	15	39	.06
AC-FT	24	93	2,770	5,200	7,990	6,880	4,140	4,390	4,940	2,250	3,100	798
CAL YEAR 1999 TOTAL*	1,453.36		MEAN	15.8	MAX	120	MIN	.10	AC-FT	2,880		
WTR YEAR 2000 TOTAL	21,455.71		MEAN	58.6	MAX	607	MIN	.06	AC-FT	42,560		

* Incomplete Record
Data as up 10/05/00

MB.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F42B-R SAN GABRIEL RIVER ABOVE SPRING

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	160	101	96	166	109	104	99	145	129*	113	121*	93*
2	171	137	98	200	108	105	105	97	117*	106	113	92*
3	176	128	102	177	110	127	94	85	145*	99	115	91*
4	182	118	91	171	115	125	86	90	89*	98	116	91*
5	189	114	80	166	114	221	100	100	72*	105	122	92*
6	194	106	83	134	113	93	67	110	207*	129	122	93*
7	206	110	116	113	116	92	146	108	181*	124	118	91
8	208	112	106	109	118	334	119	108	175*	124	139	88
9	223	112	101	103	120	123	118	139	172*	116	167	91
10	201	110	118	103	141	110	94	148	167*	113	170	91
11	196	108	103	108	129	106	127	147	164*	127	173	84
12	198	109	94	108	168	103	105	157	159*	90	178	84
13	197	88	97	110	100	108	87	174	154*	123	174	85
14	188	86	95	112	115	106	69	177	149*	230	187	90
15	165	85	96	114	94	111	139	195	148*	152	186	93
16	151	89	104	109	150	111	105	197	145*	142	198	102
17	155	88	108	112	102	113	124	195	142*	163	205	100
18	161	80	106	115	94	99	113	184	135*	119	224	102
19	162	89	105	115	84	122	221	186	128*	102	235	95
20	162	97	109	116	176	118	167	167	101	133	230	92
21	157	100	106	120	223	113	73	154	100	158	233	102
22	145	82	100	121	93	107	188	143	99	158	220	116
23	139	60	84	121	256	106	162	138	107	141	209	119
24	136	59	85	120	117	66	104	132	110	138	197	98
25	142	83	88	156	86	103	83	131	110	133	131	89
26	134	112	80	114	85	100	164	124	118	146	117	78
27	122	125	81	104	103	101	146	114	131	151	107	83
28	117	123	61	106	86	94	111	103	122	149	102	86
29	108	111	101	104	85	95	77	96*	111	138*	93	93
30	82	97	157	104	-----	95	148	132*	115	134*	84	94
31	82	-----	414	131	-----	97	-----	137*	-----	129*	93	-----
TOTAL	5,009	3,019	3,365	3,862	3,510	3,608	3,541	4,313	4,002	4,083	4,879	2,798
MEAN	162	101	109	125	121	116	118	139	133	132	157	93.3
MAX	223	137	414	200	256	334	221	197	207	230	235	119
MIN	82	59	61	103	84	66	67	85	72	90	84	78
AC-FT	9,940	5,990	6,670	7,660	6,960	7,160	7,020	8,550	7,940	8,100	9,680	5,550
CAL YEAR 1999	TOTAL*	11,393	MEAN	124	MAX	414	MIN	59	AC-FT	22,600		
WTR YEAR 2000	TOTAL	45,989	MEAN	126	MAX	414	MIN	59	AC-FT	91,220		

* Incomplete Record * NO DATAIndicator.

Records as up 10/25/00

MB

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F312B-R SAN JOSE CHANNEL BELOW SEVENTH STREET

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	12	9.1	129	146	32	51	29	38	138	18	11	16
2	14	11	129	145	32	50	19	32	135	17	10	18
3	21	12	130	141	92	158	12	30	136	16	9.7	18
4	15	12	129	138	163	133	12	96	135	16	12	19
5	10	13	128	148	165	1,220	10	172	133	16	11	17
6	11	13	127	153	163	151	9.1	166	134	16	11	16
7	13	15	127	157	167	100	12	158	118	13	10	15
8	11	40	125	163	172	1,180	11	83	109	12	13	15
9	10	14	74	168	171	101	15	150	120	14	18	17
10	13	13	10	173	438	91	12	142	157	14	20	17
11	11	12	11	159	84	87	7.6	140	154	15	19	17
12	11	11	12	21	388	85	11	139	139	16	17	14
13	10	9.9	12	31	85	81	10	142	128	16	19	17
14	11	9.7	13	99	98	91	7.9	135	122	15	19	12
15	10	9.6	13	199	21	118	11	132	125	15	21	15
16	12	8.5	11	194	137	127	15	135	124	16	16	17
17	12	8.9	59	208	818	105	933	144	120	15	16	16
18	9.1	9.0	133	208	45	112	828	144	128	13	16	15
19	7.2	9.3	133	218	30	117	83	146	138	10	19	14
20	7.9	12	133	222	23	121	63	161	140	10	22	14
21	9.7	11	136	233	110	117	47	169	139	10	18	14
22	8.8	10	138	237	21	126	47	175	141	13	15	34
23	11	9.7	140	247	18	133	47	188	141	14	15	45
24	12	11	140	236	103*	130	56	163	142	13	16	12
25	12	12	141	544	28*	139	46	22	140	11	16	11
26	11	11	144	116	25*	129	37	6.9	141	12	18	9.7
27	11	12	146	46	13*	133	32	7.7	130	10	18	10
28	12	12	147	47	18*	132	31	8.7	34	11	21	12
29	12	71	153	47	22*	134	37	10	21	11	18	13
30	12	127	167	55	-----	117	40	39	17	12	19	18
31	8.9	-----	249	159	-----	80	-----	172	-----	12	18	-----
TOTAL	351.6	538.7	3,339	5,058	3,682	5,649	2,530.6	3,446.3	3,679	422	501.7	497.7
MEAN	11.3	18.0	108	163	127	182	84.4	111	123	13.6	16.2	16.6
MAX	21	127	249	544	818	1,220	933	188	157	18	22	45
MIN	7.2	8.5	10	21	13	50	7.6	6.9	17	10	9.7	9.7
AC-FT	697	1,070	6,620	10,030	7,300	11,200	5,020	6,840	7,300	837	995	987
CAL YEAR 1999	TOTAL*	4,229.3	MEAN	46.0	MAX	249	MIN	7.2	AC-FT	8,390		
WTR YEAR 2000	TOTAL	29,695.6	MEAN	81.1	MAX	1,220	MIN	6.9	AC-FT	58,900		

* Incomplete Record * Missing Data / Power failure.
as of 10/18/00

MB

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F119-R SANTA ANITA CREEK BELOW DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	.17	0	11	0	0	.62	.31	.31	.31
2	0	0	0	0	7.7	11	0	0	.62	.31	.31	.31
3	0	0	0	0	11	1.0	13	0	.62	.31	.31	.31
4	0	0	0	0	10	.63	17	0	.62	.31	.31	.31
5	0	0	0	0	10	11	17	0	13	.31	.31	.31
6	0	0	0	0	5.8	32	10	0	17	.31	.31	.31
7	0	0	0	0	.51	31	0	0	16	.31	.31	.31
8	0	0	0	0	.62	20	0	0	8.5	.31	.31	.31
9	0	0	0	0	.62	.48	0	0	.33	.31	.31	.31
10	0	0	0	0	2.0	0	0	0	.31	.31	.31	.31
11	0	0	0	0	1.1	0	0	2.0	.31	.31	.31	.31
12	0	0	0	0	2.3	0	0	2.0	.31	.31	.31	.31
13	0	0	0	0	.93	0	.18	0	.31	.31	.31	.31
14	0	0	0	0	.93	12	.42	0	.31	.31	.31	.31
15	0	0	0	0	.93	18	.51	13	.31	.31	.31	.31
16	0	2.1	0	0	2.6	17	1.0	17	.31	.31	.31	.31
17	0	.30	0	0	1.5	17	18	17	.31	.31	.31	.31
18	0	0	0	0	.93	17	22	9.9	.31	.31	.31	.31
19	0	0	0	0	.93	17	20	.62	.31	.31	.31	.31
20	0	0	0	0	2.9	16	18	0	.31	.31	.31	.31
21	0	0	0	0	50	16	5.7	0	1.3	.31	.31	.31
22	0	9.2	0	0	37	16	0	0	.31	.31	.31	.31
23	0	14	0	0	38	10	0	0	.31	.31	.31	.31
24	0	8.9	0	0	38	.37	14	0	.31	.31	.31	.31
25	0	.03	0	1.7	35	.44	20	.95	.31	.31	.31	.31
26	0	0	0	.50	22	.93	19	1.2	.31	.31	.31	.31
27	0	0	12	0	1.6	.93	12	.42	.31	.31	.31	.31
28	0	0	19	0	.89	.93	.07	0	.31	.31	.31	.31
29	0	0	18	0	0	.93	0	.60	.31	.31	.31	.31
30	0	0	12	0	-----	.93	0	.62	.31	.31	.31	.31
31	0	-----	1.1	0	-----	.60	-----	.62	-----	.31	.31	-----
TOTAL	0	34.53	62.1	2.37	285.79	280.17	207.88	65.93	64.81	9.61	9.61	9.30
MEAN	0	1.15	2.00	.076	9.85	9.04	6.93	2.13	2.16	.31	.31	.31
MAX	0	14	19	1.7	50	32	22	17	17	.31	.31	.31
MIN	0	0	0	0	0	0	0	0	.31	.31	.31	.31
AC-FT	0	68	123	4.7	567	556	412	131	129	19	19	18

CAL YEAR 1999	TOTAL*	96.63	MEAN	1.05	MAX	19	MIN	0	AC-FT	192
WTR YEAR 2000	TOTAL	1,032.10	MEAN	2.82	MAX	50	MIN	0	AC-FT	2,050

* Incomplete Record SANTA ANITA CREEK BELOW SANTA ANITA DAM, OUT FLOW STATION F119-R STEVEN AXSYS RECORDER DATA AS OF 10-31-2000 BY SOO KHOO.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480
 F260C-R SANTA ANITA WASH BELOW FOOTHILL BLVD.

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.36	.94	.17	.58	.77	.78	.23	.46	.23	.23	.64	.77
2	.46	1.0	.18	.28	.46	1.8	.23	.46	.23	.23	.27	1.0
3	.22	.97	.36	.46	.46	3.4	.23	.46	.23	.39	.65	.46
4	.46	.42	.18	.90	.46	7.4	.23	.39	.23	.23	.75	.75
5	.75	.22	.08	.46	11	13	.23	.32	.33	.23	.87	1.5
6	.68	.24	.05	.46	1.4	20	.23	.22	.46	.36	.91	1.9
7	.67	.06	.15	.44	.43	13	.23	.12	.46	.51	.01	1.9
8	.62	.53	.13	1.9	.43	8.4	.36	.16	.46	.23	0	.85
9	.48	.09	.22	.46	.10	.32	.46	.24	.46	.23	0	0
10	.57	0	.36	1.7	8.6	.23	.39	.23	.46	.23	.01	0
11	.79	.06	.48	3.0	2.9	.23	.28	.23	.46	.24	.01	1.6
12	.65	.11	.25	.46	12	.23	.23	.23	.46	.23	.03	1.2
13	.70	.10	.33	1.4	3.4	.23	.27	.23	.46	.23	.03	.23
14	.52	0	.46	.72	2.2	.23	.23	.23	.52	.48	.07	.23
15	.91	.16	.38	1.5	0	.23	.23	.23	.65	.41	.07	.23
16	.97	.12	.42	.46	9.0	.23	.23	.23	.56	.23	.09	.23
17	.59	.05	.71	.31	.03	.23	43	.21	.48	.23	.19	.23
18	.61	.11	.06	1.2	.10	.23	21	.20	.57	.23	.22	.23
19	.60	.21	0	.46	2.9	.23	14	.16	.46	.23	.20	.23
20	.75	.29	.06	.65	12	.23	13	.10	.46	.23	.30	.23
21	.78	.07	.09	2.6	42	.23	5.3	.10	.46	.23	.34	1.4
22	.59	.24	.08	1.5	37	.23	.46	.06	.42	.23	.19	4.9
23	.63	.13	.30	.46	63	.23	.58	.06	.48	.23	.07	1.9
24	.66	.20	.39	.50	36	.23	.48	.19	.23	.34	.46	.23
25	.87	.41	.35	11	34	.23	.46	.44	.74	.34	.59	.23
26	.82	.32	.24	5.0	20	.23	.49	.23	.23	.32	.94	.23
27	.96	.23	.33	1.3	.44	.23	.46	.23	.32	.34	.82	.23
28	.87	.21	.49	.67	.70	.23	.46	.23	.69	.38	.58	.23
29	1.0	.22	.55	.71	.38	.23	.50	.23	.44	.33	1.6	.23
30	.96	.36	.34	3.6	-----	.23	.46	.23	.27	.27	.79	.23
31	1.0	-----	1.7	3.6	-----	.23	-----	.23	-----	.44	.95	-----
TOTAL	21.50	8.07	9.89	48.74	302.16	73.16	104.94	7.34	12.91	9.06	12.65	23.58
MEAN	.69	.27	.32	1.57	10.4	2.36	3.50	.24	.43	.29	.41	.79
MAX	1.0	1.0	1.7	11	63	20	43	.46	.74	.51	1.6	4.9
MIN	.22	0	0	.28	0	.23	.23	.06	.23	.23	0	0
AC-FT	43	16	20	97	599	145	208	15	26	18	25	47
CAL YEAR 1999	TOTAL*	39.46	MEAN	.43	MAX	1.7	MIN	0	AC-FT	78		
WTR YEAR 2000	TOTAL	634.00	MEAN	1.73	MAX	63	MIN	0	AC-FT	1,260		

* Incomplete Record SANTA ANITA WASH BELOW FOOTHILL BLVD. RUNOFF STATION F-260C-R STEVEN AXSYS
 RECORDER DATA AS OF 10-31-2000 BY SOO KHOO.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F193B-R SANTA ANITA WASH @ LONGDEN AVE.

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.92	.88	.23	.50	.26	.51	.26	.26	.51	.52	.64	.29
2	1.1	.90	.16	.32	.26	1.5	.26	.26	.51	.48	.67	.26
3	.70	.95	.19	.10	.26	5.0	.26	.26	.51	.33	.85	.09
4	.90	.51	.29	.11	.26	8.9	.19	.26	.51	.50	1.4	.07
5	.93	.15	5.9	.12	8.3	14	.17	.26	.51	.53	1.3	.41
6	.92	.30	.74	.22	.95	20	.26	.26	.51	.31	1.4	.37
7	.89	.12	.01	.20	.31	13	.26	.26	.50	.38	1.1	.45
8	.82	1.3	.05	.55	.26	8.9	.26	.26	.45	.35	1.1	.38
9	.65	.16	.12	.10	.26	.26	.26	.26	.41	.40	1.1	.11
10	.59	.03	.15	.24	18	.23	.26	.26	.38	.42	1.1	.61
11	1.1	.07	.04	.42	2.1	.36	.26	.26	.51	.40	1.0	.29
12	.84	.14	.01	1.3	29	.26	.26	.26	.60	.26	.93	.35
13	.92	.12	.04	1.3	3.3	.26	.26	.26	.61	.51	.89	.36
14	.90	.08	.08	.20	2.6	.26	.26	.26	.51	.32	.82	.28
15	1.3	.18	.03	.22	.79	.26	.26	.26	.51	.24	.79	.64
16	1.5	.16	.17	.10	12	.26	.26	.26	.51	.38	.81	.88
17	.97	.10	.85	.34	1.1	.26	54	.26	.51	.58	.77	.21
18	.83	.10	.12	.23	.11	.26	26	.26	.51	.48	.77	.30
19	.85	.32	.01	.06	2.1	.26	13	.26	.57	.34	.90	.30
20	1.1	.85	.12	.12	18	.26	13	.26	.78	.40	.86	.14
21	1.1	.10	.05	3.9	68	.26	5.7	.26	.67	.38	.67	1.5
22	1.0	.04	.01	7.1	35	.26	.51	.26	.62	.31	.56	5.3
23	1.1	.01	.05	.38	71	.26	.51	.26	.77	.43	.36	6.0
24	1.0	.01	.24	3.4	34	.26	.45	.26	.54	.47	.42	.09
25	1.0	.08	.08	9.3	34	.26	.57	.26	.93	.59	.57	.14
26	.87	.06	.04	1.1	18	.26	.51	.26	.73	.43	.59	.07
27	1.1	.02	.07	7.4	.57	.26	.51	.26	.78	.52	.80	.22
28	1.1	.05	.43	12	.47	.26	.51	.26	.87	.51	.56	.38
29	1.1	.08	.30	4.8	.45	.26	.51	.26	.72	.73	.90	.30
30	.93	.35	.28	4.3	-----	.26	.51	.26	.61	.41	.44	.27
31	.85	-----	5.6	1.8	-----	.26	-----	.26	-----	.39	.49	-----
TOTAL	29.88	8.22	16.46	62.23	361.71	77.86	120.29	8.06	17.66	13.30	25.56	21.06
MEAN	.96	.27	.53	2.01	12.5	2.51	4.01	.26	.59	.43	.82	.70
MAX	1.5	1.3	5.9	12	71	20	54	.26	.93	.73	1.4	6.0
MIN	.59	.01	.01	.06	.11	.23	.17	.26	.38	.24	.36	.07
AC-FT	59	16	33	123	717	154	239	16	35	26	51	42
CAL YEAR 1999 TOTAL*		54.56	MEAN	.59	MAX	5.9	MIN	.01	AC-FT	108		
WTR YEAR 2000 TOTAL		762.29	MEAN	2.08	MAX	71	MIN	.01	AC-FT	1,510		

* Incomplete Record SANTA ANITA WASH @ LONGDEN AVE. RUNOFF STATION F193B-R STEVEN AXSYS RECORDER
 DATA AS OF 11-06-2000 BY SOO KHOO.
 105 ADJUSTED DATA SHEET.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F92C-R SANTA CLARA RIVER AT I-5

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	6.5	4.9	6.0	13	9.7	61	14	12	9.0	10	4.2	5.5
2	6.5	5.0	6.0	13	9.7	20	14	12	9.0	11	3.8	5.9
3	6.6	13	5.4	13	9.0	11	14	13	9.0	11	3.9	6.4
4	6.9	6.4	4.7	12	8.4	3.4	15	13	9.0	11	3.9	7.0
5	6.9	6.3	5.3	10	11	317	15	14	8.9	11	4.1	7.5
6	6.8	3.0	6.1	9.4	11	59	16	14	8.8	11	4.2	7.9
7	5.6	4.4	6.1	10	8.5	107	16	14	8.7	11	4.3	7.2
8	7.7	8.0	4.8	10	7.9	110	16	14	8.9	11	4.5	6.4
9	5.4	3.7	10	11	6.6	20	15	14	9.0	11	4.5	5.7
10	5.9	5.3	9.8	12	24	7.7	15	13	9.0	11	4.4	5.1
11	5.7	7.9	6.3	12	8.6	6.2	15	12	9.1	11	4.3	4.5
12	4.4	8.1	9.5	12	84	6.3	16	12	9.4	11	4.2	3.9
13	5.4	6.7	12	11	8.8	8.4	17	13	9.4	11	4.2	3.5
14	5.1	7.2	14	12	12	7.9	17	13	9.2	11	4.2	3.7
15	4.1	8.2	13	11	8.4	9.1	17	14	9.0	10	4.2	4.0
16	4.4	8.7	12	12	16	12	17	14	9.4	10	4.2	4.3
17	3.9	5.0	14	11	11	12	244	14	10	10	4.2	4.6
18	4.5	4.2	14	12	9.0	13	104	13	11	9.9	4.1	4.9
19	5.0	4.1	13	13	9.7	13	10	12	11	9.6	3.9	5.2
20	3.2	4.9	12	12	314	14	11	11	12	9.4	3.9	5.4
21	4.9	3.8	12	13	276	14	13	11	12	9.0	3.9	5.7
22	5.2	4.0	14	12	179	14	6.9	10	13	8.9	3.9	6.1
23	3.5	4.7	13	12	1,300	15	6.7	9.8	13	8.5	3.9	6.4
24	4.7	3.9	13	12	78	14	9.5	9.4	12	8.4	3.9	6.7
25	4.4	3.5	13	55	43	14	12	9.4	11	8.0	3.7	7.1
26	4.1	4.5	10	6.6	44	14	9.9	9.0	10	7.0	3.7	7.5
27	4.5	4.2	10	6.9	163	14	9.5	9.0	9.9	6.1	3.7	7.9
28	4.9	4.5	12	7.6	94	14	9.6	9.0	9.9	5.6	3.8	8.3
29	4.7	5.4	13	8.8	102	14	10	9.0	10	5.3	4.1	8.7
30	4.7	6.2	12	11	-----	14	11	9.0	10	4.9	4.6	9.2
31	5.2	-----	13	12	-----	14	-----	9.0	-----	4.5	5.0	-----
TOTAL	161.3	169.7	319.0	388.3	2,866.3	973.0	716.1	364.6	299.6	288.1	127.4	182.2
MEAN	5.20	5.66	10.3	12.5	98.8	31.4	23.9	11.8	9.99	9.29	4.11	6.07
MAX	7.7	13	14	55	1,300	317	244	14	13	11	5.0	9.2
MIN	3.2	3.0	4.7	6.6	6.6	3.4	6.7	9.0	8.7	4.5	3.7	3.5
AC-FT	320	337	633	770	5,690	1,930	1,420	723	594	571	253	361
CAL YEAR 1999	TOTAL*	650.0	MEAN	7.07	MAX	14	MIN	3.0	AC-FT	1,290		
WTR YEAR 2000	TOTAL	6,855.6	MEAN	18.7	MAX	1,300	MIN	3.0	AC-FT	13,600		

* Incomplete Record 10/1-10/31 water is not flowing into station due to lack of commun. holes.
 11/22 new commun holes installed 2/14:N/C water shifted to south bank
 2/14-3/16 pds of N/C..3/16-4/6: N/C. water shifted to south 4/1-4/30
 various pds. N/C.5/1-5/31:N/C6/1-6/30:N/C7/1-7/31:N/C8/1-8/31N/C,9/1-9/30

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F280-R SANTA FE DIVERSION BELOW DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	0	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0
9	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	0	0	0	0	0	0	0	0	0
14	0	0	0	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0
21	0	0	0	0	0	0	0	0	0	0	0	0
22	0	0	0	0	0	0	0	0	0	0	0	0
23	0	0	0	0	0	0	0	0	0	0	0	0
24	0	0	0	0	0	0	0	0	0	0	0	0
25	0	0	0	0	0	0	0	0	0	0	0	0
26	0	0	0	0	0	0	0	0	0	0	0	0
27	0	0	0	0	0	0	0	0	0	0	0	0*
28	0	0	0	0	0	0	0	0	0	0	0	0*
29	0	0	0	0	0	0	0	0	0	0	0	0*
30	0	0	0	0	-----	0	0	0	0	0	0	0*
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
MEAN	0	0	0	0	0	0	0	0	0	0	0	0
MAX	0	0	0	0	0	0	0	0	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC-FT	0	0	0	0	0	0	0	0	0	0	0	0
CAL YEAR 1999	TOTAL*		0	MEAN	0	MAX	0	MIN	0	AC-FT	0	
WTR YEAR 2000	TOTAL		0	MEAN	0	MAX	0	MIN	0	AC-FT	0	

* Incomplete Record Missing data from 5/02 to 7/03/00 due to a blown fuse
Data as up 10/13/00

MB

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F125-R SANTIAGO CK. ABOVE LITTLE ROCK CK.

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	0	0	0	0	0	0	0	1.2	0	0	0	0
2	0	0	0	0	0	0	0	1.4	0	0	0	0
3	0	0	0	0	0	0	0	1.4	0	0	0	0
4	0	0	0	0	0	0	0	1.2	0	0	0	0
5	0	0	0	0	0	0	0	1.3	0	0	0	0
6	0	0	0	0	0	0	0	1.2	0	0	0	0
7	0	0	0	0	0	0	0	1.4	0	0	0	0
8	0	0	0	0	0	0	0	1.7	0	0	0	0
9	0	0	0	0	0	0	.01	1.8	0	0	0	0
10	0	0	0	0	0	0	0	.42	0	0	0	0
11	0	0	0	0	0	0	0	.20	0	0	0	0
12	0	0	0	0	0	0	.05	.27	0	0	0	0
13	0	0	0	0	0	.41	.04	.11	0	0	0	0
14	0	0	0	0	0	5.0	.10	0	0	0	0	0
15	0	0	0	0	0	0	.13	0	0	0	0	0
16	0	0	0	0	0	0	.16	0	0	0	0	0
17	0	0	0	0	0	0	1.5	.05	0	0	0	0
18	0	0	0	0	0	0	6.1	0	0	0	0	0
19	0	0	0	0	0	0	3.5	0	0	0	0	0
20	0	0	0	0	.95	0	2.2	0	0	0	0	0
21	0	0	0	0	1.8	0	1.7	0	0	0	0	0
22	0	0	0	0	.41	0	1.3	0	0	0	0	0
23	0	0	0	0	.74	0	1.1	0	0	0	0	0
24	0	0	0	0	1.5	0	.82	0	0	0	0	0
25	0	0	0	0	.38	0	.64	0	0	0	0	0
26	0	0	0	0	.16	0	.55	0	0	0	0	0
27	0	0	0	0	.18	0	.58	0	0	0	0	0
28	0	0	0	0	.63	0	.70	0	0	0	0	0
29	0	0	0	0	.24	0	.91	0	0	0	0	0
30	0	0	0	0	-----	0	1.1	0	0	0	0	0
31	0	-----	0	0	-----	0	-----	0	-----	0	0	-----
TOTAL	0	0	0	0	6.99	5.41	23.19	13.65	0	0	0	0
MEAN	0	0	0	0	.24	.17	.77	.44	0	0	0	0
MAX	0	0	0	0	1.8	5.0	6.1	1.8	0	0	0	0
MIN	0	0	0	0	0	0	0	0	0	0	0	0
AC-FT	0	0	0	0	14	11	46	27	0	0	0	0
CAL YEAR 1999 TOTAL*		0.00	MEAN	0	MAX	0	MIN	0	AC-FT	0		
WTR YEAR 2000 TOTAL		49.24	MEAN	.13	MAX	6.1	MIN	0	AC-FT	98		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F278-R SAWPIT CREEK BELOW SAWPIT DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.2	3.0	3.3	1.1	1.1	1.5	1.9	1.2	1.0	1.2	1.4	1.4
2	1.3	3.0	3.3	1.1	1.2	1.4	1.9	1.3	.98	1.2	1.4	1.4
3	1.2	3.1	3.3	1.1	1.3	1.4	1.9	2.9	.95	1.3	1.4	1.3
4	1.2	3.1	3.3	1.1	1.4	1.8	2.0	1.9	.94	1.4	1.4	1.3
5	1.1	3.3	3.3	1.1	1.5	2.7	1.9	1.9	.92	1.4	1.4	1.3
6	1.1	3.3	3.2	1.1	1.6	3.6	1.9	1.9	.91	1.4	1.4	1.2
7	1.0	3.3	3.2	1.1	1.7	2.5	1.9	1.8	.91	1.4	1.3	1.2
8	1.0	3.5	3.2	1.1	1.7	2.1	1.9	1.8	.93	1.4	1.4	1.2
9	.97	3.6	3.2	1.1	1.7	2.0	1.9	1.8	1.0	1.4	1.3	1.2
10	.98	3.5	3.2	1.1	1.7	1.7	1.9	1.7	1.0	1.5	1.3	1.2
11	.99	3.4	3.2	1.1	1.4	1.2	1.9	1.7	1.0	1.4	.77	1.2
12	1.9	3.3	3.3	1.1	1.2	.98	1.8	1.5	1.0	1.4	.70	1.1
13	2.2	3.2	3.2	1.1	1.2	1.7	1.8	1.4	1.1	1.4	1.2	1.1
14	2.2	3.3	3.2	1.1	1.2	2.3	1.8	1.4	1.1	1.4	1.2	1.1
15	2.5	3.3	3.2	1.1	1.2	2.3	2.1	1.5	.91	1.4	1.2	1.1
16	2.6	3.3	3.2	1.1	1.3	2.3	1.9	1.4	1.0	1.4	1.2	1.1
17	2.7	3.4	3.1	1.1	1.5	2.2	2.8	1.3	.99	1.5	1.2	1.1
18	2.8	3.5	2.9	1.1	1.3	2.0	4.3	1.2	.96	1.4	1.2	1.1
19	2.8	3.6	2.4	1.1	1.2	2.1	2.2	1.1	.98	1.4	1.2	1.1
20	2.7	3.7	2.0	1.2	1.4	2.0	1.3	1.0	1.1	1.4	1.2	1.1
21	2.6	3.6	1.6	1.3	2.3	1.9	1.5	1.0	1.0	1.4	1.2	1.1
22	2.5	3.3	1.4	1.4	1.9	1.8	1.8	.84	.98	1.4	1.2	1.3
23	2.3	3.4	1.3	1.5	1.8	2.0	1.8	.83	1.1	1.4	1.2	1.5
24	2.4	3.3	1.5	1.5	1.7	2.0	2.3	1.1	1.1	1.4	1.2	1.3
25	2.4	3.3	1.4	1.2	1.5	1.9	2.6	1.2	1.0	1.4	1.2	1.2
26	2.6	3.2	1.3	1.2	1.4	1.8	2.6	1.2	1.0	1.4	1.2	1.2
27	3.1	3.2	1.2	1.1	1.4	2.0	2.5	1.1	1.1	1.4	1.2	1.2
28	3.2	3.3	1.2	1.1	1.3	2.2	2.5	1.0	1.1	1.4	1.2	1.4
29	3.2	3.2	1.2	1.1	1.3	2.2	2.4	1.0	1.1	1.4	1.4	1.4
30	3.1	3.2	1.1	1.2	-----	2.1	2.3	1.0	1.2	1.4	1.4	1.4
31	3.0	-----	1.1	1.1	-----	2.1	-----	1.1	-----	1.4	1.4	-----
TOTAL	64.84	99.7	76.5	35.8	42.4	61.78	63.3	43.07	30.36	43.1	38.57	36.8
MEAN	2.09	3.32	2.47	1.15	1.46	1.99	2.11	1.39	1.01	1.39	1.24	1.23
MAX	3.2	3.7	3.3	1.5	2.3	3.6	4.3	2.9	1.2	1.5	1.4	1.5
MIN	.97	3.0	1.1	1.1	1.1	.98	1.3	.83	.91	1.2	.70	1.1
AC-FT	129	198	152	71	84	123	126	85	60	85	77	73
CAL YEAR 1999	TOTAL*	241.04	MEAN	2.62	MAX	3.7	MIN	.97	AC-FT	478		
WTR YEAR 2000	TOTAL	636.22	MEAN	1.74	MAX	4.3	MIN	.70	AC-FT	1,260		

* Incomplete Record SAWPIT CREEK BELOW SAWPIT DAM, OUT FLOW STATION F278-R STEVEN AXSYS RECORDER DATA AS OF 10-31-2000 BY SOO KHOO.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F54C-R TOPANGA CREEK ABOVE MOUTH OF CANYON

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	.53	.66	.76	1.0	2.0	4.0	3.0	3.0	.66	.45	.36	.40
2	.57	.68	.74	1.0	1.6	3.7	3.0	.84	.61	.45	.36	.41
3	.58	.73	.67	.95	1.6	3.6	3.0	.83	.60	.45	.36	.41
4	.59	.74	.65	.99	1.6	5.0	3.0	.83	.59	.45	.36	.40
5	.61	.79	.66	.98	1.6	39	3.0	.86	.57	.44	.36	.38
6	.64	.80	.70	.95	1.6	24	3.0	.85	.57	.44	.36	.38
7	.65	.82	.73	.98	1.6	6.6	3.0	.81	.56	.44	.36	.37
8	.67	1.7	.73	1.0	1.5	17	3.0	.80	.56	.43	.36	.38
9	.67	.81	.73	1.0	1.5	21	3.0	.79	.57	.43	.36	.39
10	.71	.71	.76	1.0	4.8	6.6	3.0	.79	.57	.43	.34	.39
11	.72	.71	.76	1.1	4.3	6.6	3.0	.74	.56	.43	.33	.38
12	.72	.69	.75	1.1	17	6.7	2.9	.69	.56	.43	.33	.36
13	.72	.67	.75	1.1	4.9	6.9	2.9	.68	.54	.43	.33	.37
14	.75	.73	.76	1.1	6.5	6.9	2.8	.69	.54	.42	.33	.39
15	.81	.76	.76	1.1	3.2	6.9	2.8	.71	.54	.42	.33	.39
16	.90	.78	.76	1.1	4.4	6.9	4.6	.74	.54	.42	.33	.38
17	.92	.82	.74	1.1	4.1	6.9	63	.74	.56	.42	.33	.36
18	.87	.80	.71	1.2	2.5	6.9	40	.74	.56	.41	.33	.37
19	.79	.74	.73	1.1	2.1	6.9	5.2	.72	.54	.39	.33	.40
20	.75	.76	.73	1.2	19	6.9	5.1	.70	.53	.38	.33	.42
21	.73	.70	.74	1.2	64	6.8	4.9	.69	.52	.38	.35	.42
22	.74	.65	.76	1.2	15	6.7	4.9	.69	.50	.38	.36	.43
23	.73	.65	.77	1.2	133	6.7	4.9	.73	.50	.37	.36	.49
24	.70	.65	.79	1.2	21	6.6	4.9	.76	.49	.36	.36	.45
25	.71	.65	.81	3.6	9.1	6.6	5.1	.77	.48	.36	.36	.43
26	.68	.67	.83	2.6	6.1	6.6	5.1	.74	.47	.36	.36	.42
27	.67	.70	.87	1.7	6.8	6.6	5.1	.70	.46	.36	.37	.43
28	.73	.73	.88	1.5	5.3	6.6	5.1	.67	.45	.36	.40	.45
29	.76	.76	.88	1.4	4.4	6.6	5.1	.68	.45	.36	.42	.45
30	.69	.76	.88	1.6	-----	6.6	5.1	.79	.45	.36	.42	.45
31	.65	-----	.94	3.0	-----	6.6	-----	.69	-----	.37	.40	-----
TOTAL	21.96	22.82	23.73	41.25	352.1	272.0	212.5	25.46	16.10	12.58	11.04	12.15
MEAN	.71	.76	.77	1.33	12.1	8.77	7.08	.82	.54	.41	.36	.41
MAX	.92	1.7	.94	3.6	133	39	63	3.0	.66	.45	.42	.49
MIN	.53	.65	.65	.95	1.5	3.6	2.8	.67	.45	.36	.33	.36
AC-FT	44	45	47	82	698	540	421	50	32	25	22	24
CAL YEAR 1999 TOTAL*		68.51	MEAN	.74	MAX	1.7	MIN	.53	AC-FT	136		
WTR YEAR 2000 TOTAL		1,023.69	MEAN	2.80	MAX	133	MIN	.33	AC-FT	2,030		

* Incomplete Record Recorder inoperative, gage heights estimated; March 4-15, 2000.

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F252-R VERDUGO WASH @ ESTELLE AVE.

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	4.7	5.9	11	7.2	6.4	8.2	8.0	9.7	4.8	3.6	3.2	3.5
2	4.7	6.1	10	5.8	5.9	8.0	8.0	8.4	4.9	3.9	3.2	3.6
3	6.0	6.0	10	5.3	5.8	19	8.0	8.3	4.4	3.8	3.1	3.7
4	5.9	6.3	11	5.5	6.2	25	8.0	8.2	4.5	3.9	3.1	3.2
5	5.3	6.4	10	5.7	6.2	273	7.9	8.3	4.5	3.6	3.1	3.5
6	4.8	6.2	5.9	4.8	5.9	23	8.2	8.1	4.7	3.6	3.1	3.0
7	5.8	6.1	6.7	5.4	5.7	12	8.7	7.7	4.4	3.5	3.4	3.1
8	7.2	24	7.1	6.3	7.4	61	8.7	7.9	5.4	3.5	3.3	3.1
9	5.7	6.9	5.9	5.9	8.6	13	8.5	8.1	3.9	3.4	5.7	2.9
10	5.3	6.4	5.8	6.5	111	11	8.4	7.9	4.6	3.8	9.3	3.0
11	4.7	6.1	6.0	6.4	9.1	11	8.4	7.7	4.0	3.6	6.8	3.9
12	4.7	6.1	5.8	5.9	111	12	8.2	8.1	4.7	3.9	3.1	6.2
13	4.7	6.3	6.4	5.8	33	9.8	8.0	8.2	4.5	4.8	3.0	7.7
14	4.7	6.2	6.1	8.0	23	8.6	9.0	7.9	4.7	7.8	7.1	6.6
15	5.0	6.8	5.9	12	8.4	8.0	8.6	8.0	4.7	8.9	8.7	3.4
16	5.9	6.8	6.1	12	177	8.1	8.5	13	4.7	7.2	4.5	3.4
17	5.7	6.8	6.5	13	13	8.0	215	6.2	4.4	5.2	3.5	3.5
18	5.3	6.9	5.8	6.6	8.1	8.0	112	6.1	4.3	4.9	3.3	3.3
19	5.4	6.4	5.7	5.9	8.0	8.0	10	5.5	4.4	4.1	3.2	3.5
20	6.0	8.4	6.0	6.7	172	8.5	9.0	4.6	4.3	3.9	3.0	3.7
21	5.9	6.2	5.7	6.4	289	8.7	8.9	4.7	4.2	3.5	3.3	6.0
22	5.4	6.1	7.5	5.6	22	8.9	8.9	4.7	4.1	3.2	3.3	11
23	5.4	6.2	6.2	5.6	251	8.5	8.8	4.8	4.2	3.2	3.1	15
24	5.4	6.3	6.4	6.0	20	9.1	9.5	5.6	3.6	3.2	3.4	3.6
25	5.8	6.2	5.9	50	11	8.5	9.5	8.4	3.7	3.2	3.4	3.6
26	5.4	6.4	5.4	9.2	8.9	8.0	11	4.8	4.1	3.2	3.5	3.2
27	5.6	6.4	5.9	6.6	76	8.0	15	5.0	3.9	3.2	3.1	3.3
28	6.9	6.5	6.6	7.0	11	8.0	16	4.6	3.7	3.2	3.3	3.6
29	6.4	7.9	7.3	6.2	8.9	8.1	14	4.5	3.7	3.2	7.6	3.7
30	5.8	10	6.0	12	-----	9.0	9.8	4.7	3.7	3.2	3.9	3.4
31	5.6	-----	14	18	-----	8.3	-----	4.7	-----	3.2	3.9	-----
TOTAL	171.1	215.3	220.6	273.3	1,429.5	636.3	590.5	214.4	129.7	126.4	128.5	134.2
MEAN	5.52	7.18	7.12	8.82	49.3	20.5	19.7	6.92	4.32	4.08	4.15	4.47
MAX	7.2	24	14	50	289	273	215	13	5.4	8.9	9.3	15
MIN	4.7	5.9	5.4	4.8	5.7	8.0	7.9	4.5	3.6	3.2	3.0	2.9
AC-FT	339	427	438	542	2,840	1,260	1,170	425	257	251	255	266
CAL YEAR 1999 TOTAL*		607.0	MEAN	6.60	MAX	24	MIN	4.7	AC-FT	1,200		
WTR YEAR 2000 TOTAL		4,269.8	MEAN	11.7	MAX	289	MIN	2.9	AC-FT	8,470		

* Incomplete Record

RUNOFF – DAILY DISCHARGE

WESTERN HYDROLOGIC SYSTEMS - (916) 885-2480

F40-R PUDDINGSTONE CREEK BELOW DAM

DAILY DISCHARGE IN CUBIC FEET PER SECOND WATER YEAR OCT 1999 TO SEP 2000

Day	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP
1	1.3	1.2	.66	.57	.29	16	.54	.68	.75	.94	.90	1.0
2	1.2	1.2	.66	.68	.30	24	.51	.67	.68	.93	.88	1.0
3	1.2	1.2	.58	.77	.30	15	.57	.68	.68	1.0	.90	.98
4	1.2	1.2	.57	.80	.32	.49	.49	.68	.69	.94	1.0	.96
5	1.2	1.2	.57	.69	.41	.80	.47	.68	.68	.94	.94	.96
6	1.2	1.2	.46	.51	.35	17	.44	.73	.69	.93	.94	.94
7	1.2	1.2	.44	.52	.34	42	.39	.68	.68	.93	.93	1.0
8	1.2	1.2	.47	.48	.30	2.7	.46	.68	.76	.94	1.0	.99
9	1.1	1.2	.47	.47	.33	2.5	.47	.68	.80	1.0	.94	1.0
10	1.2	1.2	.47	.50	.45	2.5	.47	.68	.80	.94	.94	1.0
11	1.2	1.1	.47	.35	.29	2.5	.47	.68	.88	.93	1.0	.95
12	1.2	1.1	.47	.32	.40	2.5	.48	.68	.80	.95	.93	.96
13	1.2	1.1	.47	.32	.32	2.5	.48	.68	.80	.93	.94	.95
14	1.2	1.1	.47	.31	.34	2.5	.56	.68	.95	.93	.94	.94
15	1.2	1.2	.47	.30	.31	27	.51	.68	.93	.93	.99	.99
16	1.2	1.0	.47	.30	.55	16	.56	.68	.93	1.0	.93	1.0
17	1.2	.68	.47	.30	.30	.68	.78	.79	.94	.93	.93	1.0
18	1.2	.68	.47	.28	.29	.65	.99	.69	.95	.93	.93	.94
19	1.2	.68	.47	.29	.30	.62	26	.68	.99	.93	1.0	.93
20	1.2	.68	.47	.27	.72	.60	54	.68	.93	.93	.93	.94
21	1.2	.68	.47	.30	1.2	.66	53	.68	.93	.93	1.0	1.1
22	1.3	.68	.47	.35	92	.64	27	.68	.94	.93	.93	1.1
23	1.2	.68	.47	.40	1.2	.60	.67	.70	.93	1.0	.93	1.0
24	1.2	.68	.47	.36	131	.47	.68	.69	.93	.94	1.1	1.1
25	1.2	.68	.47	.41	82	.47	.69	.70	.93	.94	.93	.94
26	1.2	.68	.47	.30	2.0	.47	.69	.68	1.0	.93	.94	.93
27	2.4	.58	.71	.30	2.1	.49	.68	.68	.93	.94	.94	.93
28	1.5	.57	.34	.30	2.0	.50	.68	.68	.93	.97	1.0	.93
29	1.1	.57	.34	.30	2.0	.47	.68	.68	.93	.93	.93	.95
30	1.2	.57	.47	.33	-----	.47	.68	.68	.93	.93	.95	1.0
31	1.2	-----	.56	.32	-----	.56	-----	.68	-----	1.0	.99	-----
TOTAL	38.7	27.69	15.29	12.70	322.71	184.34	175.09	21.29	25.69	29.32	29.53	29.41
MEAN	1.25	.92	.49	.41	11.1	5.95	5.84	.69	.86	.95	.95	.98
MAX	2.4	1.2	.71	.80	131	42	54	.79	1.0	1.0	1.1	1.1
MIN	1.1	.57	.34	.27	.29	.47	.39	.67	.68	.93	.88	.93
AC-FT	77	55	30	25	640	366	347	42	51	58	59	58
CAL YEAR 1999	TOTAL*	81.68	MEAN	.89	MAX	2.4	MIN	.34	AC-FT	162		
WTR YEAR 2000	TOTAL	911.76	MEAN	2.49	MAX	131	MIN	.27	AC-FT	1,810		

* Incomplete Record AS OF 10/05/00.AR.

APPENDIX D

HYDROLOGIC REPORT 1999 – 2000

RUNOFF – STREAM GAGING STATION PEAK FLOW

RUNOFF – STREAM GAGING STATION PEAK FLOW

ALHAMBRA WASH above Klingerman Street
STATION NO. F81D-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1929-30	N.D.	.0	N.D.	635.0	Mar 14	1,870
1930-31	226.0	.0	2.1	1,480.0	Feb 03	1,530
1931-32	220.0	.0	2.7	1,940.0	Jan 31	1,120
1932-33	418.0	.0	2.3	1,680.0	Jan 19	1,850
1933-34	1,770.0	.0	8.0	5,820.0	Jan 01	4,890
1934-35	219.0	.0	3.3	2,380.0	Jan 05	2,280
1935-36	144.0	.0	2.0	1,420.0	Feb 12	1,700
1936-37	309.0	.0	5.4	3,880.0	Mar 15	2,470
1937-38	997.0	.0	7.6	5,520.0	Mar 02	5,010
1938-39	288.0	.0	4.1	2,990.0	Jan 05	2,480
1939-40	130.0	.0	2.4	1,730.0	Feb 01	1,280
1940-41	219.0	.0	7.8	5,650.0	Mar 03	2,080
1941-42	193.0	.0	2.5	1,810.0	Dec 10	2,320
1942-43	893.0	.0	8.4	6,070.0	Mar 04	4,480
1943-44	454.0	+	5.6	4,100.0	Feb 22	1,860
1944-45	199.0	.1	3.1	2,250.0	Nov 11	2,220
1945-46	342.0	.1	4.1	3,000.0	Dec 22	1,600
1946-47	345.0	.1	5.2	3,800.0	Nov 13	3,810
1947-48	155.0	.1	2.8	2,040.0	Mar 24	2,670
1948-49	95.0	.2	2.8	2,020.0	Dec 17	758
1949-50	254.0	.2	4.3	3,090.0	Feb 06	1,630
1950-51	106.0	.2	3.3	2,360.0	Jan 11	1,620
1951-52	594.0	.2	12.5	9,040.0	Jan 16	3,810
1952-53	228.0	.1	4.5	3,240.0	Nov 15	3,140
1953-54	369.0	.2	5.2	3,770.0	Feb 13	2,410
1954-55	185.0	.2	4.2	3,020.0	Jan 18	1,890
1955-56	1,100.0	.3	7.6	5,520.0	Jan 26	4,550
1956-57	242.0	.6	6.1	4,440.0	Feb 23	3,090
1957-58	544.0	.3	12.8	9,270.0	Feb 19	4,830
1958-59	279.0	.2	4.2	3,020.0	Jan 06	3,170
1959-60	200.0	.1	3.8	2,720.0	Jan 11	1,710
1960-61	153.0	.3	2.5	1,790.0	Nov 05	1,480
1961-62	382.0	.1	9.1	6,270.0	Feb 12	2,560
1962-63	359.0	.1	4.0	2,880.0	Mar 16	2,210
1963-64	196.0	.2	4.0	2,870.0	Jan 21	2,210
1964-65	339.0	.1	6.4	4,610.0	Apr 09	3,730
1965-66	686.0	.3	10.7	7,740.0	Nov 24	3,520

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

ALHAMBRA WASH above Klingerman Street
STATION NO. F81D-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1966-67	662.0	.4	12.2	8,820.0	Jan 22	3,550
1967-68	398.0	.4	6.5	4,740.0	Mar 08	3,480
1968-69	999.0	.4	17.0	12,300.0	Feb 06	3,980
1969-70	486.0	.3	5.3	1,871.0	Feb 28	3,430
1970-71	648.0	.4	7.1	2,601.0	Nov 29	4,040
1971-72	449.0	.3	2.5	3,000.0	Dec 24	2,000
1972-73	555.0	.3	12.6	9,110.0	Feb 11	4,450
1973-74	813.0	.3	7.9	5,720.0	Jan 07	4,330
1974-75	429.0	.3	5.6	4,070.0	Dec 04	6,000
1975-76	274.0	.3	5.3	3,790.0	Feb 05	1,820
1976-77	252.0	.3	6.0	4,340.0	Oct 22	1,770
1977-78	695.0	.3	17.0	11,927.0	Mar 01	5,950
1978-79	836.0	.3	10.5	7,614.0	Mar 27	4,484
1979-80	1,240.0	.3	18.4	13,051.0	Feb 16	6,660
1980-81	196.0	.1	5.1	3,720.0	Mar 19	2,750
1981-82	371.0	.2	6.0	4,317.0	Mar 17	2,410
1982-83	1,050.0	.1	17.8	12,941.0	Mar 01	7,010
1983-84	235.0	.4	3.7	2,715.0	Dec 25	2,480
1984-85	260.0	.3	4.9	3,543.0	Dec 19	3,050
1985-86	329.0	.3	9.2	6,633.0	Mar 08	4,130
1986-87	177.0	.6	3.6	2,579.0	Oct 02	5,670
1987-88	386.0	.6	7.0	5,048.0	Dec 04	4,500
1988-89	226.0	.9	5.2	3,570.0	Dec 21	1,410
1989-90	530.0	.9	4.8	3,483.0	Feb 17	2,010
1990-91	452.0	.6	7.6	5,437.0	Mar 01	2,700
1991-92	570.0	.7	13.8	10,008.0	Feb 12	6,340
1992-93	796.0	1.0	20.5	14,810.0	Dec 07	5,880
1993-94	260.0	.5	7.1	5,157.0	Mar 24	3,000
1994-95	875.0	.2	14.3	10,380.0	Mar 10	8,080
1995-96	462.0	.4	7.0	5,071.0	Jan 31	8,110
1996-97	279.0	.3	8.7	6,260.0	Jan 15	2,640
1997-98	727.0	.6	20.2	14,660.0	Feb 06	7,770
1998-99	142.0	.3	6.1	4,400.0	Nov 28	3,500
1999-00	306.0	.4	8.5	6,170.0	Feb 21	4,480

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

ARCADIA WASH *below* Grand Avenue
STATION NO. F317-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1956-57	108.0	.1	1.8	1,340.0	Feb 23	1,184
1957-58	212.0	.1	4.6	3,330.0	Feb 01	1,932
1958-59	127.0	.2	1.9	1,360.0	Jan 06	1,270
1959-60	101.0	.3	1.7	1,220.0	Apr 27	593
1960-61	69.0	+	1.1	831.0	Nov 05	570
1961-62	408.0	.1	4.7	3,400.0	Feb 11	1,480
1962-63	153.0	.2	2.1	1,510.0	Feb 09	600
1963-64	120.0	.1	2.2	1,620.0	Nov 20	1,340
1964-65	153.0	.1	3.1	2,270.0	Apr 09	1,460
1965-66	267.0	.1	4.7	3,430.0	Dec 29	1,270
1966-67	283.0	.3	6.3	4,560.0	Jan 22	1,260
1967-68	M	M	M	M		M
1968-69	M	M	M	M		M
1969-70	M	M	M	M		M
1970-71	M	M	M	M		M
1971-72	M	M	M	M		M
1972-73	M	M	M	M		M
1973-74	279.0	.3	4.0	2,910.0	Jan 07	931
1974-75	207.0	.3	3.2	2,290.0	Dec 04	2,560
1975-76	167.0	.3	3.6	2,600.0	Sep 11	1,400
1976-77	119.0	.2	2.9	2,121.0	Oct 23	1,320
1977-78	355.0	.2	9.4	6,823.0	Feb 10	4,110
1978-79	128.0	.2	4.5	3,263.0	Mar 27	1,290
1979-80	633.0	.0	9.9	7,025.0	Jan 29	3,280
1980-81	104.0	.4	2.8	1,991.0	Jan 29	1,050
1981-82	208.0	.4	4.3	3,137.0	Mar 17	2,470
1982-83	435.0	.4	10.8	7,824.0	Mar 01	4,110
1983-84	121.0	.0	3.2	2,354.0	Oct 01	1,430
1984-85	137.0	.1	4.7	3,399.0	Dec 19	1,420
1985-86	211.0	.0	8.4	6,116.0	Mar 08	1,760
1986-87	172.0	.1	3.5	2,530.0	Oct 02	2,410
1987-88	284.0	.1	5.4	3,915.0	Jan 17	4,360
1988-89	114.0	.1	3.7	2,521.0	Dec 21	502
1989-90	728.0	.1	3.5	2,505.0	Apr 17	1,330
1990-91	228.0	.1	5.0	3,598.0	Feb 28	2,120
1991-92	301.0	.1	11.1	8,043.0	Feb 12	3,190
1992-93	586.0	.3	17.3	12,560.0	Jan 17	2,720

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

ARCADIA WASH *below* Grand Avenue
STATION NO. F317-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1993-94	239.0	.0	6.4	4,661.0	Mar 19	1,360
1994-95	480.0	.1	11.1	8,032.0	Mar 11	2,740
1995-96	405.0	.4	5.2	3,764.0	Feb 20	1,560
1996-97	206.0	.5	6.3	4,540.0	Jan 26	1,430
1997-98	489.0	.6	13.3	9,640.0	Feb 06	2,850
1998-99	151.0	.5	4.2	3,020.0	Jan 26	1,040
1999-00	162.0	.1	4.3	3,150.0	Feb 21	1,750

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

AZUSA CONDUIT (Sandbox 20' weir)

STATION NO. F250-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1934-35	116*	26.1*	81*	36610*		
1935-36	109.0	.0	42.1	30,540.0		
1936-37	94.0	.0	27.3	19,740.0		
1937-38	104.0	.0	15.4	11,160.0		
1938-39	103.0	.0	5.9	4,280.0		
1939-40	94.0	.0	47.4	34,440.0		
1940-41	110.0	.0	23.8	17,220.0		
1941-42	92.0	.0	23.8	39,940.0		
1942-43	106.0	.0	44.6	32,250.0		
1943-44	97.0	.0	59.3	43,050.0		
1944-45	142.0	.0	81.5	59,050.0		
1945-46	139.0	.0	66.3	47,930.0		
1946-47	138.0	.0	73.2	52,990.0		
1947-48	60.0	.0	36.9	26,830.0		
1948-49	70.0	.0	25.0	18,120.0		
1949-50	82.0	20.0	37.4	27,060.0		
1950-51	70.0	.0	11.9	8,610.0		
1951-52	96.0	.0	65.3	47,400.0		
1952-53	89.0	.0	43.7	31,660.0		
1953-54	90.0	.0	38.8	28,070.0		
1954-55	84.0	30.0	50.6	36,610.0		
1955-56	86.0	14.7	49.0	35,580.0		
1956-57	86.0	.0	36.7	26,670.0		
1957-58	103.0	.0	29.7	21,500.0		
1958-59	90.0	12.3	49.2	35,620.0		
1959-60	50.0	5.1	24.6	17,840.0		
1960-61	45.0	.0	12.2	8,830.0		
1961-62	86.0	.0	57.1	41,330.0		
1962-63	82.0	.1	33.9	24,550.0		
1963-64	48.0	8.0	31.0	22,490.0		
1964-65	81.0	.1	35.8	25,900.0		
1965-66	83.0	.0	35.7	25,840.0		
1966-67	100.0	.0	52.7	38,130.0		
1967-68	82.0	15.0	60.4	43,810.0		
1968-69	32.0	.0	8.8	6,380.0		
1969-70	M	M	M	M		
1970-71	M	M	M	M		

M Data Missing

* Record incomplete

E Estimate

N.D. Not determined

** Record not Computed

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

AZUSA CONDUIT (Sandbox 20' weir)

STATION NO. F250-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1971-72	M	M	M	M		
1972-73	M	M	M	M		
1973-74	M	M	M	M		
1974-75	M	M	M	M		
1975-76	M	M	M	M		
1976-77	M	M	M	M		
1977-78	78.2	.0	1.5	16,757.0		
1978-79	105.0	49.1	72.2	26,342.0		
1979-80	101.0	1.5	39.8	14,561.0		
1980-81	99.3	.0	53.7	38,894.0		
1981-82	80.7	24.3	55.7	40,319.0		
1982-83	84.6	34.1	2.3	50,283.0		
1983-84	79.4	.0	1.5	33,803.0		
1984-85	*	*	*	*		
1985-86	80.7	.0	56.0	40,696.0		
1986-87	44.9	.0	29.2	21,124.0		
1987-88	79.4	.2	35.5	25,806.0		
1988-89	85.2	.0	46.6	33,739.0		
1989-90	34.8	.0	21.9	15,863.0		
1990-91	79.4	3.0	28.4	20,280.0		
1991-92	82.6	.0	52.0	37,764.0		
1992-93	84.0	.0	49.7	36,010.0		
1993-94	82.2	.0	58.5	42,340.0		
1994-95	83.9	.0	59.9	43,350.0		
1995-96	76.6	.0	55.4	40,190.0		
1996-97	82.0	.0	59.2	42,880.0	Jan 26	84
1997-98	83.0	.0	51.3	37,140.0	Jul 04	109
1998-99	139.0	.0	69.4	50,240.0	Nov 20	142
1999-00	73.0	.0	38.0	27,610.0	Oct 01	76

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**BALLONA CREEK above Sawtelle Blvd.
STATION NO. F38C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1927-28	N.D.	.0	N.D.	3,930.0	May 08	1,100
1928-29	1,150.0	.0	20.6	14,900.0	Mar 10	4,990
1929-30	1,130.0	.0	18.6	13,480.0	Jan 11	4,460
1930-31	1,500.0	.0	25.6	18,520.0	Apr 26	6,280
1931-32	1,780.0	.0	30.0	21,790.0	Dec 28	6,130
1932-33	1,660.0	.0	21.8	15,810.0	Jan 19	7,000
1933-34	4,310.0	.0	28.5	20,630.0	Jan 01	11,300
1934-35	2,190.0	.0	34.4	24,870.0	Apr 08	11,200
1935-36	929.0	.0	19.3	13,500.0	Feb 12	8,070
1936-37	2,160.0	.0	56.2	40,680.0	Dec 30	8,940
1937-38	7,330.0	3.6	72.5	52,500.0	Mar 02	19,000
1938-39	3,080.0	1.8	39.4	28,490.0	Dec 17	9,900
1939-40	1,270.0	1.3	29.1	21,110.0	Feb 03	9,730
1940-41	2,680.0	3.1	93.0	67,360.0	Dec 23	17,300
1941-42	990.0	2.8	23.8	17,250.0	Dec 10	7,500
1942-43	4,840.0	2.6	47.3	34,240.0	Jan 22	13,200
1943-44	3,010.0	3.4	45.4	33,000.0	Feb 22	8,800
1944-45	1,200.0	3.0	33.8	24,450.0	Nov 11	9,380
1945-46	1,830.0	3.8	25.4	18,380.0	Dec 22	7,750
1946-47	1,960.0	2.8	36.3	26,300.0	Dec 25	9,630
1947-48	1,000.0	3.5	18.8	13,630.0	Mar 24	12,710
1948-49	668.0	2.8	22.2	16,090.0	Feb 07	5,740
1949-50	1,620.0	1.4	32.1	23,250.0	Feb 06	7,670
1950-51	756.0	.7	26.1	18,860.0	Jan 10	5,460
1951-52	2,520.0	3.5	73.5	53,350.0	Jan 16	12,800
1952-53	1,140.0	4.8	27.5	19,910.0	Nov 15	11,500
1953-54	3,570.0	5.4	39.3	28,480.0	Feb 13	18,900
1954-55	1,210.0	5.4	29.8	21,600.0	Jan 18	9,370
1955-56	6,510.0	5.2	44.7	34,590.0	Jan 26	18,700
1956-57	1,790.0	6.3	30.7	22,240.0	Feb 23	13,900
1957-58	3,000.0	6.3	59.4	43,040.0	Feb 19	15,200
1958-59	1,210.0	4.2	19.0	13,730.0	Jan 06	8,170
1959-60	1,290.0	2.2	23.7	17,190.0	Jan 11	12,500
1960-61	945.0	4.2	17.3	12,560.0	Nov 05	7,700
1961-62	3,490.0	3.2	69.2	50,090.0	Feb 19	12,900
1962-63	1,940.0	3.2	29.6	21,450.0	Mar 16	12,100
1963-64	789.0	3.9	24.8	18,000.0	Jan 22	6,420

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**BALLONA CREEK above Sawtelle Blvd.
STATION NO. F38C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1964-65	1,590.0	3.9	38.0	27,540.0	Apr 09	17,600
1965-66	3,620.0	5.3	61.5	44,540.0	Nov 22	18,000
1966-67	3,020.0	6.7	62.1	45,300.0	Nov 07	13,900
1967-68	6,350.0	8.2	55.9	40,570.0	Nov 21	32,500
1968-69	4,840.0	8.2	101.0	73,060.0	Jan 25	17,000
1969-70	1,380.0	7.6	30.7	22,230.0	Feb 28	1,380
1970-71	3,170.0	8.8	50.8	35,620.0	Nov 29	14,600
1971-72	1,900.0	7.6	31.3	22,700.0	Dec 24	11,100
1972-73	2,590.0	8.8	65.9	47,730.0	Jan 16	17,600
1973-74	3,510.0	8.8	56.8	41,060.0	Jan 07	11,000
1974-75	2,490.0	6.2	47.8	34,590.0	Dec 04	20,560
1975-76	1,390.0	6.2	30.6	22,230.0	Sep 10	12,940
1976-77	1,760.0	4.6	38.6	27,930.0	Oct 23	10,173
1977-78	4,441.0	4.2	112.8	81,659.0	Feb 10	28,088
1978-79	2,220.0	6.6	60.3	43,680.0	Mar 27	9,710
1979-80	4,630.0	6.2	99.2	70,454.0	Feb 15	27,000
1980-81	1,090.0	6.6	27.8	20,111.0	Mar 02	7,300
1981-82	1,380.0	5.8	41.3	29,922.0	Apr 01	8,110
1982-83	5,690.0	8.2	119.0	86,347.0	Mar 01	23,100
1983-84	1,440.0	10.0	36.7	26,672.0		N.D.
1984-85	1,810.0	8.2	38.3	27,714.0	Feb 09	9,670
1985-86	2,750.0	8.8	67.7	49,043.0	Feb 14	17,200
1986-87	752.0	7.6	19.4	13,986.0		N.D.
1987-88	2,920.0	5.0	57.5	41,772.0	Dec 04	13,400
1988-89	941.0	7.6	1.3	27,763.0	Dec 17	3,580
1989-90	3,140.0	7.6	32.3	23,364.0	Feb 17	8,090
1990-91	2,150.0	3.0	37.5	27,133.0	Mar 19	10,800
1991-92	2,490.0	7.0	62.3	45,191.0	Feb 12	17,200
1992-93	*	*	*	*		*
1993-94	1,450.0	9.7	38.9	28,150.0	Feb 07	14,400
1994-95	4,680.0	9.4	103.0	74,450.0	Mar 10	24,000
1995-96	2,930.0	12.0	53.4	38,740.0	Jan 31	8,230
1996-97	1,830.0	9.7	54.8	39,670.0	Dec 09	9,890
1997-98	3,040.0	8.3	111.0	80,630.0	Feb 06	22,900
1998-99	1,260.0	10.0	41.7	30,160.0	Jan 31	6,150
1999-00	1,690.0	7.8	61.2	44,450.0	Feb 21	12,500

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**BOUQUET CANYON CREEK @ Urbandale Avenue
STATION NO. F377-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	66.0	.0	1.1	823.0	Nov 19	713
1968-69	528.0	.0	3.4	2,450.0	Feb 25	3,256
1969-70	11.0	.0	.1	11.0	Mar 01	20
1970-71	30.0	.0	2.2	1,290.0	Dec 18	273
1971-72	36.0	.0	.7	499.0	Dec 27	101
1972-73	81.0	.0	.4	300.0	Feb 11	750
1973-74	8.8	.0	+	33.0	Jan 07	20
1974-75	11.0	.0	.1	76.0	Mar 05	512
1975-76	NO RECORD					
1976-77	*	*	*	*	Aug 17	26*
1977-78	326	.0	5	3491.0	Mar 4	660
1978-79	106	.0	2.1	1554.0	Mar 28	447
1979-80	180.0	.0	7.4	5,253.0		N.D.
1980-81	44.1	.0	.9	680.0	Jan 28	530
1981-82	*	*	*	*	Mar 17	104*
1982-83	235.0	.0	4.2	3,080.0	Mar 01	448
1983-84	18.9	.0	.3	188.0		N.D.
1984-85	43.8	.0	.3	228.0	Dec 19	45
1985-86	140.0	.0	1.2	908.0	Mar 16	360
1986-87	7.7	.0	+	43.0	Mar 05	10
1987-88	52.6	.0	.6	439.0		N.D.
1988-89	137.0	.0	.6	479.0	Dec 16	339
1989-90	2.8	.0	.1	30.0		N.D.
1990-91	.3	.0	.1	9.0		N.D.
1991-92	72.3	.0	.9	662.0	Feb 12	712
1992-93	*	*	*	*		*
1993-94	28.7	.0	.8	474.0		N.D.
1994-95	301.0	.0	2.9	2,098.0	Jan 10	578
1995-96	38.3	.0	.7	544.0	Jan 31	149
1996-97	21.0	.0	.5	339.0	Dec 09	79
1997-98	258.0	.0	3.2	2,290.0	Feb 23	731
1998-99	6.5	.0	.1	89.0	Apr 12	67
1999-00	111.0	.0	.7	513.0	Feb 23	339

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BRADBURY CHANNEL *below* Central Avenue
STATION NO. F329-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1957-58	7.3	.0	.2	170.0	Feb 19	65
1958-59	29.0	.0	.3	182.0	Jan 06	1,250
1959-60	5.2	.0	.1	59.0	Dec 24	40
1960-61	4.5	.0	.0	30.0	Nov 03	60
1961-62	50.0	.0	.7	518.0	Jan 20	316
1962-63	9.4	.0	.2	120.0	Feb 09	74
1963-64	5.6	.0	.2	114.0	Jan 22	168
1964-65	11.0	.0	.2	157.0	Apr 09	248
1965-66	46.0	.0	.6	448.0	Dec 29	587
1966-67	52.0	.0	.7	547.0	Jan 24	280
1967-68	30.0	.0	.4	319.0	Mar 08	370
1968-69	131.0	.0	2.6	938.0	Feb 06	472
1969-70	47.0	.0	.6	408.0	Mar 01	267
1970-71	20.0	.0	.4	261.0	Dec 21	130
1971-72	24.0	.0	.2	172.0	Dec 24	145
1972-73	61.0	.0	1.2	438.0	Feb 27	424
1973-74	39.0	.0	.8	609.0	Jan 07	111
1974-75	28.0	.0	.4	268.0	Dec 04	325
1975-76	14.0	+	.4	326.0	Sep 11	210
1976-77	26.4	+	.5	374.0	Oct 23	166
1977-78	75.6	+	2.7	1,670.0	Feb 10	357
1978-79	49.0	.0	1.6	1,160.0	Jan 15	297
1979-80	155.0	.0	8.3	5,984.0	Jan 28	574
1980-81	29.7	.0	1.1	781.0	Jan 29	477
1981-82	41.2	.0	1.2	870.0	Mar 17	305
1982-83	111.0	.0	2.4	1,716.0	Sep 29	422
1983-84	21.7	.0	.7	549.0	Oct 01	230
1984-85	24.4	.0	.9	672.0		N.D.
1985-86	34.8	.0	.8	581.0	Jan 31	267
1986-87	5.7	.0	.5	361.0	Jan 04	174
1987-88	166.0	.0	2.8	2,019.0	Dec 04	286
1988-89	25.3	.0	1.1	758.0	Feb 04	119
1989-90	19.6	.1	1.2	877.0	May 28	20
1990-91	44.6	.0	1.8	1,267.0	Feb 27	391
1991-92	50.9	.0	1.2	877.0	Feb 12	334
1992-93	83.6	.0	3.2	2,310.0	Jan 14	534
1993-94	14.6	.0	.6	470.0	Mar 24	193

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BRADBURY CHANNEL *below* Central Avenue
STATION NO. F329-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1994-95	82.7	.0	2.3	1,652.0	Feb 14	170
1995-96	97.6	.0	1.8	1,283.0	Feb 20	320
1996-97	28.0	.0	1.0	708.0	Nov 21	168
1997-98	91.0	+	1.5	1,110.0	Feb 07	400
1998-99	16.0	.0	.5	351.0	Jan 26	170
1999-00	25.0	.0	1.1	826.0	Feb 20	297

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BRANFORD STREET CHANNEL *below Sharp Avenue*
STATION NO. F342-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1961-62	118.0	.0	1*	743*	Feb 19	206
1962-63	46.0	.0	.6	415.0	Apr 26	284
1963-64	32.0	.0	.5	375.0	Mar 22	275
1964-65	56.0	.0	.8	571.0	Apr 09	261
1965-66	110.0	.0	1.4	982.0	Dec 29	587
1966-67	79.0	.0	1.2	870.0	Nov 07	445
1967-68	120.0	.0	1.0	693.0	Nov 21	576
1968-69	160.0	.0	3.0	2,190.0	Feb 25	738
1969-70	65.0	.0	1.0	724.0	Feb 09	462
1970-71	175*	.0	1.6*	1162*	Nov 29	990*
1971-72	50.0	.0	.5	360.0	Dec 24	233
1972-73	50.0	.0	2.1	1,530.0	Feb 11	771
1973-74	90.0	.0	1.0	710.0	Jan 07	412
1974-75	75.0	+	.9	668.0	Mar 06	882
1975-76	61.0	.0	.8	550.0	Sep 10	742
1976-77	66.9	.0	.9	633.0	May 09	490
1977-78	126.0	.0	3.0	2,153.0	Feb 10	1,160
1978-79	80.0	.0	1.5	1,052.0	Mar 27	823
1979-80	158.0	.0	1.9	1,380.0	Feb 19	1,530
1980-81	45.6	.0	.6	471.0	Jan 29	683
1981-82	67.8	.0	1.2	685.0	Mar 17	688
1982-83	230.0	.0	2.9	2,134.0	Mar 01	1,520
1983-84	34.2	.0	.4	326.0	Dec 25	190
1984-85	53.3	.0	.6	423.0	Dec 18	800
1985-86	43.1	.0	1.1	760.0	Jan 31	728
1986-87	20.7	.0	.2	144.0	Nov 17	386
1987-88	123.0	.0	1.5	1,058.0	Oct 22	1,830
1988-89	30.2	.0	.7	478.0	Dec 20	242
1989-90	46.9	.0	.5	372.0	Jan 13	383
1990-91	64.6	.0	1.0	726.0		N.D.
1991-92	238.0	.0	2.8	2,001.0	Feb 10	1,450
1992-93	*	*	*	*		*
1993-94	35.3	.0	.7	464.0		N.D.
1994-95	175.0	.0	3.0	2,076.0	Mar 10	1,770
1995-96	68.4	.0	.9	652.0	Feb 21	574
1996-97	56.0	.1	1.3	917.0	Dec 22	578
1997-98	124.0	.1	3.4	2,470.0	Feb 07	1,240

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

BRANFORD STREET CHANNEL *below* Sharp Avenue
STATION NO. F342-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1998-99	19.0	.1	1.0	717.0	Oct 29	679
1999-00	63.0	.1	1.6	1,130.0	Apr 18	670

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**BURBANK WESTERN STORM DRAIN @ Riverside Drive
STATION NO. E285-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1950-51	50.0	1.2	4.0	2,870.0	Jan 11	920
1951-52	310.0	1.2	8.9	6,490.0	Jan 16	1,400
1952-53	89.0	.0	4.7	3,400.0	Dec 20	1,380
1953-54	144.0	2.1	5.7	4,140.0	Mar 16	1,070
1954-55	123.0	1.2	5.6	4,020.0	Jan 18	849
1955-56	400.0	2.0	5.6	4,070.0	Jan 26	N.D.
1956-57	192.0	1.6	4.9	3,530.0	Feb 23	1,770
1957-58	232.0	1.9	8.2	5,950.0	Feb 19	1,270
1958-59	222.0	1.6	4.9	3,540.0	Feb 11	1,650
1959-60	112.0	1.7	4.5	3,280.0	Jan 10	854
1960-61	170.0	1.7	4.9	3,570.0	Nov 05	1,400
1961-62	583.0	1.7	10.2	7,380.0	Feb 12	2,310
1962-63	444.0	.6	6.4	4,640.0	Feb 09	1,800
1963-64	141.0	1.7	5.4	3,940.0	Mar 22	1,220
1964-65	220.0	1.7	6.9	5,010.0	Apr 01	2,570
1965-66	897.0	1.1	11.4	8,290.0	Dec 29	2,980
1966-67	730.0	3.4	15.4	11,170.0	Nov 07	3,500
1967-68	499.0	4.5	12.7	9,250.0	Mar 08	2,640
1968-69	982.0	5.0	24.4	17,640.0	Jan 25	2,830
1969-70	198.0	3.4	9.8	7,080.0	Mar 04	1,500
1970-71	771.0	2.2	12.7	9,200.0	Nov 29	4,600
1971-72	291.0	3.9	10.3	7,490.0	Oct 24	1,650
1972-73	478.0	4.5	16.1	11,670.0	Jan 18	3,130
1973-74	800.0	4.5	14.8	10,740.0	Jan 07	1,860
1974-75	318.0	5.0	12.6	9,120.0	Dec 04	2,370
1975-76	221.0	4.5	13.0	9,410.0	Sep 05	3,030
1976-77	369.0	7.9	16.8	12,164.0	Oct 23	2,880
1977-78	1,260.0	3.9	47.9	34,682.0	Feb 10	12,300
1978-79	338.0	3.9	17.1	12,387.0	Mar 17	2,620
1979-80	1,490.0	5.0	31.5	22,500.0	Feb 16	7,560
1980-81	257.0	4.5	16.5	11,965.0	Jan 29	4,340
1981-82	425.0	2.2	17.3	12,518.0	Jan 19	3,010
1982-83	1,710.0	4.5	36.6	26,506.0	Mar 01	6,320
1983-84	231.0	2.8	9.8	7,083.0	Nov 01	2,190
1984-85	363.0	1.1	9.6	6,981.0	Dec 19	2,640
1985-86	372.0	2.8	14.0	10,104.0	Jan 31	3,070
1986-87	145.0	1.7	8.3	5,843.0	Nov 18	1,150

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**BURBANK WESTERN STORM DRAIN @ Riverside Drive
STATION NO. E285-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1987-88	363.0	7.9	19.4	14,058.0	Oct 22	6,620
1988-89	194.0	4.4	12.5	9,071.0	Dec 16	1,410
1989-90	253.0	4.1	10.0	7,258.0	Feb 04	1,410
1990-91	376.0	1.2	10.7	7,626.0		N.D.
1991-92	778.0	3.0	35.6	25,812.0	Feb 10	7,220
1992-93	564.0	6.0	33.9	24,570.0	Feb 07	8,080
1993-94	355.0	5.7	16.8	12,160.0	Nov 30	5,600
1994-95	743.0	2.4	39.6	28,687.0	Mar 10	6,880
1995-96	1,330.0	5.3	22.0	15,950.0	Feb 21	5,270
1996-97	293.0	6.5	14.2	10,310.0	Jan 20	2,400
1997-98	844.0	8.4	29.9	21,670.0	Nov 26	5,240
1998-99	175.0	7.3	15.1	10,920.0	Nov 28	2,940
1999-00	279.0	6.2	16.3	11,840.0	Nov 23	3,920

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

COMPTON CREEK near Greenleaf Drive
STATION NO. F37B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1927-28	*	.0	*	1230*	Mar 05	240*
1928-29	197.0	.0	3.1	2,270.0	Mar 10	924
1929-30	144.0	.0	3.5	2,520.0	Mar 14	580
1930-31	137.0	+	3.3	2,400.0	Apr 26	678
1931-32	248.0	.0	4.4	3,220.0	Jan 31	757
1932-33	166.0	.0	2.4	1,780.0	Jan 19	740
1933-34	372.0	.0	3.5	2,560.0	Jan 01	960
1934-35	301.0	.0	5.7	4,170.0	Apr 08	850
1935-36	143.0	.0	4.0	2,920.0	Feb 12	824
1936-37	559.0	.0	*	*	Feb 06	1,220
1937-38	986E	*	*	*	Mar 02	N.D.
1938-39	837.0	.0	7.1	5,150.0	Sep 25	2,150
1939-40	256.0	10.0	7.4	5,340.0	Feb 03	1,630
1940-41	544.0	1.0	22.7	16,400.0	Dec 23	2,660
1941-42	236.0	3.0	10.1	7,280.0	Dec 10	1,730
1942-43	752.0	.8	11.8	8,560.0	Jan 22	2,050
1943-44	739.0	2.3	15.6	11,290.0	Feb 20	2,370
1944-45	363.0	4.4	12.7	9,210.0	Nov 11	3,010
1945-46	362.0	2.6	11.0	7,960.0	Dec 23	2,010
1946-47	474.0	4.1	13.9	10,080.0	Nov 12	2,930
1947-48	170.0	.6	7.9	5,740.0	Mar 24	1,410
1948-49	282.0	.1	5.1	3,660.0	Dec 17	2,710
1949-50	433.0	+	6.6	4,820.0	Feb 06	2,830
1950-51	209.0	+	4.9	3,550.0	Jan 10	1,790
1951-52	661.0	.1	14.7	10,650.0	Jan 18	3220E
1952-53	220.0	.1	5.6	4,020.0	Nov 15	2,380
1953-54	797.0	.1	7.5	5,410.0	Feb 13	3,600
1954-55	374.0	.1	8.4	6,080.0	Jan 18	2,710
1955-56	2,090.0	.2	12.7	9,240.0	Jan 26	4,910
1956-57	286.0	+	5.6	4,070.0	May 11	1,780
1957-58	1,100.0	+	16.0	11,610.0	Feb 19	4,640
1958-59	449.0	.0	4.6	3,330.0	Jan 06	4,320
1959-60	463.0	.0	6.3	4,590.0	Jan 11	3,220
1960-61	204.0	+	2.7	1,960.0	Nov 05	1,640
1961-62	1,060.0	.1	14.5	10,520.0	Feb 19	4,550
1962-63	576.0	+	8.8	6,400.0	Feb 10	3,310
1963-64	212.0	+	4.7	3,440.0	Nov 06	2,430

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

COMPTON CREEK near Greenleaf Drive
STATION NO. F37B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1964-65	424.0	.0	7.4	5,390.0	Apr 09	2,630
1965-66	809.0	+	10.8	7,800.0	Dec 29	3,250
1966-67	765.0	+	11.8	8,560.0	Nov 07	4,650
1967-68	1,120.0	+	9.4	6,850.0	Mar 07	3,690
1968-69	1,040.0	.0	16.6	12,010.0	Jan 20	5,890
1969-70	275.0	.2	4.4	3,150.0	Jan 16	1,960
1970-71	609.0	.4	11.7	8,500.0	Nov 29	2,930
1971-72	622.0	.4	6.8	4,940.0	Dec 27	6,000
1972-73	473.0	.2	12.2	8,830.0	Nov 14	4,300
1973-74	810.0	.3	10.0	7,210.0	Jan 04	3,140
1974-75	677.0	.2	9.1	6,550.0	Dec 04	8,690
1975-76	285.0	.1	4.6	3,270.0	Feb 09	2,470
1976-77	542.0	.0	7.2	5,220.0	Aug 17	1,970
1977-78	688.0	.0	20.0	14,471.0	Mar 01	3,620
1978-79	559.0	+	12.3	8,888.0	Mar 27	2,410
1979-80	*	*	*	*	Feb 16	4,780
1980-81	440.0	.1	6.4	4,658.0	Mar 01	2,970
1981-82	237.0	.3	6.3	4647E	Jan 01	2,720
1982-83	1,010.0	.4	21.9	16,720.0	Jan 28	6,020
1983-84	277.0	.3	5.4	3,893.0	Nov 24	2,380
1984-85	458.0	.1	7.4	5,354.0	Dec 19	4,110
1985-86	*	*	*	*		*
1986-87	187.0	.4	4.0	2,935.0	Nov 17	1,670
1987-88	443.0	.3	8.0	5,826.0	Dec 04	2,980
1988-89	258.0	.6	5.9	4,254.0	Dec 21	1,990
1989-90	755.0	.2	5.4	3,887.0	Feb 17	2,500
1990-91	527.0	.5	9.1	6,586.0	Mar 19	3,940
1991-92	510.0	.1	15.5	11,228.0	Mar 20	4,640
1992-93	717.0	.1	21.8	15,760.0	Jan 06	5,240
1993-94	290.0	.2	6.0	4,315.0	Nov 30	2,680
1994-95	1,120.0	.0	15.8	11,440.0	Jan 04	7,660
1995-96	627.0	.5	8.0	5,792.0	Jan 31	3,410
1996-97	402.0	.7	10.1	7,300.0	Dec 09	2,510
1997-98	826.0	.7	26.9	19,500.0	Feb 06	7,040
1998-99	384.0	.2	9.0	6,540.0	Nov 08	2,420
1999-00	611.0	.0	7.6	5,480.0	Mar 05	6,150

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

COYOTE CREEK *below* Spring Street
STATION NO. F354-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1963-64	1,190.0	+	10.9	7,950.0	Nov 15	N.D.
1964-65	800.0	.3	16.9	12,220.0	Apr 09	3,350
1965-66	1,830.0	1.2	32.5	23,500.0	Dec 29	5,020
1966-67	1,840.0	1.4	37.9	27,450.0	Jan 22	6,880
1967-68	2,350.0	1.6	26.8	19,570.0	Mar 08	6,970
1968-69	4,420.0	3.1	88.8	64,290.0	Jan 20	11,300
1969-70	1,000.0	2.5	23.0	16,680.0	Feb 10	4,600
1970-71	2,320.0	1.4	32.9	23,820.0	Dec 19	6,200
1971-72	1,770.0	*	*	*	Dec 27	6,620
1972-73	2,350.0	3.3	60.4	43,720.0	Nov 14	7,810
1973-74	2,410.0	2.3	38.3	27,700.0	Jan 07	8,670
1974-75	3,130.0	2.3	36.9	26,700.0	Dec 04	14,400
1975-76	1,500.0	2.3	24.5	17,540.0	Feb 06	5,430
1976-77	4,250.0	1.7	37.5	27,000.0	May 08	13,400
1977-78	4,400.0	1.5	128.4	92,940.0	Mar 01	13,700
1978-79	*	*	*	*		*
1979-80	4,380.0	4.0	128.4	91,800.0	Feb 14	19,400
1980-81	2,030.0	4.9	33.7	24,395.0	Mar 01	7,980
1981-82	4,020.0	4.6	56.2	40,818.0	Nov 28	12,200
1982-83	5,100.0	3.4	123.0	89,013.0	Mar 01	19,700
1983-84	2,670.0	5.2	1.5	32,043.0	Oct 01	9,620
1984-85	*	*	*	*		*
1985-86	3,500	N.D.	N.D.	N.D.	Feb 14	15,100
1986-87	2,980.0	4.9	34.1	24,670.0	Jan 04	11,100
1987-88	2,940.0	3.1	46.8	33,943.0	Dec 04	7,630
1988-89	1,360.0	3.0	45.0	32,582.0		N.D.
1989-90	648.0	2.3	18.5	13,410.0	Jan 16	2,980
1990-91	2,250.0	3.4	49.7	35,630.0	Mar 01	6,250
1991-92	3,120.0	.0	61.3	44,518.0	Feb 12	21,000
1992-93	5,030.0	3.8	147.0	106,400.0	Dec 07	13,600
1993-94	*	*	*	*		*
1994-95	*	*	*	*	Mar 11	11,500
1995-96	2,990.0	2.8	41.9	30,380.0	Feb 20	15,500
1996-97	2,120.0	3.5	72.0	52,160.0	Dec 09	10,100
1997-98	3,370.0	1.5	135.0	97,460.0	Feb 07	13,800
1998-99	748.0	3.0	35.7	25,830.0	Nov 08	4,570
1999-00	1,180.0	3.9	33.7	24,430.0	Feb 23	5,100

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**DALTON WASH @ Merced Avenue
STATION NO. F274B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1940-41	206.0	.0	5.3	3,844.0	Mar 13	674
1941-42	42.0	.0	1.0	727.0	Dec 10	230
1942-43	336.0	.0	4.8	3,500.0	Jan 22	1,230
1943-44	1,620.0	.0	2.2	1,620.0	Feb 22	2,650
1944-45	144.0	.0	1.2	894.0	Nov 11	1,740
1945-46	229.0	.0	2.2	1,610.0	Dec 23	1,450
1946-47	52.0	.0	1.4	984.0	Nov 23	328
1947-48	20.0	.0	.1	96.0	Dec 05	149
1948-49	19.0	.0	.1	97.0	Dec 17	181
1949-50	38.0	.0	.4	306.0	Dec 18	232
1950-51	11.0	.0	.1	64.0	Jan 11	175
1951-52	270.0	.0	2.9	2,090.0	Jan 16	1,070
1952-53	39.0	.0	.4	287.0	Nov 15	549
1953-54	217.0	.0	1.5	1,060.0	Feb 13	1,290
1954-55	88.0	.0	1.0	706.0	Jan 18	668
1955-56	860.0	.0	3.1	2,260.0	Jan 26	2,350
1956-57	165.0	.0	1.4	980.0	Mar 01	1,990
1957-58	303.0	.0	6.5	4,690.0	Mar 16	1,310
1958-59	208.0	.0	3.0	2,130.0	Jan 06	2,700
1959-60	2,260.0	.1	3.1	2,260.0	Jan 10	1,000
1960-61	150.0	.2	3.1	2,220.0	Jan 26	1,468
1961-62	511.0	.1	9.9	7,200.0	Nov 20	4,270
1962-63	403.0	.2	5.7	4,110.0	Mar 16	2,020
1963-64	169.0	.1	3.8	2,750.0	Jan 21	1,530
1964-65	290.0	.1	4.4	3,170.0	Apr 09	2,800
1965-66	571.0	.2	8.8	6,310.0	Nov 22	1,320
1966-67	693.0	.3	14.0	10,140.0	Sep 01	3,970
1967-68	414.0	.3	5.9	4,310.0	Mar 08	3,254
1968-69	3,120.0	.3	47.0	34,300.0	Jan 25	6,550
1969-70	447.0	1.2	68.0	49,270.0	Feb 01	4,775
1970-71	404.0	.8	88.0	63,700.0	Dec 21	2,320
1971-72	599.0	.8	54.0	39,430.0	Dec 24	3,570
1972-73	629.0	.8	121.0	87,820.0	Feb 02	4,240
1973-74	839.0	.8	112.0	81,260.0	Jan 04	2,140
1974-75	550.0	.8	66.8	48,320.0	Dec 04	5,060
1975-76	282.0	.8	74.1	53,640.0	Sep 10	2,190
1976-77	210.0	1.0	14.2	10,280.0	Jan 03	3,240

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

DALTON WASH @ Merced Avenue
STATION NO. F274B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1977-78	1,460	.1	101.8	73,594.0	Mar 5	7,590
1978-79	582.0	.1	101.6	73,533.0	Mar 27	5,610
1979-80	2,790.0	+	83.4	59,890.0	Feb 16	10,000
1980-81	379.0	1.0	21.9	15,861.0	Mar 01	1,830
1981-82	568.0	.6	53.4	38,651.0	Mar 14	3,750
1982-83	1,690.0	.0	52.2	37,757.0	Feb 27	6,130
1983-84	347.0	.0	40.2	28,405.0	Dec 25	3,360
1984-85	322.0	.1	57.6	41,683.0	Nov 08	3,500
1985-86	496.0	.1	39.1	28,298.0	Mar 08	5,550
1986-87	347.0	.0	65.7	46,865.0	Oct 02	2,980
1987-88	421.0	.1	47.9	34,807.0	Dec 04	4,984
1988-89	286.0	1.3	60.0	43,310.0	Dec 21	3,408
1989-90	151.0	8.0	56.0	39,890.0	Apr 17	5,390
1990-91	593.0	.0	18.1	13,700.0	Mar 01	3,288
1991-92	529.0	.1	10.0	7,252.0	Feb 12	5,270
1992-93	790.0	.0	37.8	27,370.0	Jan 14	6,120
1993-94	169.0	.1	6.2	4,470.0	Apr 26	3,390
1994-95	1,070.0	.1	19.6	14,160.0	Jan 10	4,790
1995-96	925.0	.2	13.7	9,920.0	Feb 18	6,760
1996-97	370.0	.1	30.2	21,890.0	Dec 09	3,130
1997-98	1,070.0	.1	22.4	16,220.0	Feb 07	6,630
1998-99	127.0	.1	7.2	5,240.0	Nov 28	2,820
1999-00	291.0	.1	28.3	20,520.0	Feb 12	3,040

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

EATON WASH @ Loftus Drive
STATION NO. F318-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1956-57	201.0	.0	3.3	2,400.0	Feb 23	1,760
1957-58	368.0	.1	10.3	7,460.0	Feb 19	2,700
1958-59	245.0	.1	3.9	2,850.0	Jan 06	3,480
1959-60	186.0	+	3.3	2,420.0	Jan 12	1,090
1960-61	123.0	.1	2.2	1,590.0	Nov 26	1,200
1961-62	598.0	.1	9.5	6,880.0	Feb 11	1,950
1962-63	311.0	.3	4.1	2,980.0	Feb 09	1,230
1963-64	227.0	.1	4.2	3,050.0	Nov 20	2,360
1964-65	254.0	.2	5.2	3,760.0	Apr 09	2,150
1965-66	605.0	.3	12.4	8,990.0	Dec 29	2,290
1966-67	548.0	.3	12.0	8,670.0	Jan 24	2,100
1967-68	318.0	.3	5.6	4,040.0	Mar 08	2,390
1968-69	1,860.0	.3	M	M		M
1969-70	M	M	M	M		M
1970-71	M	M	M	M		M
1971-72	M	M	M	M		M
1972-73	M	M	M	M		M
1973-74	592.0	.3	6.7	4,870.0	Jan 07	1,530
1974-75	480.0	.5	6.7	4,870.0	Dec 04	3,000
1975-76	275.0	.4	5.6	3,980.0	Sep 11	2,660
1976-77	206.0	.4	5.0	3,650.0	Oct 23	1,820
1977-78	914.0	.4	29.6	21,425.0	Feb 10	5,810
1978-79	335.0	.3	9.9	7,156.0	Feb 21	2,630
1979-80	1,460.0	.1	39.5	27,991.0	Feb 16	5,240
1980-81	203.0	.3	5.4	3,937.0	Mar 19	1,630
1981-82	377.0	.4	7.6	5,453.0	Mar 17	3,060
1982-83	1,570.0	.5	41.1	28,952.0		
1983-84	191.0	.4	4.6	3,307.0	Dec 25	1,930
1984-85	199.0	.4	5.9	4,258.0	Dec 19	2,460
1985-86	313.0	.4	6.8	4,827.0	Jan 31	1,730
1986-87	178.0	.1	2.5	1,782.0	Oct 02	1,400
1987-88	317.0	.0	4.2	3,048.0	Jan 17	4,950
1988-89	172.0	.1	2.9	2,134.0	Dec 15	1,150
1989-90	383.0	.1	3.2	2,289.0	Apr 17	1,310
1990-91	331.0	.0	5.5	3,948.0	Feb 28	1,850
1991-92	757.0	.0	14.2	10,304.0	Feb 12	3,900
1992-93	664.0	.0	29.8	21,580.0	Dec 07	5,090

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

EATON WASH @ Loftus Drive
STATION NO. F318-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1993-94	159.0	.0	2.9	2,122.0	Mar 24	2,580
1994-95	954.0	.0	20.0	14,500.0	Mar 11	5,330
1995-96	551.0	.1	7.9	5,734.0	Jan 31	5,090
1996-97	236.0	.1	6.4	4,630.0	Jan 12	1,010
1997-98	1,070.0	.1	19.4	14,050.0	Feb 23	4,650
1998-99	136.0	.2	2.8	1,990.0	Nov 28	1,430
1999-00	247.0	.1	5.1	3,720.0	Feb 21	2,490

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**FISH CREEK *above* Mouth of Canyon
STATION NO. U7-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1917-18	193.0	.1	4.1	2,960.0	Mar 10	330
1918-19	10.0	.0	.9	648.0	Feb 11	21
1919-20	83.0	+	3.0	2,160.0	Mar 02	255
1920-21	120.0	.0	2.3	1,670.0	Mar 13	286
1921-22	290.0	.1	12.4	8,980.0	Feb 09	505
1922-23	64.0	.1	2.1	1,510.0	Dec 12	186
1923-24	14.0	.0	.5	344.0	Mar 26	58
1924-25	132.0	.0	1.7	1,230.0	Apr 04	N.D.
1925-26	410.0	.1	7.2	5,170.0	Apr 07	N.D.
1926-27	482.0	.4	7.0	5,070.0	Feb 16	945
1927-28	30.0	N.D.	1.2	860.0	Feb 04	97
1928-29	41.0	.0	1.4	1,040.0	Mar 10	71
1929-30	42.0	.0	1.5	1,070.0	Jan 15	72
1930-31	26.0	N.D.	1.2	888.0	Apr 26	70
1931-32	213.0	N.D.	4.9	3,560.0	Dec 28	415
1932-33	167.0	N.D.	1.8	1,340.0	Jan 19	299
1933-34	360.0	N.D.	3.4	2,440.0	Jan 01	640
1934-35	150.0	N.D.	4.2	3,080.0	Apr 08	420
1935-36	80.0	.3	4.5	3,280.0	Feb 02	676
1936-37	142.0	.4	9.3	6,770.0	Dec 30	252
1937-38	752.0	1.0	13.2	9,520.0	Mar 02	2,100
1938-39	50.0	.2	2.4	1,750.0	Dec 19	172
1939-40	43.0	.1	2.2	1,570.0	Jan 08	225
1940-41	255.0	.1	12.9	9,340.0	Mar 04	443
1941-42	23.0	.1	1.4	1,030.0	Dec 10	44
1942-43	874.0	.1	14.8	10,720.0	Jan 23	2,100
1943-44	325.0	.5	5.8	4,200.0	Feb 22	680
1944-45	106.0	.2	3.6	2,580.0	Nov 11	400
1945-46	156.0	.1	3.2	2,310.0	Dec 23	540
1946-47	140.0	.1	4.0	2,910.0	Dec 26	400
1947-48	8.8	N.D.	.7	536.0	Apr 28	28
1948-49	18.0	N.D.	.8	610.0	Jan 20	35
1949-50	37.0	.0	1.2	888.0	Dec 18	157
1950-51	5.6	.0	.3	237.0	Apr 28	16
1951-52	348.0	.0	8.3	6,060.0	Jan 16	1,360
1952-53	18.0	.0	1.1	813.0	Dec 01	252
1953-54	110.0	.0	2.1	1,510.0	Jan 25	376

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**FISH CREEK *above* Mouth of Canyon
STATION NO. U7-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1954-55	15.0	.0	.8	567.0	Jan 18	39
1955-56	155.0	.0	1.5	1,100.0	Jan 26	544
1956-57	33.0	.0	.9	674.0	Jan 13	108
1957-58	212.0	.0	7.8	5,680.0	Apr 03	608
1958-59	200.0	.1	2.2	1,590.0	Dec 06	2000E
1959-60	16.0	.0	1.1	794.0	Apr 27	84
1960-61	23.0	.0	.6	443.0	Nov 12	230
1961-62	472.0	.0	6.2	4,480.0	Feb 11	770
1962-63	71.0	.0	1.3	922.0	Feb 09	346
1963-64	48.0	.0	.9	673.0	Jan 21	178
1964-65	48.0	.0	1.3	930.0	Apr 09	163
1965-66	523.0	.0	8.6	6,200.0	Dec 29	1,670
1966-67	688.0	.6	13.5	9,740.0	Dec 06	2,250
1967-68	32.0	.4	2.3	1,640.0	Nov 19	282
1968-69	5,540.0	.7	55.2	39,980.0	Jan 25	13,000
1969-70	99.0	.8	4.2	3,010.0	Feb 28	898
1970-71	93.0	.6	3.3	2,400.0	Nov 29	259
1971-72	23.0	.1	1.0	742.0	Dec 24	62
1972-73	480.0	.2	7.4	5,390.0	Feb 11	1,600
1973-74	234.0	.4	4.4	3,210.0	Jan 07	376
1974-75	30.0	.2	2.5	909.0	Dec 04	56
1975-76	41.0	.1	1.5	1,050.0	Mar 01	143
1976-77	45.0	.0	1.0	760.0		N.D.
1977-78	386.0	.1	15.5	11,242.0	Feb 10	1,340
1978-79	35.1	.2	4.4	3,760.0	Dec 05	78
1979-80	448.0	.4	.5	10,806.0	Feb 16	1,590
1980-81	43.5	.2	1.7	1,264.0	Jan 29	190
1981-82	12.6	.1	2.0	1,424.0	Jan 20	26
1982-83	575.0	.4	18.7	13,552.0	Mar 01	1,230
1983-84	35.1	.0	2.0	1,487.0	Dec 25	108
1984-85	29.4	.1	17.6	1,100.0		N.D.
1985-86	*	*	*	*		*
1986-87	14.2	.0	1.6	1,156.0		N.D.
1987-88	48.9	.0	1.5	1,082.0	Jan 17	115
1988-89	80.7	.0	21.1	1,219.0	Feb 04	226
1989-90	35.4	.0	.6	466.0	Feb 16	176
1990-91	87.4	.0	2.5	1,837.0	Mar 01	429

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

FISH CREEK *above* Mouth of Canyon
STATION NO. U7-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1991-92	318.0	.0	10.3	7,481.0	Feb 12	1,030
1992-93	422.0	.3	20.2	14,640.0	Feb 19	2,370
1993-94	13.3	.0	1.2	843.0	Feb 20	31
1994-95	248.0	.2	10.5	7,620.0	Mar 05	768
1995-96	295.0	.1	5.2	3,797.0	Feb 21	540
1996-97	125.0	.2	4.9	3,520.0	Dec 22	339
1997-98	500.0	.1	10.9	7,860.0	Mar 03	35
1998-99	1.9	.2	1.3	935.0	Mar 30	2
1999-00	17.0	.6	1.7	1,220.0	May 03	4

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LITTLE ROCK CREEK above Little Rock Dam
STATION NO. L1-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	195.0	.0	5.0	3,610.0	Apr 26	430
1931-32	830.0	.0	*	16730*	Feb 08	2,200
1932-33	56.0	.0	5.8	4,180.0	Mar 09	66
1933-34	455.0	.0	5.2	3,770.0		N.D.
1934-35	716.0	.0	24.4	17,640.0	Feb 05	925
1935-36	127.0	.0	4.6	3,320.0	Feb 23	261
1936-37	679.0	.0	30.3	21,950.0	Feb 06	1,550
1937-38	N.D.	.0	N.D.	N.D.	Mar 02	17,000
1938-39	NO RECORD					
1939-40	183.0	.0	9.6	7,000.0	Jan 08	555
1940-41	1,730.0	.0	71.3	51,620.0	Feb 20	2,240
1941-42	55.0	+	7.1	5,140.0	Apr 14	92
1942-43	2730E	.0	49.5	35,870.0	Jan 23	5,700
1943-44	736.0	.8	49.6	35,940.0	Feb 22	902
1944-45	323.0	.1	12.8	9,250.0	Nov 11	1,080
1945-46	604.0	.0	16.7	12,150.0	Dec 21	1,100
1946-47	1,740.0	.0	21.9	15,840.0	Dec 26	3,180
1947-48	62.0	.0	3.4	2,450.0	Apr 29	122
1948-49	33.0	.0	4.4	3,170.0	Apr 14	37
1949-50	114.0	.0	3.4	2,470.0	Feb 06	212
1950-51	4.7	.0	.6	432.0	May 04	5
1951-52	311.0	.0	31.6	22,890.0	Dec 30	502
1952-53	33.0	.0	4.2	3,020.0	Jan 09	36
1953-54	328.0	.0	11.6	8,430.0	Jan 25	655
1954-55	116.0	+	10.1	7,310.0	Nov 11	236
1955-56	424.0	.0	7.5	5,470.0	Jan 26	1,050
1956-57	399.0	.0	6.3	4,560.0	Jan 13	1,040
1957-58	521.0	.0	40.7	29,500.0	Dec 15	1,070
1958-59	163.0	.0	5.7	4,150.0	Feb 16	598
1959-60	15.0	.0	2.4	1,750.0	Jan 26	17
1960-61	25.0	.0	1.8	1,290.0	Nov 06	37
1961-62	2,060.0	.0	25.8	18,640.0	Feb 11	3,180
1962-63	112.0	.0	3.0	2,200.0	Feb 10	314
1963-64	38.0	.0	3.8	2,800.0	Apr 01	49
1964-65	115.0	.0	7.1	5,150.0	Apr 19	155
1965-66	1,700.0	.0	33.9	24,500.0	Dec 29	5,240
1966-67	1,330.0	.0	29.2	21,230.0	Dec 06	1,970

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LITTLE ROCK CREEK *above* Little Rock Dam
STATION NO. L1-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	264.0	+	11.6	8,390.0	Nov 21	444
1968-69	1,810.0	+	57.2	41,430.0	Jan 25	5,900
1969-70	175.0	.0	9.5	6,850.0	Feb 10	287
1970-71	453.0	.0	10.6	7,700.0	Nov 29	1,490
1971-72	382.0	.0	6.0	4,320.0	Dec 24	801
1972-73	556.0	.0	16.1	11,680.0	Feb 11	1,880
1973-74	70.0	.0	10.4	7,540.0	Mar 02	87
1974-75	124.0	.0	7.8	5,640.0	Mar 08	230
1975-76	270.0	.0	7.6	5,530.0	Feb 08	643
1976-77	74.0	.0	7.3	5,296.0	May 08	181
1977-78	1,770	0	96.4	69,843	Feb 10	3,735
1978-79	249.0	.5	25.6	18,562.0	Mar 27	367
1979-80	1,705.0	.0	45.8	32,580.0	Feb 19	3,998
1980-81	43.8	.0	5.9	4,726.0	Mar 20	59
1981-82	575.0	.0	18.3	13,243.0	Apr 11	1,132
1982-83	2,413.0	.0	66.5	48,136.0	Mar 01	3,482
1983-84	244.0	.0	7.1	5,124.0	Dec 25	539
1984-85	36.2	.0	8.0	5,764.0	Dec 27	45
1985-86	515.0	.0	17.3	12,510.0	Jan 30	1,162
1986-87	64.1	.0	2.5	1,818.0	Mar 06	87
1987-88	205.0	.0	25.1	18,286.0		N.D.
1988-89	47.0	.0	6.3	4,701.0	Feb 09	61
1989-90	*	*	*	*	Jan 23	41
1990-91	369.0	.0	8.6	8,094.0	Mar 01	839
1991-92	*	*	*	*		*
1992-93	*	*	*	*		*
1993-94	46.9	.0	N.D.	*		N.D.
1994-95	795.0	.0	44.9	32,480.0	Jan 10	2,000
1995-96	638.0	.0	8.9	6,474.0	Feb 21	1,100
1996-97	207.0	.0	7.3	5,260.0	Jan 26	264
1997-98	1,610.0	.0	52.3	37,890.0	Feb 23	3,470
1998-99	23.0	.0	3.8	2,720.0	Feb 10	27
1999-00	168.0	.0	6.9	5,000.0	Feb 23	519

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER *above* Arroyo Seco
STATION NO. F57C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	927.0	.0	5.5	3,950.0	Feb 04	4,540
1931-32	2,520.0	.0	21.0	15,240.0	Feb 08	3023
1932-33	2,330.0	.0	14.7	10,640.0	Jan 19	5778
1933-34	5,990.0	.0	41.2	29,810.0	Jan 01	22,000
1934-35	568.0	.1	17.3	12,550.0	Apr 08	2400E
1935-36	322.0	.4	7.9	5,770.0	Mar 30	2,540
1936-37	1,670.0	.4	33.8	24,470.0	Feb 06	2410E
1937-38	27,900.0	.6	183.0	132,600.0	Mar 02	68000E
1938-39	1,950.0	3.8	58.5	42,360.0	Jan 05	3,710
1939-40	2,070.0	6.0	54.5	39,590.0	Jan 08	8,900
1940-41	6,700.0	4.2	228.0	165,000.0	Feb 20	11,900
1941-42	1,170.0	22.0	75.7	54,800.0	Dec 10	5,260
1942-43	7,120.0	15.0	172.0	124,400.0	Jan 23	23,900
1943-44	8,020.0	25.0	151.0	109,800.0	Feb 22	14,600
1944-45	1,160.0	6.5	51.1	36,990.0	Feb 02	4,900
1945-46	1,880.0	3.4	49.6	35,880.0	Dec 22	5,240
1946-47	896.0	1.6	43.3	31,330.0	Dec 25	5,320
1947-48	498.0	3.6	20.5	14,890.0	Mar 24	4,900
1948-49	451.0	4.2	24.3	17,600.0	Dec 17	1,530
1949-50	804.0	.3	14.9	10,760.0	Feb 06	2,840
1950-51	487.0	.5	10.8	7,840.0	Jan 11	3,600
1951-52	8,130.0	.5	149.0	108,000.0	Jan 16	25,300
1952-53	1,370.0	.6	25.5	18,480.0	Dec 20	7,270
1953-54	2,570.0	.2	29.0	21,000.0	Feb 13	9,580
1954-55	1,510.0	.2	25.2	18,270.0	Jan 18	6,850
1955-56	7,290.0	.6	49.4	35,890.0	Jan 26	15,300
1956-57	2,390.0	.2	34.4	24,890.0	Feb 23	22,200
1957-58	4,650.0	.4	126.0	91,020.0	Feb 19	19,700
1958-59	3,790.0	.2	27.6	20,230.0	Jan 06	17,200
1959-60	1,420.0	+	23.3	16,910.0	Jan 12	8,960
1960-61	1,690.0	+	16.6	12,000.0	Nov 05	7,890
1961-62	8,510.0	+	120.0	86,910.0	Feb 12	32,500
1962-63	3,750.0	+	32.4	23,440.0	Feb 09	18,100
1963-64	1,950.0	+	27.9	20,320.0	Jan 22	12,200
1964-65	2,880.0	+	49.1	35,580.0	Apr 09	12,500
1965-66	12,600.0	.1	149.0	107,500.0	Dec 29	32,000
1966-67	7,720.0	.4	115.0	82,210.0	Nov 07	32,100

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER *above* Arroyo Seco
STATION NO. F57C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	4,780.0	3.4	82.2	59,710.0	Mar 08	30,900
1968-69	23,400.0	4.0	425.0	307,400.0	Jan 25	41,800
1969-70	2,760.0	6.9	65.6	47,520.0	Mar 04	17,000
1970-71	12,900.0	7.4	129.0	93,310.0	Nov 29	41,500
1971-72	4,830.0	5.4	64.3	46,690.0	Dec 27	15,900
1972-73	9,190.0	6.7	157.0	114,000.0	Jan 18	28,230
1973-74	12,480.0	5.8	123.0	88,900.0	Jan 07	24,540
1974-75	5,750.0	4.2	88.6	64,120.0	Dec 04	27,570
1975-76	3,230.0	2.7	54.7	39,720.0	Feb 09	13,900
1976-77	4,710.0	1.6	91.2	66,020.0	Jan 03	23,300
1977-78	22,700.0	5.4	506.5	366,663.0	Feb 10	52,700
1978-79	6,240.0	18.8	192.0	139,101.0	Mar 27	25,800
1979-80	16,800.0	11.0	428.6	303,340.0	Feb 16	52,200
1980-81	3,340.0	14.9	104.9	75,932.0	Jan 29	28,200
1981-82	5,870.0	11.0	137.4	99,441.0	Mar 14	22,800
1982-83	25,100.0	22.2	560.4	405,695.0	Jan 27	44,500
1983-84	4,030.0	23.0	96.2	69,861.0	Dec 25	17,000
1984-85	3,380.0	30.0	98.3	71,160.0	Dec 19	9,270
1985-86	5,110.0	59.0	214.2	155,103.0	Jan 31	25,400
1986-87	2,090.0	70.2	101.5	73,480.0	Nov 17	13,000
1987-88	NO RECORD					
1988-89	NO RECORD					
1989-90	NO RECORD					
1990-91	NO RECORD					
1991-92	20,200.0	3.7	463.0	320,800.0	Feb 12	45,700
1992-93	*	*	*	*		*
1993-94	*	*	*	*		*
1994-95	19,900.0	114.0			Mar 10	44,900
1995-96	*	*	*	*		*
1996-97	3,760.0	86.0	213.0	154,100.0	Dec 09	17,900
1997-98	13,900.0	88.0	479.0	346,700.0	Feb 23	37,800
1998-99	1,520.0	85.0	159.0	113,900.0	Jan 31	11,600
1999-00	4,370.0	82.0	196.0	142,200.0	Feb 23	25,200

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER *below* Wardlow River Road
STATION NO. F319-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1928-29	N.D.	N.D.	N.D.	N.D.	Mar 10	2,870
1929-30	1,270.0	.9	17.0	12,310.0	Mar 15	1,670
1930-31	1,390.0	.0	19.9	14,400.0	Feb 03	3,700
1931-32	7,130.0	.8	70.2	50,960.0	Feb 09	8,380
1932-33	3,310.0	.3	31.6	22,890.0	Jan 19	8,710
1933-34	19,900.0	.0	93.7	67,860.0	Jan 01	37,500
1934-35	2,930.0	1.6	55.9	40,470.0	Apr 08	11,000
1935-36	1,630.0	2.3	28.3	20,470.0	Feb 12	10,400
1936-37	6,800.0	3.3	126.0	91,110.0	Feb 14	20,500
1937-38	50,000.0	1.0	564.0	408,000.0	Mar 02	99000E
1938-39	6,220.0	3.5	114.0	82,750.0	Sep 25	17,300
1939-40	2830E	15.0	90.8	65,930.0	Feb 02	8,440
1940-41	11,120.0	18.0	510.0	369,500.0	Mar 04	18,170
1941-42	3,180.0	31.0	129.0	93,390.0	Dec 10	10,800
1942-43	18,100.0	28.0	366.0	264,900.0	Jan 23	37,900
1943-44	17,190.0	38.0	299.0	217,400.0	Feb 22	34,000
1944-45	3,020.0	33.0	138.0	100,200.0	Nov 12	11,600
1945-46	6,440.0	30.0	127.0	91,790.0	Dec 22	12,800
1946-47	5,750.0	18.0	146.0	106,000.0	Dec 26	18,810
1947-48	1,540.0	19.0	72.8	52,820.0	Mar 24	9,310
1948-49	1,790.0	13.0	61.3	44,350.0	Dec 17	5,520
1949-50	2,360.0	6.3	58.3	42,180.0	Feb 06	9,090
1950-51	1,610.0	5.6	50.6	36,600.0	Jan 29	9,040
1951-52	16,310.0	3.8	292.0	212,200.0	Jan 16	47,800
1952-53	2,932.0	1.9	61.4	44,490.0	Nov 15	21,100
1953-54	8,120.0	2.5	97.8	70,790.0	Feb 13	34,760
1954-55	4,180.0	2.2	83.0	60,120.0	Jan 18	17,750
1955-56	12,700.0	7.0	133.0	96,810.0	Jan 26	40,500
1956-57	4,550.0	5.5	67.3	48,710.0	Feb 23	23,000
1957-58	10,400.0	6.4	264.0	191,200.0	Feb 19	43,800
1958-59	6,340.0	7.2	68.2	49,390.0	Jan 06	31,000
1959-60	3,420.0	3.7	67.6	49,100.0	Jan 12	21,700
1960-61	2,860.0	1.3	44.2	32,000.0	Jan 26	9,450
1961-62	14,800.0	.6	245.0	177,400.0	Feb 12	42,200
1962-63	5,480.0	1.2	75.6	54,700.0	Feb 09	31,400
1963-64	4,150.0	5.3	64.8	47,020.0	Jan 22	16,000
1964-65	5,150.0	4.1	106.0	76,680.0	Apr 09	30,100

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER *below* Wardlow River Road
STATION NO. F319-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1965-66	22,500.0	3.0	342.0	247,900.0	Dec 29	61,500
1966-67	12,400.0	9.9	237.0	171,900.0	Nov 07	43,700
1967-68	13,600.0	18.0	173.0	125,800.0	Mar 08	48,900
1968-69	55,000.0	16.0	1,120.0	787,000.0	Jan 25	102,000
1969-70	5,300.0	22.0	128.0	92,070.0	Feb 28	5,300
1970-71	20,600.0	20.0	201*	145,300*	Nov 29	65,100
1971-72	8,550.0	17.0	106.0	77,560.0	Dec 24	28,700
1972-73	16,170.0	20.0	253.0	183,300.0	Feb 11	50,800
1973-74	17,200.0	17.0	190.0	137,800.0	Jan 07	42,800
1974-75	11,200.0	13.0	159.0	115,000.0	Dec 04	64,470
1975-76	4,660.0	11.5	100.0	72,670.0	Feb 09	16,025
1976-77	7,130.0	5.3	140.4	101,700.0	Jan 03	29,528
1977-78	42,323.0	11.0	923.0	668,337.0	Feb 10	94,820
1978-79	13,000.0	33.0	379.2	274,500.0	Mar 27	50,900
1979-80	33,437.0	39.0	750	627,852.0	Feb 16	128,700
1980-81	6,550.0	27.0	173.2	125,893.0	Jan 29	33,800
1981-82	11,400.0	32.0	246.2	178,227.0	Apr 01	26,800
1982-83	52,000.0	38.0	1,047.0	758,465.0	Mar 01	81,800
1983-84	6,530.0	41.0	166.8	120,740.0	Dec 25	22,300
1984-85	6,370.0	34.0	1,970.0	118,440.0	Dec 19	23,500
1985-86	13,600.0	51.4	338.0	244,741.0	Feb 15	54,400
1986-87	4,050.0	92.6	164.0	118,510.0	Nov 18	15,500
1987-88	8,230.0	85.0	242.8	176,277.0	Dec 04	48,900
1988-89	3,740.0	101.0	195.0	141,249.0	Dec 16	16,900
1989-90	12,100.0	115.0	196.0	141,594.0	Feb 17	25,600
1990-91	10,700.0	108.0	310.0	224,410.0	Feb 28	42,400
1991-92	23,800.0	110.0	668.0	484,849.0	Feb 12	66,400
1992-93	35,000.0	123.0	1,549.0	1,122,000.0	Feb 08	86,000
1993-94	4,090.0	113.0	259.0	187,400.0	Mar 24	19,700
1994-95	43,900.0	92.5	1,186.0	740,000.0	Mar 11	112,000
1995-96	15,100.0	96.8	261.0	189,200.0	Feb 21	35,400
1996-97	7,390.0	91.0	299.0	216,300.0	Dec 09	28,600
1997-98	*	*	*	*		*
1998-99	*	*	*	*		*
1999-00	477.0	164.0	203.0	24,560.0	Aug 23	1,140

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER *below* Firestone Blvd.
STATION NO. F34D-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1927- 28	*	.0	*	6990*	Feb 04	1120*
1928- 29	775.0	.0	13.6	9,830.0	Nov 14	2,010
1929- 30	813.0	.0	13.4	9,730.0	Mar 15	2,210
1930- 31	1,560.0	1.4	18.6	13,450.0	Feb 04	4,360
1931- 32	2,650.0	.4	35.3	25,620.0	Feb 08	4,780
1932- 33	2,900.0	.0	23.5	17,020.0	Jan 19	7,070
1933- 34	8,550.0	.0	52.9	38,330.0	Jan 01	29,400
1934- 35	1,430.0	.0	40.3	29,170.0	Jan 05	10,400
1935- 36	1,040.0	.0	20.5	14,920.0	Feb 12	5,730
1936- 37	3,460.0	.0	67.2	48,630.0	Dec 30	10000E
1937- 38	40,000.0	.0	278.0	201,300.0	Mar 02	79,000
1938- 39	5090E	.0	108.0	78,440.0	Sep 25	10,800
1939- 40	2,410.0	14E	80.5	58,420.0	Jan 08	7,610
1940- 41	7,580.0	10.0	345.0	249,500.0	Feb 20	14,800
1941- 42	2,030.0	27.0	97.8	70,820.0	Dec 10	8,210
1942- 43	10,700.0	18.0	268.0	193,700.0	Jan 23	27,500
1943- 44	13,000.0	38.0	249.0	180,900.0	Feb 22	24,800
1944- 45	1,980.0	16.0	91.0	65,900.0	Feb 02	6,970
1945- 46	4,000.0	8.4	95.8	69,310.0	Dec 22	12,500
1946- 47	2,760.0	14.0	99.7	72,180.0	Dec 25	14,900
1947- 48	1,280.0	10.0	52.8	38,350.0	Mar 24	8,980
1948- 49	1,130.0	11.0	49.1	35,550.0	Dec 17	5,300
1949- 50	1,770.0	8.5	43.9	31,760.0	Feb 06	8,480
1950- 51	898.0	7.5	35.3	25,560.0	Jan 11	5,840
1951- 52	12,000.0	1.8	249.0	180,500.0	Jan 16	32,900
1952- 53	2,000.0	1.4	57.1	41,380.0	Nov 15	14,100
1953- 54	4,190.0	1.2	70.9	51,330.0	Feb 13	19,500
1954- 55	2,470.0	6.2	54.3	39,340.0	Jan 18	13,700
1955- 56	12,000.0	8.2	91.5	66,440.0	Jan 26	28,900
1956- 57	3,960.0	3.8	53.2	38,500.0	Feb 23	24,600
1957- 58	6,290.0	4.3	191.0	138,400.0	Feb 19	34,100
1958- 59	4,660.0	5.9	51.4	37,210.0	Jan 06	24,200
1959- 60	2,090.0	4.0	43.6	31,610.0	Jan 12	10,700
1960- 61	2,230.0	4.5	32.6	23,600.0	Nov 05	7,810
1961- 62	9,630.0	3.8	170.0	123,300.0	Feb 12	28,400
1962- 63	4,080.0	4.3	56.2	40,690.0	Feb 09	19,300
1963- 64	2,810.0	2.6	49.6	36,030.0	Jan 21	11,400

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER *below* Firestone Blvd.
STATION NO. F34D-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1964- 65	3,380.0	4.3	66.5	48,110.0	Apr 09	18,700
1965- 66	15,700.0	4.3	209.0	151,200.0	Dec 29	37,000
1966- 67	10,000.0	6.0	159.0	114,800.0	Nov 07	37,100
1967- 68	9,410.0	13.0	116.0	84,240.0	Mar 08	37,400
1968- 69	31,800.0	12.0	541.0	391,800.0	Jan 25	58,000
1969- 70	4,250.0	13.0	90.4	65,440.0	Feb 28	20,900
1970- 71	16,700.0	11.0	162.0	117,300.0	Nov 29	49,800
1971- 72	6,980.0	14.0	86.6	62,890.0	Dec 24	27,400
1972- 73	14,470.0	13.0	221.0	160,300.0	Jan 18	49,020
1973- 74	15,690.0	10.6	157.0	113,600.0	Jan 07	32,300
1974- 75	8,480.0	9.0	119.0	86,470.0	Dec 04	53,950
1975- 76	3,390.0	6.0	68.0	48,400.0	Sep 10	8160E
1976- 77	5,550.0	5.4	115.0	83,300.0	Jan 03	30,900
1977- 78	31,900.0	7.8	739.9	535,871.0	Feb 10	73,600
1978- 79	8,820.0	24.0	247.0	178,725.0	Mar 27	33,900
1979- 80	21,500.0	30.2	522.1	369,810.0	Feb 16	74,400
1980- 81	3,870.0	26.6	128.4	93,065.0	Jan 29	33,600
1981- 82	5,730.0	24.6	178.0	128,979.0	Mar 14	29,400
1982-83	32,400.0	33.7	729.0	527,837.0	Mar 01	58,400
1983-84	5,650.0	22.8	131.0	94,770.0	Dec 05	22,400
1984-85	4,560.0	33.7	127.6	46,523.0		N.D.
1985-86	*	*	*	*		*
1986-87	*	*	*	*		*
1987-88	NO RECORD					
1988-89	*	*	*	*		*
1989-90	6,060.0	100.0	150.0	108,676.0	Feb 17	14,700
1990-91	7,850.0	99.0	243.0	178,822.0	Feb 27	37,300
1991-92	16,500.0	101.0	431.0	313,100.0	Feb 12	49,800
1992-93	17,000.0	111.0	740.0	536,100.0	Dec 07	60,400
1993-94	3,870.0	92.6	192.0	138,800.0	Feb 20	21,100
1994-95	24,200.0	96.5	487.0	352,800.0	Mar 11	74,300
1995-96	9,110.0	87.2	189.0	137,200.0	Feb 21	37,900
1996-97	6,170.0	98.0	232.0	168,000.0	Dec 09	29,900
1997-98	23,600.0	96.0	732.0	530,100.0	Feb 03	60,100
1998-99	4,100.0	88.0	241.0	174,300.0	Jan 31	20,500
1999-00	7,260.0	88.0	273.0	198,300.0	Feb 23	43,100

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**LOS ANGELES RIVER @ Tujunga Avenue
STATION NO. F300-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1950-51	181.0	2.6	12.3	8,910.0	Jan 29	598
1951-52	5,360.0	3.1	101.0	73,040.0	Jan 15	13,200
1952-53	851.0	6.5	27.1	19,610.0	Dec 01	2,900
1953-54	1,360.0	4.6	27.2	19,690.0	Feb 13	5,190
1954-55	842.0	5.7	30.4	22,000.0	Jan 10	4,560
1955-56	3,890.0	5.7	35.1	25,490.0	Jan 16	6,800
1956-57	1,300.0	4.5	27.2	19,700.0	Jan 13	6,060
1957-58	3,530.0	3.8	100.0	72,710.0	Apr 03	10,800
1958-59	2,080.0	4.8	29.2	21,180.0	Jan 06	12,800
1959-60	1,040.0	4.0	28.0	20,650.0	Jan 12	6,900
1960-61	1,010.0	3.2	18.3	13,260.0	Nov 05	6,600
1961-62	6,170.0	2.6	97.7	70,690.0	Feb 12	21,000
1962-63	2,200.0	4.0	34.1	24,690.0	Feb 09	8,700
1963-64	1,440.0	3.6	35.4	25,730.0	Jan 22	7,910
1964-65	2,020.0	5.0	50.4	36,490.0	Apr 09	7,840
1965-66	8,990.0	8.2	126.0	91,340.0	Dec 29	20,500
1966-67	5,860.0	5.2	83.3	60,320.0	Nov 07	21,000
1967-68	5,720.0	5.5	66.8	48,500.0	Mar 08	18,300
1968-69	19,100.0	4.8	355.0	256,800.0	Jan 25	30,800
1969-70	2,450.0	6.4	55.4	40,080.0	Mar 04	11,600
1970-71	9,170.0	7.0	95.4	69,090.0	Nov 29	25,900
1971-72	2,800.0	7.8	38.0	27,520.0	Dec 27	11,000
1972-73	6,470.0	5.5	101.0	73,100.0	Jan 18	17,900
1973-74	7,650.0	5.0	73.0	52,830.0	Jan 07	16,100
1974-75	3,570.0	5.0	57.1	41,310.0	Dec 04	16,740
1975-76	2,440.0	3.7	35.5	25,200.0	Feb 09	9,680
1976-77	2,920.0	1.5	50.9	36,850.0	Jan 03	15,300
1977-78	19,200.0	.8	454.6	329,106.0	Feb 10	30,100
1978-79	5,210.0	5.5	136.0	98,301.0	Mar 27	22,500
1979-80	944.0	8.0	278.0	202,049.0	Feb 16	29,625
1980-81	2,600.0	10.0	77.7	56,220.0	Jan 29	17,940
1981-82	3,610.0	5.0	72.7	52,648.0	Mar 17	17,800
1982-83	19,580.0	5.7	416.8	301,711.0	Mar 01	27,625
1983-84	NO RECORD					
1984-85	1,820.0	8.1	47.4	34,312.0	Dec 18	6,740
1985-86	3,060.0	20.0	126.0	91,248.0	Jan 31	16,700
1986-87	*	*	*	*		*

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

LOS ANGELES RIVER @ Tujunga Avenue
STATION NO. F300-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1987-88	3,850.0	31.7	164.4	118,911.0	Oct 22	24,300
1988-89	1,460.0	59.8	103.4	74,960.0	Dec 24	5,140
1989-90	2,910.0	55.6	93.5	67,699.0	Feb 17	7,296
1990-91	3,130.0	14.4	113.7	82,553.0	Feb 27	13,500
1991-92	10,800.0	33.7	239.0	173,398.0	Feb 11	22,300
1992-93	10,600.0	51.9	416.0	301,300.0	Feb 07	25,700
1993-94	2,390.0	54.7	133.0	96,020.0		N.D.
1994-95	10,800.0	53.7	252.0	167,800.0	Mar 10	35,000
1995-96	3,110.0	51.0	117.0	84,630.0	Feb 21	13,000
1996-97	2,590.0	53.0	156.0	112,700.0	Dec 09	12,300
1997-98	11,900.0	63.0	420.0	304,200.0	Feb 23	30,500
1998-99	1,200.0	36.0	85.0	61,630.0	Jan 31	9,320
1999-00	2,790.0	47.0	134.0	97,450.0	Feb 23	17,200

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

MALIBU CREEK *below* Cold Creek
STATION NO. F130-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	*	*	*	1920*	Feb 04	723
1931-32	1,770.0	+	20.2	14,670.0	Feb 09	3,100
1932-33	1,100.0	.1	12.7	9,190.0	Jan 19	4,460
1933-34	3,160.0	.1	17.1	12,370.0	Jan 01	9,650
1934-35	511.0	+	8.6	6,220.0		N.D.
1935-36	92.0	.0	3.2	2,310.0	Feb 23	147
1936-37	1,680.0	.0	33.1	23,940.0	Feb 14	2,760
1937-38	5,090.0	.2	47.1	34,100.0	Mar 02	10,000
1938-39	139.0	.0	6.4	4,630.0	Dec 20	331
1939-40	335.0	+	8.4	6,100.0	Feb 02	690
1940-41	2,200.0	.1	101.0	73,220.0	Feb 20	3,620
1941-42	32.0	.1	2.5	1,820.0	Dec 28	140
1942-43	5,370.0	.1	65.8	47,600.0	Jan 22	12,200
1943-44	3,400.0	.7	41.6	30,170.0	Feb 22	7,700
1944-45	210.0	.2	5.8	4,240.0	Feb 02	516
1945-46	267.0	.1	5.2	3,800.0	Mar 30	506
1946-47	142.0	.1	5.3	3,820.0	Nov 13	980
1947-48	15.0	+	.2	177.0	Mar 24	113
1948-49	.6	+	.1	90.0	May 18	1
1949-50	64.0	.0	.7	477.0	Feb 06	674
1950-51	.3	.0	.1	56.0	Jan 11	3
1951-52	6,720.0	.0	80.2	58,200.0	Mar 15	13,600
1952-53	81.0	+	4.0	2,940.0	Nov 15	322
1953-54	655.0	.1	6.9	4,990.0	Feb 13	2,250
1954-55	16.0	.1	1.0	758.0	Jan 18	45
1955-56	1,260.0	.1	6.5	4,680.0	Jan 26	3,600
1956-57	12.0	+	.6	444.0	Feb 23	46
1957-58	1,630.0	+	43.7	31,660.0	Apr 03	4,260
1958-59	114.0	.1	2.1	1,510.0	Jan 06	3,180
1959-60	17.0	+	.7	504.0	Apr 27	84
1960-61	2.0	+	.1	99.0	Jan 26	8
1961-62	3,920.0	+	36.3	26,150.0	Feb 10	7,060
1962-63	24.0	+	1.0	701.0	Mar 16	104
1963-64	17.0	+	.5	384.0	Jan 22	65
1964-65	148.0	+	2.2	1,560.0	Apr 09	521
1965-66	7,060.0	.2	51.8	37,520.0	Dec 29	20,600
1966-67	2,710.0	.9	35.5	25,700.0	Jan 24	10,200

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

MALIBU CREEK *below* Cold Creek

STATION NO. F130-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	1,350.0	1.0	18.5	13,430.0	Mar 08	3,830
1968-69	24,200.0	1.4	166.0	119,900.0	Jan 25	33,800
1969-70	368.0	.5	9.9	7,200.0	Mar 04	1,150
1970-71	1,480.0	1.2	23.7	17,300.0	Dec 19	7,390
1971-72	582.0	.9	6.0	4,340.0	Dec 27	2,120
1972-73	3,340.0	.8	35.1	25,400.0	Feb 11	7,480
1973-74	2,240.0	2.7	22.0	15,910.0	Jan 07	5,100
1974-75	519.0	2.3	15.2	11,020.0	Dec 04	2,670
1975-76	163.0	1.1	5.4	3,910.0	Feb 09	339
1976-77	315.0	1.1	6.9	4,980.0	Jan 07	597
1977-78	7,620.0	1.7	112.4	80,990.0	Mar 04	19,400
1978-79	1,220.0	2.3	46.4	33,408.0	Mar 27	4,420
1979-80	1,080.0	N.D.	N.D.	22,308.0	Feb 16	42,170
1980-81	357.0	1.7	13.5	9,832.0	Mar 05	910
1981-82	400.0	2.2	13.9	10,031.0	Mar 17	676
1982-83	7,720.0	2.7	121.8	88,148.0	Mar 01	24,200
1983-84	758.0	2.5	24.1	17,411.0	Dec 25	1,840
1984-85	588.0	.9	16.6	12,002.0	Dec 19	880
1985-86	1,480.0	1.4	39.3	27,881.0	Feb 15	5,880
1986-87	216.0	.5	8.6	6,236.0	Nov 18	653
1987-88	559.0	.6	24.0	17,337.0	Feb 28	1,680
1988-89	257.0	1.6	12.3	8,876.0	Feb 09	441
1989-90	*	*	*	*		*
1990-91	982.0	.8	20.5	14,872.0	Mar 19	3,150
1991-92	5,850.0	2.0	92.7	67,330.0	Feb 10	23,300
1992-93	*	*	*	*		*
1993-94	880.0	.9	16.7	11,090.0	Feb 12	2,450
1994-95	4,530.0	3.1	97.8	68,700.0	Mar 11	15,700
1995-96	637.0	1.5	12.9	9,395.0	Feb 21	1,220
1996-97	807.0	3.2	43.1	31,180.0	Dec 09	1,800
1997-98	4,020.0	2.4	113.0	81,700.0	Feb 07	19,100
1998-99	134.0	2.8	10.3	7,430.0	Apr 11	761
1999-00	701.0	1.4	22.6	16,400.0	Feb 23	2,380

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

MINT CANYON CREEK @ Fitch Avenue
STATION NO. F328-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1957-58	66.0	.0	.6	435.0	Dec 15	708
1958-59	14.0	.0	+	44.0	Jan 06	317
1959-60	.3	.0	+	2.0	Jan 10	8
1960-61	3.6	.0	+	14.0	Nov 05	64
1961-62	49.0	.0	.4	257.0	Feb 11	176
1962-63	3.0	.0	+	26.0	Sep 18	70
1963-64	13.0	.0	.1	45.0	Apr 01	111
1964-65	17.0	.0	.1	66.0	Apr 08	94
1965-66	71.0	.0	.8	588.0	Nov 17	684
1966-67	14.0	.0	.1	72.0	Dec 03	185
1967-68	13.0	.0	+	34.0	Nov 19	251
1968-69	1,030.0	.0	4.4	3,190.0	Feb 25	3,500
1969-70	5.0	.0	.1	25.0	Feb 28	46
1970-71	85.0	.0	.4	328.0	Nov 29	943
1971-72	5.9	.0	.1	35.0	Dec 27	60
1972-73	25.0	.0	.2	117.0	Feb 11	184
1973-74	2.8	.0	+	13.0	Jan 07	11
1974-75	4.4	.0	+	27.0	Mar 08	85
1975-76	12.0	.0	.1	46.0	Sep 05	389
1976-77	3.9	.0	.0	18.0	May 08	43
1977-78	181	.0	1.6	1,188.0	Mar 04	958
1978-79	48.0	.0	.2	144.0	Mar 28	395
1979-80	119.4	.0	1.7	1,201.0	Feb 16	415
1980-81	8.2	.0	.3	237.0	Jan 28	80
1981-82	22.6	.0	8.6	483.0	Mar 17	157
1982-83	392.0	.0	2.6	1,873.0	Mar 02	1,353
1983-84	1.8	.0	.2	202.0	Dec 25	6
1984-85	16.1	.0	.1	65.0	Dec 19	46
1985-86	59.7	.0	9.9	302.0	Mar 16	188
1986-87	.0	.0	.0	.0		0
1987-88	8.8	.0	.1	46.0		
1988-89	19.0	.0	.2	131.0	Feb 09	71
1989-90	37.8	.0	.5	356.0		
1990-91	.0	.0	.0	.0		0
1991-92	*	*	*	*		*
1992-93	77.1	.0	4.0	2,929.0	Mar 22	87
1993-94	1.5	.0	.5	392.0	Feb 04	2

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

MINT CANYON CREEK @ Fitch Avenue
STATION NO. F328-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1994-95	43.5	.1	*	*	Jan 10	157
1995-96	60.4	.0	.7	478.0		*
1996-97	4.0	.0	.1	59.0	Jan 26	33
1997-98	276.0	.0	1.5	1,080.0	Feb 23	1,560
1998-99	4.7	.0	.9	68.0	Oct 18	27
1999-00	40.0	.0	.3	219.0	Feb 23	167

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

MONTEBELLO STORM DRAIN *outlet to Rio Hondo*
STATION NO. F181-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1931-32	*	.0	*	1120*	Jan 31	531
1932-33	125.0	.0	.8	529.0	Jan 19	713
1933-34	391.0	.0	2.6	1,910.0	Jan 01	1,360
1934-35	114.0	.0	2.3	1,650.0	Jan 05	1,140
1935-36	55.0	.0	1.2	889.0	Feb 14	374
1936-37	NO RECORD					
1937-38	N.D.	N.D.	N.D.	N.D.	Mar 02	1400E
1938-39	147.0	.0	1.4	981.0	Sep 25	688
1939-40	77.0	.1	1.2	885.0	Feb 01	729
1940-41	204.0	.1	5.6	4,090.0	Mar 03	936
1941-42	102.0	.1	1.3	962.0	Dec 10	521
1942-43	300E	.1	3.6	2,580.0		N.D.
1943-44	323E	.1	3.3	2,390.0	Feb 22	1,040
1944-45	64.0	0.1E	.8	768.0	Nov 11	506
1945-46	92.0	.0	1.2	865.0	Dec 22	384
1946-47	144.0	.1	1.9	1,350.0	Nov 13	1,240
1947-48	86.0	.1	1.3	913.0	Dec 05	1,230
1948-49	41.0	.1	1.2	861.0	Dec 17	347
1949-50	95.0	.1	1.7	1,240.0	Jan 08	790
1950-51	50.0	.1	1.2	888.0	Jan 10	333
1951-52	302.0	.1	4.6	3,330.0	Mar 07	1,010
1952-53	97.0	.1	2.0	1,430.0	Nov 15	770
1953-54	232.0	.1	3.0	2,190.0	Feb 13	1,010
1954-55	*	*	*	1210*	Jan 18	759
1955-56	463.0	+	2.9	2,110.0	Jan 26	856
1956-57	65.0	+	1.6	1,120.0	Feb 28	570
1957-58	199.0	+	4.5	3,250.0	Feb 19	865
1958-59	109.0	.1	1.7	1,230.0	Jan 06	869
1959-60	96.0	.1	2.1	1,530.0	Jan 12	784
1960-61	65.0	.1	1.2	884.0	Nov 26	478
1961-62	225.0	.1	4.6	3,370.0	Feb 12	783
1962-63	129.0	.3	2.1	1,530.0	Mar 16	851
1963-64	77.0	.2	1.8	1,280.0	Nov 19	553
1964-65	124.0	+	2.7	1,970.0	Apr 09	844
1965-66	281.0	.1	4.4	3,200.0	Dec 29	904
1966-67	288.0	.2	4.9	3,560.0	Jan 24	1,060
1967-68	198.0	.2	2.9	2,130.0	Mar 08	923

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

MONTEBELLO STORM DRAIN *outlet to Rio Hondo*
STATION NO. F181-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1968-69	424.0	.2	8.5	6,165.0	Jan 25	1600E
1969-70	135.0	+	2.4	1,740.0	Feb 10	792
1970-71	169.0	+	2.8	2,000.0	Nov 29	833
1971-72	142.0	.2	1.6	1,160.0	Dec 24	637
1972-73	140.0	.1	3.8	2,740.0	Feb 27	811
1973-74	128.0	+	1.4	988.0	Jan 07	546
1974-75	61.0	+	1.0	748.0	Dec 04	608
1975-76	39.0	+	.8	603.0	Sep 11	240
1976-77	36.1	.0	.7	490.0	May 08	226
1977-78	318.0	.0	4.2	3,050.0	Jan 16	991
1978-79	107.0	.0	1.7	1,239.0	Mar 27	619
1979-80	809.0	.0	9.6	6,759.0		N.D.
1980-81	52.8	.0	.7	515.0	Mar 02	293
1981-82	62.2	.0	1.0	728.0	Nov 28	341
1982-83	630.0	.0	6.0	4,319.0	Mar 01	1,620
1983-84	31.7	.0	6.0	455.0	Oct 01	506
1984-85	43.5	.0	.9	644.0	Dec 19	469
1985-86	77.6	.0	1.4	1,327.0	Feb 14	676
1986-87	38.6	.0	.5	391.0	Oct 02	520
1987-88	81.2	.0	1.1	775.0	Jan 17	493
1988-89	30.3	.1	1.0	726.0	Dec 21	255
1989-90	110.0	.1	1.1	767.0	Feb 17	500
1990-91	74.8	.0	1.3	907.0	Feb 27	486
1991-92	183.0	.1	2.2	1,565.0	Feb 12	1,020
1992-93	204.0	.0	4.6	3,364.0	Dec 07	1,040
1993-94	47.7	.0	.7	536.0	Mar 19	542
1994-95	131.0	.0	4.0	2,896.0	Jan 10	1,340
1995-96	134.0	.0	1.1	792.0	Feb 20	899
1996-97	35.0	.0	1.0	745.0	Jan 15	290
1997-98	60.0	+	1.7	1,230.0	Feb 06	658
1998-99	26.0	.0	.5	358.0	Nov 28	214
1999-00	124.0	.1	1.8	1,270.0	Feb 23	254

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

PALLETT CREEK @ Valyermo Highway
STATION NO. F122-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1961-62	92.0	0.0	0.4	311.0	Feb 11	259
1962-63	0.7	0.0	0.3	190.0	Feb 09	3
1963-64	0.0	0.0	0.0	0.0		0
1964-65	0.3	0.0	+	1.0	Aug 12	16
1965-66	53.0	0.0	1.5	1,110	Dec 29	176
1966-67	3.8	0.3	0.8	618.0	Dec 06	7
1967-68	5.0	0.3	0.8	615.0	Nov 21	10
1968-69	770.0	0.3	7.8	5,640	Feb 25	1,480
1969-70	37.0	0.6	1.2	846.0	Feb 28	161
1970-71	183.0	0.1	1.0	744.0	Nov 29	839
1971-72	56.0	0.1	0.6	452.0	Dec 25	282
1972-73	6.5	+	0.2	156.0	Feb 11	24
1973-74	0.6	0.1	0.3	213.0	Dec 11	1
1974-75	1.6	0.0	0.2	140.0	Dec 04	10
1975-76	2.5	0.0	0.1	87.0	Sep 24	51
1976-77	2.5	0.0	0.1	39.0	May 08	10
1977-78	1,220	0.0	33.4	24,170	Feb 10	1,630
1978-79	156.0	0.6	5.9	4,312	Mar 29	191
1979-80	210.0	0.0	7.6	5,487	Feb 16	1,470
1980-81	15.8	0.0	1.7	1,193	Mar 01	60
1981-82	12.8	0.0	0.6	423.0	Apr 11	49
1982-83	454.0	0.0	11.9	8,626	Mar 01	831
1983-84	15.0	0.2	1.8	1,282	Jul 30	147
1984-85	11.6	0.0	0.4	292.0	Dec 27	14
1985-86	37.3	0.0	0.9	622.0	Jan 30	124
1986-87	1.5	0.0	0.4	264.0	Feb 25	3
1987-88	21.9	0.0	0.3	245.0		N.D.
1988-89	0.5	0.0	0.1	105.0	Dec 16	1
1989-90	0.0	0.0	0.0	0.0		0
1990-91	0.0	0.0	0.0	0.0		0
1991-92	240.0	0.0	4.9	3,570	Feb 12	670
1992-93	498.0	0.4	15.2	10,980	Feb 24	621

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**PALLETT CREEK @ Valyermo Highway
STATION NO. F122-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1993-94	2.0	0.2	1.0	645.0		N.D.
1994-95	133.0	0.0	6.8	4,934	Mar 11	579
1995-96	1.6	0.0	0.7	534.0	Jul 24	14
1996-97	0.4	0.0	0.1	90.0	Feb 08	0
1997-98	47.0	0.0	5.1	3,680	Feb 23	231
1998-99	2.6	0.1	0.9	655.0	Nov 28	6
1999-00	8.9	0.0	0.2	115.0	Feb 20	76

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RIO HONDO *below* Lower Azusa Avenue
STATION NO. F192B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1931-32	*	*	*	12710*		N.D.
1932-33	937.0	.0	5.2	3,800.0	Jan 20	5,160
1933-34	2,700.0	.0	11.2	8,110.0	Jan 01	5,860
1934-35	324.0	.0	11.3	8,160.0	Apr 08	604
1935-36	114.0	.0	4.7	3,400.0	Feb 11	391
1936-37	904.0	.0	38.6	27,960.0	Feb 20	1,030
1937-38	10,500.0	.0	241.0	174,300.0	Mar 02	31,000
1938-39	191.0	.0	2.2	1,570.0	Jan 05	680
1939-40	224.0	.0	5.0	3,640.0	Jan 07	288
1940-41	2,220.0	.0	113.0	81,450.0	Mar 04	4,000
1941-42	214.0	.1	2.7	1,980.0	Dec 10	254
1942-43	1,300.0	.0	14.7	10,680.0	Jan 23	3,500
1943-44	502.0	.3	15.9	11,600.0	Feb 22	1,080
1944-45	112.0	.1	1.9	1,380.0	Nov 11	1,060
1945-46	267.0	.0	18.0	13,030.0	Dec 23	483
1946-47	279.0	.0	11.8	8,560.0	Nov 27	283
1947-48	570.0	.0	7.2	5,250.0	Jun 07	584
1948-49	4.9	.0	.1	71.0	Feb 27	50
1949-50	24.0	.0	.3	203.0	Dec 18	124
1950-51	24.0	.0	.3	234.0	Jan 11	636
1951-52	753.0	.0	8.7	6,340.0	Jan 16	2,180
1952-53	785.0	.0	9.0	6,550.0	Nov 15	944
1953-54	654.0	.0	14.9	10,800.0	Feb 13	1,740
1954-55	184.0	.0	2.0	1,460.0	Jan 18	2,340
1955-56	1,020.0	.0	4.0	2,940.0	Jan 26	3,030
1956-57	390.0	.0	5.9	4,280.0	Feb 23	2,270
1957-58	735.0	.0	32.6	23610*	Feb 19	1,530
1958-59	218.0	.0	1.8	1290*	Jan 06	1,530
1959-60	30.0	.0	.4	303.0	Jan 12	185
1960-61	16.0	.0	.2	131.0	Nov 05	132
1961-62	630.0	.0	13.1	9,460.0	Feb 12	856
1962-63	28.0	.0	.3	221.0	Mar 16	182
1963-64	22.0	.0	.3	187.0	Jan 21	296
1964-65	32.0	.0	.5	340.0	Apr 09	397
1965-66	261.0	.0	7.7	5,570.0	Nov 24	1,440
1966-67	175.0	.0	14.7	10,620.0	Jan 22	438
1967-68	61.0	.0	.8	576.0	Mar 08	714

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RIO HONDO *below* Lower Azusa Avenue
STATION NO. F192B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1968-69	4,380.0	.0	100.0	72,550.0	Jan 25	10,600
1969-70	251.0	.0	5.0	3,580.0	Mar 04	1,160
1970-71	95.0	.0	4.2	3,060.0	Nov 29	446
1971-72	5.0	.0	.3	210.0	Dec 24	266
1972-73	270.0	.0	14.5	10,520.0	Feb 27	2,390
1973-74	144.0	.0	5.1	3,720.0	Jan 07	196
1974-75	54.0	+	.7	538.0	Dec 04	643
1975-76	34.0	.0	.5	345.0	Sep 11	635
1976-77	22.5	.0	.5	393.0	May 09	230
1977-78	1,910.0	.0	84.7	61,266.0	Mar 01	3,480
1978-79	163.0	.0	19.7	14,291.0	Feb 21	311
1979-80	1,490.0	.0	77.5	55,368.0	Feb 16	3,050
1980-81	237.0	.0	17.8	13,060.0	Dec 16	3,070
1981-82	196.0	.0	11.5	8,293.0	Sep 23	342
1982-83	350.0	.0	66.3	48,030.0	Apr 18	350
1983-84	251.0	.0	15.5	11,194.0	Nov 01	303
1984-85	12.5	.0	.2	175.0	Nov 08	216
1985-86	318.0	.0	36.7	26,570.0	Feb 15	357
1986-87	24.7	.0	.2	171.0	Jan 04	296
1987-88	223.0	.0	5.9	4,290.0	Dec 04	350
1988-89	12.7	.0	2.8	173.0	Dec 15	109
1989-90	46.2	.0	.4	259.0	Feb 17	236
1990-91	388.0	.0	11.3	7,831.0	Aug 01	356
1991-92	809.0	.0	25.4	18,429.0	Feb 13	3,860
1992-93	1,010.0	.0	65.6	47,470.0	Feb 19	3,190
1993-94	47.0	.0	2.4	1,748.0	Dec 14	272
1994-95	803.0	.0	33.8	24,500.0	Mar 11	3,210
1995-96	665.0	.0	29.1	21,100.0	Feb 21	1,400
1996-97	250.0	.0	15.8	11,400.0	Jan 26	634
1997-98	1,270.0	.0	35.4	25,610.0	Feb 07	3,670
1998-99	125.0	.0	3.2	2,290.0	Nov 08	348
1999-00	33.0	.0	.6	455.0	Apr 17	348

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RIO HONDO above Stuart and Gray Road
STATION NO. F45B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1927-28	*	.0	*	269*	Mar 06	4*
1928-29	248.0	.0	3.4	2,460.0	Apr 04	912
1929-30	285.0	.0	2.8	2,000.0	Mar 15	743
1930-31	335.0	.0	2.6	1,900.0	Feb 04	841
1931-32	3,440.0	.0	27.4	19,920.0	Feb 09	4,610
1932-33	971.0	.0	6.2	4,450.0	Jan 19	2,730
1933-34	5,810.0	.0	23.5	17,030.0	Jan 01	16,000
1934-35	667.0	.0	8.3	6,000.0	Apr 08	3,450
1935-36	472.0	.0	5.8	4,220.0	Feb 12	3,160
1936-37	1,460.0	.0	37.1	26,870.0	Feb 14	4,800
1937-38	12,700.0	.0	238.0	172,100.0	Mar 03	24400E
1938-39	910.0	.0	13.2	9,540.0	Dec 18	5,260
1939-40	442.0	.0	6.7	4,850.0	Jan 08	1,930
1940-41	3,690.0	.0	129.0	93,260.0	Mar 04	6,420
1941-42	564.0	.0	9.3	6,730.0	Dec 10	4,240
1942-43	4,660.0	.0	57.9	41,910.0	Jan 23	11,800
1943-44	2570E	.0	36.9	26,820.0	Feb 22	6,670
1944-45	492.0	.0	11.7	8,460.0	Nov 11	4,500
1945-46	1,130.0	.0	15.6	11,280.0	Dec 22	4,270
1946-47	923.0	.0	22.1	16,030.0	Nov 13	5,950
1947-48	425.0	.0	4.8	3,510.0	Mar 24	2,880
1948-49	268.0	.0	2.1	1,490.0	Jan 20	713
1949-50	402.0	.0	3.9	2,840.0	Jan 08	1,790
1950-51	135.0	.0	1.1	781.0	Jan 29	1,080
1951-52	2,430.0	.0	35.9	26,040.0	Jan 16	9,040
1952-53	571.0	.0	4.8	3,450.0	Nov 15	4,600
1953-54	1,780.0	.0	14.9	10,760.0	Feb 13	8,860
1954-55	753.0	.0	11.1	8,000.0	Jan 18	4,160
1955-56	4,910.0	.0	20.0	14,540.0	Jan 26	11,600
1956-57	967.0	.0	6.4	4,640.0	Feb 23	6,560
1957-58	2,230.0	.0	41.8	30,260.0	Feb 19	10,800
1958-59	915.0	.0	5.4	3,900.0	Jan 06	11,000
1959-60	219.0	.0	3.3	2,370.0	Jan 12	3,030
1960-61	115.0	.0	1.2	831.0	Nov 26	2,090
1961-62	2,080.0	.0	31.4	22,780.0	Feb 19	7,100
1962-63	620.0	.0	4.5	3,280.0	Feb 09	4,240
1963-64	190.0	.0	2.4	1,730.0	Jan 22	2,060

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RIO HONDO *above* Stuart and Gray Road
STATION NO. F45B-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1964-65	1,130.0	.0	7.3	5,310.0	Apr 09	8,780
1965-66	4,810.0	+	95.8	69,390.0	Dec 29	19,000
1966-67	5,210.0	+	26.6	21,530.0	Jan 24	20,100
1967-68	4,300.0	+	25.3	18,360.0	Mar 08	17,900
1968-69	23,100.0	+	424.0	307,100.0	Jan 25	46,900
1969-70	964.0	+	10.0	7,220.0	Feb 28	7,540
1970-71	2,430.0	+	13.1	9,520.0	Nov 29	9,350
1971-72	2,420.0	+	6.0	4,409.0	Dec 24	11,400
1972-73	2,550.0	+	21.9	15,860.0	Feb 11	15,180
1973-74	3,360.0	+	15.4	11,180.0	Jan 07	11,710
1974-75	303.0	+	9.5	6,910.0	Dec 04	13,250
1975-76	920.0	+	9.4	6,660.0	Sep 11	9,820
1976-77	619.0	.0	6.9	5,020.0	Oct 23	2,890
1977-78	13,800.0	+	270.0	195,463.0	Mar 01	32,000
1978-79	4,600.0	.5	46.5	33,662.0	Mar 27	25,600
1979-80	16,000.0	.5	313.4	221,877.0	Feb 16	48,100
1980-81	2,050.0	.0	13.2	9,539.0	Mar 01	13,500
1981-82	4,410.0	.0	28.7	20,768.0	Nov 28	17,100
1982-83	20,600.0	.0	236.5	172,592.0	Mar 01	38,400
1983-84	2,600.0	.0	17.2	12,502.0	Oct 01	9,480
1984-85	1,400.0	.0	14.1	10,216.0	Feb 09	7,130
1985-86	4,500.0	.0	*	*	Feb 15	19,400
1986-87	1,730.0	.1	8.6	6,256.0	Jan 04	10,000
1987-88	2,660.0	.0	16.7	12,111.0	Jan 17	11,300
1988-89	1,280.0	.1	12.4	8,967.0	Dec 21	6,050
1989-90	5,030.0	.1	16.9	12,222.0	Feb 17	17,500
1990-91	3,880.0	.0	34.1	24,720.0	Feb 27	19,600
1991-92	6,930.0	.1	56.7	41,160.0	Feb 12	32,000
1992-93	11,200.0	.0	386.0	279,400.0	Feb 18	32,800
1993-94	260.0	.0	10.0	7,222.0	Mar 19	4,240
1994-95	10,500.0	.1	164.0	119,100.0	Jan 10	37,400
1995-96	6,320.0	.0	40.3	29,240.0	Feb 20	20,200
1996-97	3,420.0	.1	30.7	22,230.0	Jan 25	13,300
1997-98	9,700.0	.0	178.0	129,200.0	Feb 08	34,700
1998-99	417.0	.0	3.9	2,850.0	Nov 08	2,360
1999-00	2,960.0	.0	44.7	18,990.0	Feb 23	14,600

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**RUBIO DIVERSION CHANNEL *below* Gooseberry Inlet
STATION NO. F338-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1959-60	.8	.0	.0	9.0	Jan 11	9
1960-61	.8	.0	.0	6.0	Jan 26	5
1961-62	7.9	.0	.1	62.0	Feb 11	22
1962-63	2.6	.0	.0	20.0	Feb 10	32
1963-64	.8	.0	.0	14.0	Jan 21	8
1964-65	1.0	.0	.0	30.0	Nov 09	21
1965-66	18.3	.0	.3	206.0	Dec 29	63
1966-67	12.5	.0	.2	127.0	Jan 22	63
1967-68	18.2	.0	.2	112.0	Nov 19	267
1968-69	254.0	.0	4.2	3,050.0	Jan 25	880
1969-70	11.7	.0	.4	272.0	Feb 28	146
1970-71	36.0	.0	.6	413.0	Nov 29	266
1971-72	M	M	M	M		M
1972-73	58.0	+	1.5	1,098.0	Jan 18	114
1973-74	22.6	+	2.8	1,994.0	Nov 18	76
1974-75	11.0	+	.9	627.0	Mar 06	85
1975-76	13.0	.0	.6	431.0	Feb 09	88
1976-77	4.8	.0	.5	384.0	May 09	47
1977-78	76.3	.0	3.0	2,141.0	Mar 04	276
1978-79	5.0	.0	.7	494.0	Mar 28	71
1979-80	108.0	.2	8.9	6,438.0	Feb 19	1,400
1980-81	13.3	.4	3.6	2,598.0	May 02	115
1981-82	20.7	.0	2.1	1,519.0	Apr 01	106
1982-83	150.0	.2	3.1	2,391.0		296
1983-84	16.5	.0	1.0	740.0	Oct 04	184
1984-85	9.8	.0	.5	332.0	Jan 18	31
1985-86	8.2	.0	7.8	463.0		N.D.
1986-87	NO RECORD					
1987-88	9.0	.0	.7	526.0		N.D.
1988-89	6.0	.0	.9	631.0	Mar 25	6
1989-90	5.2	.0	.3	232.0		N.D.
1990-91	16.3	.0	.3	249.0	Mar 01	16
1991-92	45.4	.0	2.2	1,592.0	Feb 10	191
1992-93	*	*	*	*		*
1993-94	*	*	*	*		*
1994-95	71.6	.0	2.8	2,056.0	Feb 14	170
1995-96	41.2	.0	1.6	1,139.0	Feb 20	131

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

RUBIO DIVERSION CHANNEL *below* Gooseberry Inlet
STATION NO. F338-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1996-97	5.8	.0	.8	601.0	Sep 25	31
1997-98	9.8	.0	1.5	1,050.0	Mar 02	106
1998-99	27.0	.0	1.4	1,030.0	Mar 15	179
1999-00	6.0	.2	.5	360.0	Feb 16	94

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

RUBIO WASH @ Glendon Way
STATION NO. F82C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	107.0	.0	1.5	1,110.0	Feb 03	1,690
1931-32	124.0	.0	2.1	1,490.0	Nov 27	798
1932-33	234.0	.0	1.5	1,110.0	Jan 16	1,510
1933-34	684.0	.0	3.6	2,580.0	Dec 31	2,070
1934-35	134.0	.0	2.4	1,770.0	Oct 17	1,680
1935-36	81.0	.0	1.8	1,280.0	Feb 22	1,370
1936-37	186.0	.0	3.9	2,800.0	Dec 27	1,180
1937-38	802.0	.0	5.8	4,180.0	Mar 02	2400E
1938-39	250.0	.0	8.7	2,370.0	Jan 05	1,725
1939-40	122.0	.0	2.4	1,270.0	Jan 07	1,000
1940-41	200.0	.0	8.1	5,890.0	Mar 03	1,940
1941-42	130.0	.0	2.1	1,530.0	Dec 10	1,200
1942-43	697.0	.0	6.2	4,520.0	Mar 04	2,780
1943-44	393.0	.0	4.4	3,190.0	Feb 22	1,930
1944-45	152.0	.0	2.1	1,540.0	Nov 11	1,780
1945-46	244.0	.0	2.5	1,840.0	Dec 22	1,630
1946-47	233.0	.0	3.2	2,300.0	Nov 13	2,650
1947-48	91.0	.0	1.5	1,080.0	Mar 24	2,090
1948-49	59.0	.0	1.5	1,080.0	Oct 30	530
1949-50	161.0	.0	2.3	1,690.0	Feb 06	1,060
1950-51	80.0	.0	1.4	1,010.0	Jan 11	2,290
1951-52	335.0	.0	7.3	5,300.0	Jan 16	3,020
1952-53	133.0	.0	2.0	1,460.0	Nov 15	2,200
1953-54	288.0	+	3.4	2,490.0	Jan 19	2,310
1954-55	126.0	+	2.6	1,870.0	Jan 18	1,290
1955-56	639.0	.0	4.0	2,880.0	Jan 26	1,970
1956-57	199.0	+	3.2	2,290.0	Feb 23	2,980
1957-58	286.0	.1	7.7	5,610.0	Feb 19	2,740
1958-59	218.0	.2	2.8	2,030.0	Jan 06	2,780
1959-60	135.0	.2	2.5	1,820.0	Jan 11	985
1960-61	117.0	.2	1.8	1,270.0	Nov 06	902
1961-62	281.0	.1	5.7	4,120.0	Jan 20	1,200
1962-63	246.0	.1	2.4	1,760.0	Feb 09	1,180
1963-64	136.0	.2	2.6	1,870.0	Jan 21	1,570
1964-65	164.0	.1	2.8	2,030.0	Apr 09	2,045
1965-66	466.0	.1	6.4	4,650.0	Nov 24	2,300
1966-67	344.0	.2	7.2	5,220.0	Dec 03	2,040

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

RUBIO WASH @ Glendon Way
STATION NO. F82C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	343.0	.2	4.0	2,930.0	Mar 08	2,460
1968-69	712.0	.2	11.4	8,220.0	Jan 25	2,890
1969-70	**	**	**	**	Feb 28	2,540
1970-71	**	**	**	**	Nov 29	3,700
1971-72	**	**	**	**	Dec 24	1,240
1972-73	410.0	.0	7.0	5041*	Feb 11	3,166
1973-74	460.0	.2	5.5	3,950.0	Jan 07	1,985
1974-75	328.0	.3	4.5	3,240.0	Dec 04	3,180
1975-76	373.0	.2	4.1	2,920.0	Sep 10	2,070
1976-77	180.0	.1	4.4	3,187.0	Oct 23	2,610
1977-78	531.0	.0	12.9	9,340.0	Feb 10	3,170
1978-79	176.0	.0	8.4	6,056.0	Feb 21	2,680
1979-80	781.0	.0	11.8	8,372.0	Jan 29	4,594
1980-81	205.0	.0	4.3	3,108.0	Mar 01	1,754
1981-82	186.0	.0	4.0	2,890.0	Mar 17	1,650
1982-83	620.0	.1	12.6	9,079.0	Mar 02	4,560
1983-84	165.0	.1	2.8	1,976.0	Dec 25	1,680
1984-85	154.0	.1	3.5	2,543.0	Dec 19	1,610
1985-86	212.0	.1	6.1	4,445.0	Mar 08	2,090
1986-87	153.0	.2	3.6	2,580.0	Oct 02	2,790
1987-88	246.0	.0	4.3	3,113.0	Dec 04	3,620
1988-89	123.0	.1	2.9	2,122.0	Dec 15	783
1989-90	341.0	.3	4.5	3,249.0	Jan 16	1,560
1990-91	355.0	.0	4.9	3,513.0	Mar 01	1,840
1991-92	287.0	.0	5.7	4,115.0	Feb 12	2,540
1992-93	323.0	.0	7.9	5,726.0	Jan 14	3,660
1993-94	105.0	.0	2.3	1,640.0	Mar 24	1,970
1994-95	707.0	.0	9.4	6,777.0	Mar 11	4,610
1995-96	656.0	.0	7.5	5,464.0	Jan 31	5,010
1996-97	156.0	.0	3.9	2,790.0	Jan 15	1,180
1997-98	438.0	.0	9.1	6,590.0	Feb 06	4,030
1998-99	79.0	.0	2.2	1,560.0	Nov 28	2,430
1999-00	218.0	.1	5.6	4,030.0	Feb 21	2,710

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER *below* San Gabriel River Parkway
STATION NO. F263C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1928-29	93.0	.0	3.9	2,850.0	Mar 10	397
1929-30	152.0	.0	4.8	3,490.0	Jan 11	726
1930-31	106.0	.0	3.4	2,490.0	Feb 04	404
1931-32	1,620.0	.0	18.0	13,060.0	Feb 09	3,830
1932-33	286.0	.0	4.2	3,040.0	Jan 29	1,450
1933-34	5,580.0	.0	23.4	16,950.0	Jan 01	22,000
1934-35	746.0	.0	16.8	12,190.0	Oct 17	5,400
1935-36	355.0	.0	6.3	4,590.0	Feb 12	3,400
1936-37	2,440.0	.0	47.3	34240*	Feb 14	6,970
1937-38	11,400.0	.0	131.0	94,810.0	Mar 02	22700E
1938-39	672.0	.0	34.1	24,620.0	Sep 25	2,110
1939-40	544.0	.0	27.8	20,180.0	Feb 01	2,110
1940-41	2,700.0	.0	139.0	100,900.0	Mar 04	5,830
1941-42	149.0	.0	39.5	28,630.0	Dec 10	412
1942-43	10,500.0	.0	289.0	209,600.0	Jan 23	14,810
1943-44	5,350.0	.0	144.0	104,200.0	Feb 22	14,100
1944- 45	744.0	.0	58.7	42,520.0	Nov 12	4,210
1945-46	1,660.0	.0	47.5	34,370.0	Dec 23	4,660
1946-47	2,810.0	.0	62.7	45,420.0	Dec 30	3,240
1947-48	48.0	.0	11.8	8,590.0	Feb 06	84
1948-49	77.0	.0	8.9	6,470.0	Jan 20	144
1949-50	272.0	.0	5.7	4,130.0	Feb 06	845
1950-51	16.0	.0	.8	558.0	Jan 30	27
1951-52	2,860.0	.0	70.2	50,900.0	Jan 16	14,000
1952-53	327.0	.0	19.2	13,880.0	Dec 02	1,450
1953-54	901.0	.0	15.2	10,990.0	Feb 13	5,450
1954-55	323.0	.0	12.8	9,250.0	Jan 18	1,590
1955-56	4,030.0	.0	33.1	24,050.0	Jan 26	12,400
1956-57	558.0	.0	24.9	18,000.0	Mar 01	3,600
1957-58	2,210.0	.0	114.0	82,190.0	Apr 07	6,890
1958-59	777.0	.0	16.9	33,960.0	Jan 06	3,870
1959-60	449.0	.0	49.7	36,100.0	Jan 12	2,390
1960-61	421.0	.0	65.9	47,700.0	Jan 26	1,330
1961-62	2,840.0	.0	142.0	103,100.0	Feb 11	8,810
1962-63	1,080.0	.0	58.6	42,430.0	Mar 17	4,320
1963-64	881.0	.0	63.0	45,700.0	Jan 22	3,380
1964-65	1,410.0	.0	107.0	77,270.0	Apr 09	5,590

M Data Missing
 * Record incomplete
 E Estimate
 N.D. Not determined
 ** Record not Computed
 + Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER *below* San Gabriel River Parkway
STATION NO. F263C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1965-66	916.0	.0	76.4	55,320.0	Feb 06	2,670
1966-67	2,270.0	.3	86.7	62,800.0	Jan 23	5,680
1967-68	222.0	3.2	36.2	26,240.0	Nov 19	330
1968-69	10,210.0	15.0	379.0	274,300.0	Jan 26	11,740
1969-70	1,880.0	13.0	109.0	79,110.0	Mar 04	5,530
1970-71	2,170.0	2.6	75.4	54,590.0	Dec 21	4,610
1971-72	1,900.0	.0	45.1	32,740.0	Dec 24	6,970
1972-73	2,540.0	.0	92.6	67,020.0	Feb 11	5,620
1973-74	3,640.0	4.0	83.6	60,500.0	Jan 04	6,170
1974-75	2,050.0	1.0	52.7	38,180.0	Dec 04	7,525
1975-76	1,500.0	.0	44.4	32,000.0		N.D.
1976-77	739.0	.0	23.0	16,670.0	Jan 03	4,080
1977-78	6,630.0	.0	353.4	256,222.0	Mar 01	7,650
1978-79	338.0	2.3	51.0	36,943.0	Jan 15	2,052
1979-80	9,140.0	6.0	283.9	201,315.0	Feb 19	10,600
1980-81	336.0	3.8	33.0	23,902.0	Mar 01	577
1981-82	290.0	.0	32.0	23,162.0	Mar 14	523
1982-83	4,740.0	7.7	163.1	118,084.0	Mar 01	8,650
1983-84	152.0	3.8	30.6	22,254.0	Oct 01	414
1984-85	387.0	3.1	31.1	22,522.0	Dec 18	750
1985-86	598.0	.5	59.4	31,244.0	Sep 25	3,340
1986-87	1,060.0	.0	30.3	21,994.0	Jan 04	5,140
1987-88	559.0	.0	32.7	23,684.0	Apr 20	1,270
1988-89	570.0	.0	28.9	20,899.0	Dec 24	3,020
1989-90	612.0	.0	39.6	28,677.0	Feb 17	947
1990-91	787.0	.0	34.7	24,904.0	Feb 28	1,140
1991-92	1,320.0	.0	42.0	30,460.0	Feb 12	3,390
1992-93	6,460.0	.0	377.0	273,200.0	Jan 18	7,430
1993-94	387.0	.2	35.9	26,000.0	Jan 25	1,520
1994-95	2,470.0	.0	146.0	105,900.0	Mar 11	5,070
1995-96	794.0	1.6	47.8	34,720.0	Jan 31	1,620
1996-97	1,210.0	.7	73.9	53,530.0	Dec 09	2,040
1997-98	5,450.0	2.4	233.0	168,600.0	Feb 23	7,060
1998-99	350.0	.0	41.7	30,200.0	Feb 05	621
1999-00	607.0	.1	58.6	42,560.0	Jun 06	2,550

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER *above Spring Street*
STATION NO. F42B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1927-28	0.0	0.0	0.0	0.0		0
1928-29	0.0	0.0	0.0	0.0		0
1929-30	0.0	0.0	0.0	0.0		0
1930-31	0.0	0.0	0.0	0.0		0
1931-32	1,270.0	0.0	9.0	6,560.0	Feb 09	4,490
1932-33	170.0	0.0	1.1	809.0	Jan 20	2,250
1933-34	4,860.0	0.0	17.1	12,370.0	Jan 01	15,000
1934-35	463.0	0.0	3.3	2,380.0	Oct 17	3,390
1935-36	220.0	0.0	1.6	1,190.0	Feb 12	1,910
1936-37	1,850.0	0.0	18.7	13,510.0	Feb 14	4,560
1937-38	14,500.0	0.0	122.0	88,020.0	Mar 02	27000E
1938-39	265.0	0.0	1.5	1,080.0	Dec 19	956
1939-40	192E	0.0	2.0	1,460.0	Feb 03	1,400
1940-41	1,710.0	0.0	91.0	65,890.0	Mar 13	4,830
1941-42	148.0	0.0	15.0	10,830.0	Dec 11	277
1942-43	9,570.0	0.0	280.0	175,100.0	Jan 23	14,600
1943-44	5,570.0	0.0	99.4	72,200.0	Feb 22	15,000
1944-45	742.0	0.0	30.8	22,280.0	Feb 02	1,910
1945-46	1,460.0	0.0	17.4	12,590.0	Dec 23	3,300
1946-47	2,520.0	0.0	33.3	24,100.0	Jan 01	2,740
1947-48	0.0	0.0	0.0	0.0		0
1948-49	0.0	0.0	0.0	0.0		0
1949-50	0.0	0.0	0.0	0.0		0
1950-51	0.0	0.0	0.0	0.0		0
1951-52	STATION	OUT		21100E		0
1952-53	101.0	0.0	0.3	220.0	Dec 02	301
1953-54	445.0	0.0	2.9	2,060.0	Feb 13	3,520
1954-55	240.0	0.0	1.1	820.0	Jan 18	1,640
1955-56	4,300.0	0.0	12.9	9,390.0	Jan 26	12,500
1956-57	393.0	0.0	1.2	896.0	Jan 13	1,760
1957-58	1,510.0	0.0	31.6	22,890.0	Apr 07	5,220
1958-59	615.0	0.0	3.2	2,340.0	Jan 06	2,940
1959-60	355.0	0.0	2.6	1,860.0	Jan 12	2,180
1960-61	204.0	0.0	0.6	448.0	Jan 26	1,780
1961-62	2,940.0	0.0	32.0	23,070.0	Feb 11	7,350
1962-63	1,530.0	0.0	7.3	5,290.0	Mar 17	4,120
1963-64	751.0	0.0	4.4	3,160.0	Jan 22	2,570

M Data Missing
 * Record incomplete
 E Estimate
 N.D. Not determined
 ** Record not Computed
 + Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER *above Spring Street*
STATION NO. F42B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1964-65	1,070.0	0.0	12.1	8,770.0	Apr 09	4,540
1965-66	630.0	0.0	10.2	7,400.0	Feb 06	1,950
1966-67	1,190.0	0.0	37.1	26,850.0	Jan 23	4,760
1967-68	847.0	+	9.2	6,720.0	Nov 21	3,280
1968-69	9,350.0	+	286.0	207,300.0	Jan 25	11,700
1969-70	1,760.0	+	24.2	17,520.0	Mar 05	5,550
1970-71	2,700.0	+	27.1	19,610.0	Dec 19	5,550
1971-72	1,980.0	0.1	82.2	39,900.0	Dec 24	8,580
1972-73	2,710.0	10.6	70.6	51,100.0	Jan 16	5,680
1973-74	3,730.0	10.6	63.9	46,220.0	Jan 04	6,090
1974-75	2,190.0	6.1	48.1	34,850.0	Dec 04	7,190
1975-76	660.0	12.6	50.5	36,640.0	Sep 10	3,891
1976-77	816.0	20.0	54.7	39,600.0	Jan 03	4,460
1977-78	*	*	*	*		*
1978-79	1,220.0	N.D.	N.D.	N.D.	Jan 31	4,780
1979-80	8,310.0	19.3	252.7	179,251.0	Feb 14	11,000
1980-81	*	*	*	*		*
1981-82	433.0	31.4	74.5	53,942.0	Mar 14	1,260
1982-83	5,900.0	43.4	221.0	159,961.0	Mar 01	13,400
1983-84	483.0	32.9	109.0	78,947.0	Nov 01	4,470
1984-85	488.0	44.2	3.8	84,238.0	Feb 09	1,480
1985-86	*	*	*		Feb 15	3,930
1986-87	1,110.0	32.9	113.3	82,029.0	Jan 04	4,990
1987-88	727.0	26.0	108.4	78,667.0	Dec 04	2,220
1988-89	406.0	33.3	91.0	65,899.0	Dec 25	2,080
1989-90	880.0	4.3	81.0	58,661.0	Feb 17	1,610
1990-91	813.0	25.7	78.2	56,581.0	Mar 01	1,610
1991-92	2,000.0	28.4	107.0	77,647.0	Feb 12	6,330
1992-93	6,480.0	19.8	389.0	269,000.0	Feb 19	10,100
1993-94	*	*	*	*		*
1994-95	3,230.0	33.3	173.0	125,400.0	Mar 11	10,200
1995-96	1,120.0	25.8	112.0	81,050.0	Feb 20	4,330
1996-97	738.0	51.0	143.0	97,910.0	Dec 11	2,410
1997-98	5,550.0	57.0	276.0	199,900.0	Feb 07	12,500
1998-99	290.0	52.0	136.0	98,720.0	Apr 11	1,120
1999-00	414.0	59.0	126.0	91,220.0	Mar 08	2,240

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER @ Foothill Blvd.
STATION NO. F190-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1931-32	N.D.	.0	N.D.	76220*		N.D.
1932-33	2,530.0	.0	15.7	11,400.0	Jan 19	10,000
1933-34	3,150.0	.0	20.3	14,690.0	Jan 01	5,550
1934-35	448.0	.0	81.7	59,220.0	Apr 08	1,080
1935-36	169.0	.0	21.1	15,300.0	Feb 02	572
1936-37	1,610.0	.0	162.0	117,400.0	Feb 19	2,050
1937-38	22,200.0	.0	387.2	280300*	Mar 02	62000E
1938-39	220.0	.0	15.0	10,850.0	Jan 05	267
1939-40	388.0	.0	13.7	9,980.0	Jun 25	400
1940-41	4,090.0	.0	304.0	220,100.0	Mar 04	5,280
1941-42	312.0	.0	5.5	3,990.0	Apr 20	345
1942-43	10400E	.0	318.0	230,200.0	Feb 23	11,400
1943-44	2,750.0	.0	163.0	118,300.0	Feb 22	4,840
1944-45	844.0	.0	22.9	16,620.0	Feb 02	1,080
1945-46	1,190.0	.0	58.1	42,060.0	Dec 23	1,670
1946-47	3,000.0	.0	65.6	47,520.0	Dec 28	3,200
1947-48	1,010.0	.0	14.3	10,370.0	Jun 02	1,120
1948-49	.0	.0	.0	.0		0
1949-50	20.0	.0	.1	67.0	Dec 18	192
1950-51	.0	.0	.0	.0		0
1951-52	3,860.0	.0	98.1	71,210.0	Jan 18	4,670
1952-53	1,030.0	.0	56.9	41,180.0	Oct 28	1,080
1953-54	848.0	.0	30.3	21,920.0	Apr 16	2,160
1954-55	3.8	.0	+	38.0	Jan 18	12
1955-56	215.0	.0	2.0	1,430.0	Jan 26	800
1956-57	573.0	.0	7.4	5,320.0	Apr 17	585
1957-58	2,270.0	.0	229.0	165,600.0	Apr 05	2,520
1958-59	380.0	.0	18.8	13,590.0	Jan 06	3,390
1959-60	13.0	.0	.7	499.0	Apr 27	90
1960-61	26.0	.0	.2	147.0	Jan 26	48
1961-62	1,750.0	.0	103.0	74,270.0	Feb 12	2,260
1962-63	47.0	.0	.3	237.0	Feb 09	301
1963-64	13.0	.0	.1	66.0	Jan 22	56
1964-65	293.0	.0	11.0	7,940.0	Sep 06	881
1965-66	8,680.0	.0	240.0	173,700.0	Nov 23	9,420
1966-67	2,080.0	.0	249.0	180,000.0	Dec 06	9,830
1967-68	232.0	.0	33.0	23,940.0	Nov 25	326

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER @ Foothill Blvd.
STATION NO. F190-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1968-69	22,700.0	.0	794.0	575,300.0	Jan 26	
1969-70	378.0	.0	32.9	23,810.0	Dec 21	411
1970-71	1,300.0	.0	44.0	31,850.0	Mar 01	1,400
1971-72	254.0	.0	13.3	9,660.0	Dec 08	254
1972-73	803.0	.0	129.0	93,260.0	Feb 11	1,010
1973-74	374.0	.0	56.2	40,640.0	Jan 07	670
1974-75	256.0	.0	37.3	27,040.0		256
1975-76	179.0	.0	27.3	19,839.0	Mar 01	226
1976-77	226.0	.0	24.6	17,770.0	Oct 14	248
1977-78	*	*	664.2	480,390.0	Mar 04	24,300
1978-79	525.0	.0	153.0	110,800.0	Mar 27	720
1979-80	8,751.0	.0	440.0	313,199.0		N.D.
1980-81	362.0	.0	23.8	17,247.0	Jan 29	477
1981-82	573.0	.1	79.8	57,237.0	Mar 14	720
1982-83	12,810.0	.0	16.1	356,249.0	Mar 02	12,810
1983-84	432.0	1.8	50.9	36,846.0		N.D.
1984-85	396.0	.0	16.7	12,084.0		N.D.
1985-86	805.0	.0	117.0	84,632.0	Mar 03	805
1986-87	112.0	.0	31.2	22,594.0	Mar 06	130
1987-88	544.0	.0	62.3	444,868.0	Jun 08	805
1988-89	464.0	.0	49.6	35,849.0	Feb 04	1,130
1989-90	145.0	.0	26.7	19,337.0	Apr 17	155
1990-91	567.0	.0	74.1	52,908.0	Jul 27	578
1991-92	1,580.0	.0	200.0	144,865.0	Feb 15	4,000
1992-93	8,600.0	.0	598.0	432,600.0	Feb 16	11,300
1993-94	393.0	.0	53.4	38,660.0	Feb 17	1,750
1994-95	2,180.0	.0	278.0	201,100.0	Mar 06	5,020
1995-96	531.0	.0	91.7	66,560.0	Oct 06	1,130
1996-97	563.0	.0	62.3	45,100.0	Dec 22	522
1997-98	7,660.0	.0	319.0	230,900.0	Feb 24	11,900
1998-99	216.0	.0	24.9	18.0	Jul 15	326
1999-00	272.0	.0	40.9	29,690.0	May 01	1,150

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER *above* Florence Avenue
STATION NO. F262C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1934-35	718.0	0.0	6.5	4,700.0	Oct 17	5,850
1935-36	414.0	0.0	2.4	1,750.0	Feb 12	3,400
1936-37	NO RECORD					
1937-38	NO RECORD					
1938-39	325.0	0.0		2540*	Sep 25	1,380
1939-40	271.0	0.0	2.6	1,900.0	Jan 08	1,150
1940-41	2,390.0	0.0	105.0	75,780.0	Mar 04	5,630
1941-42	117.0	0.0	18.7	13,570.0	Dec 10	413
1942-43	9,190.0	0.0	257.0	186,400.0	Jan 23	14,000
1943-44	4,860.0	0.0	110.0	79,930.0	Feb 22	16,000
1944-45	806.0	0.0	36.1	26,110.0	Nov 12	4,020
1945-46	1,500.0	0.0	22.8	16,480.0	Dec 23	4,370
1946-47	2,880.0	0.0	38.2	27,650.0	Dec 31	3,640
1947-48	0.0	0.0	0.0	0.0		0
1948-49	0.0	0.0	0.0	0.0		0
1949-50	0.0	0.0	0.0	0.0		0
1950-51	0.0	0.0	0.0	0.0		0
1951-52	3,070.0	0.0	33.4	24,250.0	Jan 16	8,040
1952-53	181.0	0.0	1.4	983.0	Dec 02	1,270
1953-54	688.0	0.0	5.2	3,790.0	Feb 13	4,060
1954-55	317.0	0.0	1.4	1,000.0	Jan 18	1,850
1955-56	4,580.0	0.0	14.3	10,360.0	Jan 26	12800E
1956-57	490.0	0.0	1.9	1,390.0	Jan 13	2,040
1957-58	1,720.0	0.0	31.9	23,960.0	Apr 07	6,300
1958-59	826.0	0.0	4.3	3,130.0	Jan 06	4,060
1959-60	377.0	0.0	2.7	1,990.0	Jan 12	2,210
1960-61	316.0	0.0	0.9	678.0	Jan 26	2,940
1961-62	2,170.0	0.0	23.7	17,340.0	Feb 11	6,470
1962-63	1,190.0	0.0	7.1	5,160.0	Mar 16	4,270
1963-64	707.0	0.0	4.8	3,460.0	Nov 20	4,330
1964-65	1,210.0	0.0	12.4	9,010.0	Apr 09	4,900
1965-66	697.0	0.0	7.8	5,620.0	Jan 30	2,080
1966-67	1,900.0	0.0	32.2	23,300.0	Jan 23	4,320
1967-68	NO RECORD					
1968-69	8,430.0	0.0	273.0	197,600.0	Jan 25	10,900
1969-70	1,650.0	0.0	16.5	11,950.0	Mar 04	4,510
1970-71	2,160.0	0.0	15.5	11,220.0	Nov 29	4,410

M Data Missing
 * Record incomplete
 E Estimate
 N.D. Not determined
 ** Record not Computed
 + Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN GABRIEL RIVER *above* Florence Avenue
STATION NO. F262C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1971-72	1,450.0	0.0	10.2	7,400.0	Dec 24	7,510
1972-73	2,540.0	0.0	28.6	20,700.0	Feb 11	5,680
1973-74	3,650.0	0.0	26.8	19,420.0	Jan 07	5,870
1974-75	1,390.0	0.0	8.4	6,110.0	Dec 04	6,010
1975-76	690.0	0.0	5.9	4,160.0	Sep 10	2,800
1976-77	486.0	0.0	4.4	3,171.0	Jan 03	3,320
1977-78	5,440.0	0.0	224.0	162,158.0	Feb 12	8,220
1978-79	*	*	*	*		*
1979-80	9,290.0	0.0	222.3	156,500.0	Feb 17	10,900
1980-81	219.0	0.0	1.1	773.0	Mar 02	414
1981-82	186.0	0.0	1.0	723.0	Mar 17	755
1982-83	4,920.0	0.0	95.2	68,938.0	Mar 01	10,400
1983-84	131.0	0.0	1.8	1,341.0	Nov 25	179
1984-85	215.0	0.0	2.4	1,771.0	Dec 19	283
1985-86	528.0	0.0	6.4	4,597.0	Sep 25	4,510
1986-87	585.0	0.0	2.7	1,936.0	Jan 04	3,350
1987-88	75.9	0.0	0.6	466.0	Apr 21	327
1988-89	148.0	0.0	1.1	825.0	Dec 25	1,174
1989-90	32.0	0.0	0.1	65.0	Feb 17	353
1990-91	169.0	0.0	1.0	694.0	Mar 27	605
1991-92	673.0	0.0	5.3	3,840.0	Feb 12	2,340
1992-93	6,990.0	0.0	276.0	199,500.0	Jan 18	7,600
1993-94	0.0	0.0	0.0	0.0		
1994-95	1,520.0	0.0	35.6	25,760.0	Jan 10	5,120
1995-96	871.0	0.0	3.8	2,727.0	Feb 21	2,360
1996-97	291.0	0.0	5.1	3,710.0	Dec 11	1,240
1997-98	5,750.0	0.0	168.0	121,400.0	Mar 26	8,070
1998-99	19.0	0.0	0.2	116.0	Nov 08	78
1999-00	159.0	0.0	1.1	788.0	Mar 08	3,130

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER *below* Morris Dam
STATION NO. U8-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1895-96	134.0	.0	N.D.	N.D.		N.D.
1896-97	1,760.0	.0	95.6	69,200.0		N.D.
1897-98	1,600.0	.0	9.6	6,920.0		N.D.
1898-99	16.0	.0	.1	74.0		N.D.
1899-00	49.0	.0	.4	272.0		N.D.
1900-01	5,170.0	.0	94.1	68,100.0	Feb 05	N.D.
1901-02	318.0	.0	4.3	3,100.0		6,250
1902-03	2,940.0	.0	104.0	74,900.0		N.D.
1903-04	1,070.0	.0	9.3	6,720.0		N.D.
1904-05	2,940.0	.0	172.0	124,000.0		N.D.
1905-06	7,950.0	.0	262.0	190,000.0		N.D.
1906-07	6,730.0	.0	406.0	293,000.0		N.D.
1907-08	1,160.0	.0	46.4	33,700.0		N.D.
1908-09	7,030.0	.0	197.0	143,000.0		N.D.
1909-10	12,400.0	.0	137.0	99,100.0	Jan 01	13,900
1910-11	9,100.0	.0	321.0	231,000.0	Mar 10	13,500
1911-12	2,950.0	.0	55.5	40,300.0		N.D.
1912-13	1,880.0	.0	25.6	18,600.0		N.D.
1913-14	11,800.0	.0	359.0	260,000.0	Feb 20	18,100
1914-15	1,110.0	.0	108.0	77,900.0	Jan 29	2,770
1915-16	22,300.0	.0	315.0	228,000.0	Jan 18	40,000
1916-17	3,900.0	.0	49.3	35,700.0		N.D.
1917-18	4,940.0	.0	123.0	88,600.0	Mar 17	8,680
1918-19	76.0	.0	3.2	2,290.0	Feb 11	230
1919-20	2,400.0	.0	94.6	68,700.0	Mar 02	5,000
1920-21	2,050.0	.0	40.1	29,000.0	Mar 14	4,000
1921-22	16,000.0	.0	505.0	365,000.0	Dec 19	22,300
1922-23	2,250.0	.0	44.0	31,800.0	Dec 13	3,670
1923-24	253.0	.0	3.5	2,540.0	Mar 26	510
1924-25	588.0	.0	4.2	3,030.0	Mar 04	3,000
1925-26	5,530.0	.0	113.0	81,700.0	Apr 07	14,900
1926-27	11,400.0	.0	123.0	88,900.0	Feb 16	18,200
1927-28	672.0	.0	4.1	2,940.0	Feb 04	1,810
1928-29	411.0	.0	10.0	7,210.0	Mar 10	895
1929-30	396.0	.0	21.5	15,600.0	Mar 15	586
1930-31	601.0	.0	9.5	6,900.0	Apr 26	1,450
1931-32	5,830.0	.0	120.0	87,200.0	Feb 09	7,500

M Data Missing
* Record incomplete
E Estimate
N.D. Not determined
** Record not Computed
+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER *below* Morris Dam
STATION NO. U8-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1932-33	1,630.0	.0	21.9	15,900.0	Jan 19	5,820
1933-34	2,380.0	.0	30.4	22,080.0	Jan 01	6,120
1934-35	460.0	.0	102.0	74,080.0	Feb 09	507
1935-36	224.0	.0	31.6	22,980.0	Apr 10	455
1936-37	1,770.0	.0	195.0	141,100.0	Feb 20	1,950
1937-38	21,660.0	.1	415.0	300,200.0	Mar 02	65,700
1938-39	316.0	6.5	53.5	38,680.0		N.D.
1939-40	506.0	.0	50.5	36,640.0	Jun 24	506
1940-41	3,870.0	.0	317.0	229,300.0	Mar 04	4,460
1941-42	370.0	2.5	13.1	9,480.0	Apr 20	422
1942-43	10,370.0	2.0	334.0	242,000.0	Jan 23	12,100
1943-44	2,710.0	3.6	184.0	133,700.0	Feb 22	5,170
1944-45	980.0	6.1	62.8	45,490.0	Feb 06	988
1945-46	937.0	.3	75.9	54,930.0	Dec 23	980
1946-47	2,930.0	.0	74.9	54,220.0	Dec 31	2,980
1947-48	1,170.0	.0	18.1	13,170.0	Jun 02	1,320
1948-49	61.0	.0	5.7	4,140.0	Oct 27	79
1949-50	7.9	.0	.7	51.0	Jul 31	8
1950-51	47.0	.0	8.6	6,220.0	Apr 27	168
1951-52	3,530.0	.0	91.1	66,120.0		N.D.
1952-53	1,190.0	.0	69.4	50,240.0		N.D.
1953-54	960.0	.0	34.6	25,030.0	Apr 16	9,420
1954-55	9.9	.0	.1	86.0	Sep 26	10
1955-56	43.0	.0	.2	176.0	Sep 30	45
1956-57	650.0	.0	12.4	9,010.0	Apr 14	656
1957-58	2,470.0	.0	241.0	174,100.0	Apr 05	2,780
1958-59	348.0	.0	11.3	8,200.0	Feb 24	364
1959-60	.0	.0	.0	.0		0
1960-61	7.5	.0	1.7	1,250.0	May 06	9
1961-62	1,520.0	.0	102.0	73,590.0	Feb 12	1,650
1962-63	27.0	.0	1.0	712.0	Sep 04	45
1963-64	22.0	.0	.2	160.0	Aug 26	50
1964-65	276.0	.0	10.7	981.0	Jun 12	291
1965-66	7,260.0	.0	225.0	162,900.0	Nov 23	8,640
1966-67	3,750.0	.0	232.0	167,900.0	Dec 06	5,680
1967-68	236.0	.0	31.7	23,030.0	Nov 25	326
1968-69	19,300.0	.0	750.0	543,000.0	Feb 25	29,850

M Data Missing
* Record incomplete
E Estimate
N.D. Not determined
** Record not Computed
+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**SAN GABRIEL RIVER *below* Morris Dam
STATION NO. U8-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1969-70	1,060.0	.0	52.4	37,970.0	Feb 28	1,102
1970-71	434.0	.0	31.4	22,760.0	Jan 04	439
1971-72	299.0	.0	15.3	11,090.0	Dec 08	299
1972-73	849.0	.0	131.0	94,790.0	Mar 19	918
1973-74	310.0	.0	60.8	44,010.0	Nov 07	364
1974-75	248.0	.0	29.7	21,500.0		248
1975-76	191.0	.0	28.8	20,870.0	Mar 25	178
1976-77	267.0	.0	21.8	15,760.0	Oct 13	273
1977-78	10,800.0	.0	630.1	456,170.0	Mar 04	14,100
1978-79	504.0	.0	149.2	108,000.0	Apr 22	519
1979-80	8,310.0	.0	473.3	337,410.0	Feb 19	8,720
1980-81	415.0	.0	37.8	27,335.0	Dec 11	514
1981-82	586.0	.0	90.2	65,284.0	Mar 24	5,490
1982-83	11,600.0	.0	15.9	352,733.0	Mar 02	11,900
1983-84	485.0	.0	2.2	48,419.0	Oct 13	552
1984-85	464.0	.0	48.5	35,100.0	Jan 01	469
1985-86	831.0	.0	131.0	94,778.0	Feb 25	856
1986-87	186.0	.0	60.8	43,995.0	Feb 23	212
1987-88	253.0	.0	94.1	67,673.0	Jun 08	793
1988-89	434.0	.4	68.0	49,058.0	Jan 05	434
1989-90	166.0	.1	64.0	46,101.0	Apr 28	162
1990-91	785.0	.0	113.0	80,999.0	Jul 28	793
1991-92	1,740.0	.8	206.0	149,508.0	Feb 15	3,460
1992-93	9,500.0	.0	655.0	474,300.0	Jan 14	9,500
1993-94	480.0	.0	57.8	41,860.0	Aug 02	1,490
1994-95	*	*	*	*		*
1995-96	552.0	.4	124.0	89,820.0	Sep 25	1,220
1996-97	696.0	.3	90.3	65,340.0	Feb 02	1,620
1997-98	7,200.0	.0	365.0	264,000.0	Feb 24	10,300
1998-99	250.0	.0	33.1	23,970.0	Mar 01	3,140
1999-00	316.0	1.2	59.1	42,900.0	May 01	834

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN JOSE CHANNEL *below* Seventh Avenue
STATION NO. F312B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1955-56	1,830.0	.0	5.6	4,070.0	Jan 26	5,180
1956-57	190.0	.0	1.1	795.0	Mar 01	1,410
1957-58	1,210.0	.0	19.4	14,060.0	Apr 07	3,990
1958-59	487.0	.0	4.4	3,210.0	Jan 06	2,720
1959-60	253.0	.0	4.7	3,430.0	Apr 27	1,380
1960-61	103.0	.0	.6	403.0	Jan 26	429
1961-62	1,220.0	.0	13.2	9,540.0	Feb 11	3,800
1962-63	581.0	.0	7.6	5,530.0	Mar 16	1,940
1963-64	483.0	+	6.8	4,900.0	Jan 22	1,250
1964-65	1,080.0	.0	14.0	10,110.0	Apr 09	4,540
1965-66	1,640.0	+	21.1	15,290.0	Dec 29	5,220
1966-67	2,290.0	2.8	36.3	26,260.0	Jan 24	10,200
1967-68	2,180.0	6.4	24.6	17,870.0	Mar 08	10,100
1968-69	4,370.0	9.3	73.2	52,980.0	Feb 25	9,710
1969-70	898.0	8.0	28.7	20,490.0	Mar 04	3,930
1970-71	1,180.0	5.0	22.4	16,190.0	Dec 21	4,400
1971-72	988.0	3.9	17.4	12,650.0	Dec 24	3,720
1972-73	1,820.0	7.0	38.4	27,830.0	Feb 13	6,440
1973-74	1,970.0	8.0	33.3	24,060.0	Jan 04	4,900
1974-75	1,260.0	5.2	64.4	46,650.0	Dec 04	9,620
1975-76	1,200.0	5.0	25.6	18,310.0	Sep 10	5,000
1976-77	816.0	3.0	23.2	16,820.0	Aug 17	3,580
1977-78	2,740.0	5.0	74.0	53,613.0	Mar 04	11,100
1978-79	2,420.0	5.6	43.9	31,812.0	Jan 31	7,330
1979-80	3,150.0	6.3	81.4	57,830.0	Feb 18	13,000
1980-81	1,240.0	12.6	96.2	69,674.0	Mar 01	4,810
1981-82	1,140.0	8.6	34.1	24,673.0	Mar 14	5,790
1982-83	2,720.0	11.8	65.8	47,646.0	Feb 27	19,200
1983-84	1,050.0	8.6	28.3	20,538.0	Oct 01	5,060
1984-85	927.0	8.6	38.6	27,929.0	Dec 18	5,330
1985-86	1,850.0	10.2	51.8	37,499.0	Feb 15	7,250
1986-87	1,900.0	7.8	38.4	27,787.0	Jan 04	6,980
1987-88	1,700.0	6.3	35.3	25,633.0	Jan 17	7,850
1988-89	1,100.0	7.4	59.2	42,258.0	Dec 21	4,800
1989-90	3,060.0	7.8	80.6	58,322.0	Feb 17	7,700
1990-91	1,960.0	7.1	68.0	48,938.0	Mar 01	7,270
1991-92	2,370.0	7.3	83.0	60,221.0	Feb 11	16,800

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAN JOSE CHANNEL *below* Seventh Avenue
STATION NO. F312B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1992-93	4,370.0	7.0	*	*	Jan 07	20,200
1993-94	*	*	*	*		*
1994-95	2,480.0	22.7	105.0	75,660.0	Jan 10	11,400
1995-96	1,630.0	.0	44.4	32,260.0	Feb 20	10,100
1996-97	868.0	1.8	40.4	29,240.0	Jan 25	4,440
1997-98	1,760.0	11.0	70.7	51,170.0	Feb 07	14,500
1998-99	314.0	2.3	26.1	18,870.0	Nov 28	2,150
1999-00	1,220.0	6.9	81.1	58,900.0	Apr 18	6,480

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTA ANITA WASH @ Longden Avenue
STATION NO. F193B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1959-60	55.0	+	.6	465.0	Apr 27	534
1960-61	33.0	.0	.3	216.0	Nov 12	314
1961-62	693.0	.0	8.2	5,910.0	Feb 11	1,780
1962-63	101.0	.0	1.0	709.0	Feb 09	621
1963-64	47.0	.0	.9	650.0	Nov 20	581
1964-65	63.0	.0	1.4	985.0	Apr 09	518
1965-66	541.0	+	12.0	8,730.0	Dec 29	1,380
1966-67	613.0	+	16.0	11,570.0	Dec 06	1,180
1967-68	111.0	+	1.7	1,230.0	Nov 19	816
1968-69	2,760.0	+	46.9	33,930.0	Jan 25	6,850
1969-70	150.0	+	3.2	2,300.0	Mar 02	1,290
1970-71	350.0	+	3.4	2,440.0	Dec 21	590
1971-72	71.0	.0	.4	320.0	Dec 24	324
1972-73	595.0	.0	5.9	4,270.0	Feb 27	1,630
1973-74	158.0	+	2.9	2,090.0	Jan 07	518
1974-75	95.0	.0	1.2	875.0	Dec 04	943
1975-76	82.0	.0	1.5	1,060.0	Sep 11	766
1976-77	46.0	.0	1.0	752.0	Oct 23	694
1977-78	877.0	.0	35.5	25,720.0	Feb 10	2,350
1978-79	1,160.0	.1	12.4	8,978.0	Feb 21	1,730
1979-80	1,690.0	.1	72.1	51,148.0	Jan 29	2,090
1980-81	121.0	.0	1.3	963.0	Jan 29	1,100
1981-82	176.0	.0	3.4	2,485.0	Mar 17	1,060
1982-83	958.0	.0	79.5	57,533.0	Mar 02	2,240
1983-84	143.0	.1	8.9	6,453.0	Nov 01	656
1984-85	92.7	.0	3.0	2,142.0	Dec 19	517
1985-86	104.0	.2	6.9	4,987.0	Feb 14	379
1986-87	27.3	.0	.6	454.0	Oct 02	857
1987-88	82.0	.0	1.6	1,156.0	Jan 17	858
1988-89	42.2	.0	1.0	717.0	Dec 16	180
1989-90	76.6	.0	.8	617.0	Jan 13	463
1990-91	104.0	.0	2.2	1,602.0	Mar 01	490
1991-92	498.0	.0	19.2	13,964.0	Feb 12	1,320
1992-93	552.0	.0	35.7	25,860.0	Jan 18	1,370
1993-94	354.0	.0	2.2	1,623.0	Apr 27	404
1994-95	375.0	.0	19.2	13,920.0	Jan 10	1,070
1995-96	299.0	.0	4.5	3,257.0	Jan 31	1,550

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTA ANITA WASH @ Longden Avenue
STATION NO. F193B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1996-97	89.0	.0	5.7	4,110.0	Jan 26	443
1997-98	910.0	+	22.1	16,010.0	Feb 06	883
1998-99	34.0	.0	1.0	717.0	Jan 26	230
1999-00	71.0	.0	2.1	1,510.0	Feb 21	581

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTA CLARA RIVER @ Old Road Bridge
STATION NO. F92C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1929-30	N.D.	N.D.	N.D.	N.D.	Mar 15	193
1930-31	291.0	.1	2.6	1,890.0	Feb 07	2,310
1931-32	739.0	.1	5.9	4,280.0	Feb 09	2,090
1932-33	90.0	.0	.7	488.0	Jan 19	618
1933-34	448.0	+	2.2	1,600.0	Jan 01	3,870
1934-35	82.0	+	1.5	1,090.0	Jan 05	608
1935-36	113.0	.0	2.2	1,590.0	Feb 23	833
1936-37	471.0	.0	6.7	4,850.0	Dec 27	3,410
1937-38	6,370.0	+	37.2	26,900.0	Mar 02	24000E
1938-39	435.0	+	14.4	10,410.0	Dec 15	4,620
1939-40	79.0	.3	2.2	1,570.0	Feb 01	676
1940-41	3,450.0	.3	57.1	41,320.0	Mar 04	5,050
1941-42	167.0	.6	32.3	23,400.0	Dec 28	443
1942-43	5,420.0	1.4	65.2	47,170.0	Jan 23	15,000
1943-44	9,360.0	2.0	68.6	49,770.0	Feb 22	22,200
1944-45	110.0	2.2	15.3	11,050.0	Feb 02	317
1945-46	194.0	.4	8.9	6,440.0	Mar 30	500
1946-47	371.0	1.0	15.4	11,150.0	Dec 26	1,620
1947-48	33E	.8	3.1	2,270.0	Mar 24	350E
1948-49	4.9	.4	1.8	1,300.0	Mar 11	10
1949-50	5.2	.1	1.2	888.0	Feb 06	9
1950-51	2.0	+	.3	217.0	Jan 29	6
1951-52	1,620.0	+	23.1	16,760.0	Jan 16	7,600
1952-53	43.0	.1	.8	592.0	Dec 01	N.D.
1953-54	104.0	+	1.6	1,160.0	Jan 19	626
1954-55	96.0	+	.8	612.0	Jan 18	746
1955-56	184.0	+	1.4	1,000.0	Jan 26	344
1956-57	195.0	.0	1.4	1,020.0	Feb 28	1,920
1957-58	1,440.0	.0	14.7	10,620.0	Apr 03	3,850
1958-59	215.0	.0	1.3	940.0	Jan 06	1,410
1959-60	12.0	.0	.4	288.0	Apr 27	151
1960-61	58.0	.0	.7	533.0	Nov 05	830
1961-62	1,690.0	.0	14.5	10,470.0	Feb 12	4,250
1962-63	105.0	.0	1.3	965.0	Mar 16	1,470
1963-64	85.0	.0	1.1	780.0	Jan 22	860
1964-65	240.0	.0	2.1	1,550.0	Apr 08	1,260
1965-66	3,200.0	.0	22.0	15,990.0	Dec 29	11,600

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTA CLARA RIVER @ Old Road Bridge
STATION NO. F92C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1966-67	820.0	+	9.8	7,100.0	Jan 24	3,000
1967-68	475.0	.0	4.3	3,070.0	Jan 24	3,000
1968-69	N.D.	.2	**	30170E	Feb 25	31800E
1969-70	164.0	1.0	13.3	9,610.0	Mar 01	900
1970-71	1,830.0	.5	15.1	10,930.0	Nov 29	8,150
1971-72	442.0	.5	9.2	6,640.0	Dec 27	2,200
1972-73	1,470.0	.4	13.0	9,450.0	Feb 11	4,760
1973-74	984.0	1.0	9.1	6,600.0	Jan 07	2,440
1974-75	187.0	.9	5.4	3,910.0	Dec 04	1,123
1975-76	138.0	+	3.7	2,710.0	Sep 10	999
1976-77	273.0	+	3.8	2,750.0	May 08	2,510
1977-78	8,610.0	.0	95.3	68,966.0	Feb 10	18,900
1978-79	605.0	1.0	16.0	11,617.0	Mar 28	3,370
1979-80	*	*	*	*		*
1980-81	HO RECORD					
1981-82	NO RECORD					
1982-83	5,214.0	.8	113.8	83,154.0	Mar 01	14,925
1983-84	*	*	*	*		*
1984-85	295.0	1.0	18.8	13,558.0	Dec 19	1,820
1985-86	492.0	7.5	24.7	17,896.0	Feb 14	1,050
1986-87	71.3	5.2	14.3	10,197.0	Nov 18	444
1987-88	485.0	.0	16.5	11,981.0	Dec 04	1,450
1988-89	145.0	3.7	11.9	8,535.0	Dec 16	876
1989-90	18.0	4.9	12.2	8,864.0	Feb 17	523
1990-91	604.0	2.4	13.9	10,058.0	Mar 01	2,750
1991-92	*	*	*	*		*
1992-93	*	*	*	*		*
1993-94	*	*	*	*		*
1994-95	*	*	*	*		*
1995-96	*	*	*	*		*
1996-97	181.0	1.9	8.6	6,190.0	Dec 22	2,000
1997-98	7,080.0	1.3	89.2	53,800.0	Feb 23	19,000
1998-99	136.0	4.3	15.7	11,330.0	Jan 31	1,610
1999-00	1,300.0	3.0	18.7	13,600.0	Feb 23	8,770

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTA FE DIVERSION CHANNEL *below* Santa Fe Dam
STATION NO. F280-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1943-44	253.0	.0	20.9	15,180.0	May 18	253
1944-45	.0	.0	.0	.0		0
1945-46	479.0	.0	31.2	22,610.0	Sep 13	484
1946-47	446.0	.0	16.8	12,200.0	Nov 27	484
1947-48	786.0	.0	10.9	7,880.0	Jun 04	800
1948-49	.0	.0	.0	.0		0
1949-50	.0	.0	.0	.0		0
1950-51	.0	.0	.0	.0		0
1951-52	381.0	.0	3.2	2,280.0	Mar 16	732
1952-53	819.0	.0	10.7	7,720.0	Nov 03	839
1953-54	750.0	.0	11.5	8,350.0	May 07	752
1954-55	.0	.0	.0	.0		0
1955-56	.0	.0	.0	.0		0
1956-57	452.0	.0	4.7	3,400.0	Apr 16	455
1957-58	621.0	.0	27.0	19,530.0	Apr 04	635
1958-59	.0	.0	.0	.0		0
1959-60	.0	.0	.0	.0		0
1960-61	.0	.0	.0	.0		0
1961-62	547.0	.0	12.7	9,190.0	Feb 12	819
1962-63	.0	.0	.0	.0		0
1963-64	.0	.0	.0	.0		0
1964-65	+	+	+	+	Sep 08	1
1965-66	348.0	.0	10.4	7,540.0	Jan 07	425
1966-67	227.0	.0	21.3	15,470.0	Dec 18	236
1967-68	.8	.0		33.0	Nov 20	1
1968-69	268.0	.0	33.6	24,340.0	Apr 15	290
1969-70	55.0	.0	1.9	1,360.0	Mar 03	202
1970-71	90.0	.0	3.4	2,430.0	Dec 24	92
1971-72	95.0	.0	1.0	697.0	Jan 19	116
1972-73	222.0	.0	13.0	9,410.0	Feb 21	280
1973-74	233.0	.0	6.4	4,650.0	Apr 16	241
1974-75	24.0	.0	.6	466.0	Apr 22	27
1975-76	.0	.0	.0	.0		0
1976-77	23.5	.0	2.0	1,439.0	Aug 17	52
1977-78	*	*	56.2	40,699.0	Apr 21	432
1978-79	148.0	.0	16.7	12,113.0	May 01	195
1979-80	388.0	.0	48.3	34,730.0	Mar 02	440

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTA FE DIVERSION CHANNEL *below* Santa Fe Dam

STATION NO. F280-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1980-81	370.0	.0	19.8	14,360.0	Nov 20	384
1981-82	268.0	.0	18.0	13,050.0	Jun 17	284
1982-83	365.0	.0	49.9	36,043.0	Jul 13	400
1983-84	382.0	.0	23.1	16,768.0	Oct 14	453
1984-85	31.7	.0	.4	278.0	Dec 19	57
1985-86	378.0	.0	40.2	29,110.0	Feb 27	391
1986-87	4.7	.0	1.9	115.0	Nov 18	7
1987-88	424.0	.0	11.5	8,362.0	Jun 09	429
1988-89	7.0	.0	.4	302.0	May 11	11
1989-90	.0	.0	.0	.0		0
1990-91	547.0	.0	23.5	16,782.0	Jul 31	566
1991-92	428.0	.0	50.2	36,405.0	Feb 04	450
1992-93	193.0	.0	42.0	30,370.0	Aug 09	215
1993-94	72.0	.0	2.1	1,511.0	Jul 29	129
1994-95	410.0	.0	23.5	17,050.0	Dec 04	414
1995-96	385.0	.0	35.8	25,988.0	Oct 05	397
1996-97	393.0	.0	19.6	14,220.0	Jul 22	407
1997-98	452.0	.0	23.5	17,010.0	May 19	467
1998-99	113.0	.0	2.2	1,570.0	Feb 10	225
1999-00	.0	.0	.0	.0		0

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTIAGO CREEK *above* Little Rock Creek
STATION NO. F125-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1953-54	24.0	.0	.9	631.0	Jan 25	44
1954-55	13.0	.0	.8	602.0	Feb 17	16
1955-56	41.0	.0	.6	406.0	Jan 26	87
1956-57	6.8	.0	.3	199.0	Jan 13	15
1957-58	58.0	.0	3.2	2,280.0	Apr 03	107
1958-59	10.0	.0	.5	386.0	Feb 16	21
1959-60	1.3	.0	.1	75.0	Feb 02	2
1960-61	+	.0	+	+	Aug 05	1
1961-62	118.0	.0	1.3	945.0	Feb 11	199
1962-63	.9	.0	+	19.0	Apr 21	1
1963-64	.4	.0	+	10.0	Apr 02	1
1964-65	3.5	.0	.1	87.0	Apr 20	4
1965-66	78.0	.0	1.3	926.0	Dec 29	269
1966-67	38.0	.0	1.4	982.0	Dec 06	66
1967-68	9.5	.0	.5	380.0	Nov 21	17
1968-69	345.0	.0	5.8	4,170.0	Jan 25	1,140
1969-70	14.0	.0	.6	455.0	Mar 01	21
1970-71	7.2	.0	.4	290.0	Nov 29	22
1971-72	3.2	.0	.1	75.0	Dec 24	5
1972-73	72.0	.0	.9	640.0	Feb 11	175
1973-74	4.3	.0	.2	144.0	Jan 17	6
1974-75	3.8	.0	.2	121.0	Mar 06	6
1975-76	14.0	.0	.1	55.0	Sep 24	1,060
1976-77	5.5	.0	.1	83.0	May 09	9
1977-78	118.0	.0	N.D.	3,486.0	Feb 09	328
1978-79	23.0	.0	1.4	984.0	Mar 28	30
1979-80	67.0	.0	3.1	2,227.0	Feb 16	193
1980-81	2.8	.0	.2	158.0		N.D.
1981-82	30.0	.0	.8	602.0		N.D.
1982-83	152.0	.0	5.6	4,022.0	Mar 01	280
1983-84	11.2	.0	1.0	711.0	Dec 25	26
1984-85	40.3	.0	.5	347.0	Dec 19	103
1985-86	13.7	.0	.5	337.0	Jan 30	24
1986-87	.7	.0	+	11.0	Mar 07	1
1987-88	17.0	.0	3.3	204.0		
1988-89	10.9	.0	2.9	165.0	Feb 09	86
1989-90	.0	.0	.0	.0		0

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SANTIAGO CREEK *above* Little Rock Creek
STATION NO. F125-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1990-91	19.7	.0	.2	109.0		N.D.
1991-92	50.8	.0	.9	627.0	Feb 12	97
1992-93	177.0	.0	5.9	4,266.0	Feb 19	235
1993-94	1.5	.0	.3	248.0	Feb 14	2
1994-95	76.5	.0	1.9	1,379.0	Mar 11	90
1995-96	55.6	.0	.5	335.0	Mar 05	75
1996-97	12.0	.0	.2	120.0	Jan 26	19
1997-98	121.0	.0	4.2	3,050.0	Feb 23	317
1998-99	2.8	.0	.3	246.0	Jul 13	5
1999-00	6.1	.0	.1	115.0	Apr 18	7

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAWPIT WASH *below* Live Oak Avenue
STATION NO. F194B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1960-61	50.0	+	*	263*	Jan 26	420
1961-62	573.0	+	16.6	11,980.0	Feb 11	1,300
1962-63	137.0	+	1.6	1,180.0	Feb 09	690
1963-64	83.0	+	1.6	1,190.0	Jan 22	682
1964-65	95.0	+	2.1	1,500.0	Apr 09	1,290
1965-66	243.0	+	7.3	9,240.0	Dec 29	1,470
1966-67	298.0	+	22.0	16,020.0	Dec 03	1,120
1967-68	130.0	+	2.1	1,520.0	Nov 19	1,870
1968-69	1,270.0	+	53.7	38,870.0	Jan 25	3,960
1969-70	773.0	.0	6.7	4,830.0	Feb 28	2,800
1970-71	196.0	+	5.8	4,190.0	Nov 29	1,350
1971-72	142.0	.1	2.0	1,450.0	Dec 24	519
1972-73	381.0	.0	16.8	12,130.0	Feb 27	2,860
1973-74	265.0	.1	9.0	6,490.0	Jan 07	652
1974-75	180.0	+	2.8	2,010.0	Dec 04	2,140
1975-76	101.0	.1	1.8	1,310.0	Sep 11	1,790
1976-77	118.0	.1	3.8	2,732.0	Oct 23	1,090
1977-78	381.0	.0	73.3	53,064.0	Feb 10	2,130
1978-79	160.0	.2	20.3	14,687.0	Feb 21	1,280
1979-80	886.0	.2	50.2	35,952.0	Feb 16	3,940
1980-81	376.0	.0	23.1	16,742.0	Jan 29	900
1981-82	257.0	.1	18.1	13,029.0	Mar 17	1,560
1982-83	530.0	.1	56.4	40,867.0	Mar 01	2,890
1983-84	294.0	.0	20.4	14,767.0	Oct 01	1,210
1984-85	122.0	.0	2.6	1,873.0	Dec 19	801
1985-86	*	*	*	*		*
1986-87	99.2	.1	1.2	857.0	Oct 02	1,070
1987-88	385.0	.0	12.9	9,344.0	Dec 04	1,630
1988-89	75.8	.0	1.6	1,167.0	Dec 16	555
1989-90	147.0	.0	1.3	911.0	Jan 13	707
1990-91	331.0	.0	17.3	12,646.0	Aug 08	375
1991-92	325.0	.0	36.8	26,730.0	Feb 11	1,710
1992-93	352.0	.0	42.4	30,690.0	Jan 14	4,160
1993-94	72.2	.0	3.7	2,671.0	Mar 19	1,160
1994-95	495.0	.1	29.2	21,160.0	Jan 10	1,940
1995-96	530.0	.2	44.1	32,020.0	Jan 31	3,580
1996-97	393.0	.1	22.6	16,350.0	Jan 26	1,130

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

SAWPIT WASH *below* Live Oak Avenue
STATION NO. F194B-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1997-98	452.0	.2	32.6	23,570.0	Feb 06	2,960
1998-99	142.0	.2	3.5	2,500.0	Jan 26	543
1999-00	127.0	.1	4.1	2,960.0	Apr 17	1,110

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

**TOPANGA CREEK *above* Mouth of Canyon
STATION NO. F54C-R**

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1930-31	186.0	+	1.0	705.0	Feb 14	386
1931-32	409.0	+	4.9	3,590.0	Feb 08	1,250
1932-33	542.0	+	3.1	2,240.0	Jan 19	1,430
1933-34	1,590.0	.0	8.9	6,420.0	Dec 31	4,510
1934-35	130.0	+	1.9	1,360.0	Jan 05	1,200
1935-36	77.0	+	2.0	1,490.0	Feb 22	528
1936-37	413.0	+	9.1	6,620.0	Mar 15	1,130
1937-38	3,270.0	+	21.2	15,310.0	Mar 02	9300E
1938-39	NO RECORD					
1939-40	183.0	+	2.9	2,080.0	Feb 01	1,280
1940-41	1100E	+	26.2	18,940.0	Feb 20	8700E
1941-42	47.0	+	.8	540.0	Dec 28	385
1942-43	1100E	+	12.0	8,720.0	Jan 22	2,200
1943-44	1100E	.1	9.6	6,970.0	Feb 22	5,070
1944-45	176.0	.1	1.5	1,090.0	Feb 02	964
1945-46	182.0	+	1.9	1,390.0	Dec 23	905
1946-47	86.0	+	1.4	994.0	Nov 20	567
1947-48	23.0	.0	.2	168.0	Mar 24	276
1948-49	5.0	+	.1	99.0	Dec 26	63
1949-50	35.0	+	.5	379.0	Dec 18	275
1950-51	2.4	+	.1	74.0	Jan 11	21
1951-52	1,990.0	.0	23.3	16,900.0	Jan 15	6,050
1952-53	52.0	+	1.0	725.0	Dec 01	702
1953-54	396.0	.0	2.5	1,820.0	Feb 13	2,090
1954-55	33.0	+	.5	354.0	Jan 18	151
1955-56	337.0	+	1.4	1,030.0	Jan 26	1,540
1956-57	69.0	+	.5	374.0	Feb 23	655
1957-58	599.0	+	10.4	7,460.0	Apr 03	3,950
1958-59	141.0	+	1.1	785.0	Jan 06	1,510
1959-60	76.0	+	.6	422.0	Apr 27	539
1960-61	8.1	+	.1	58.0	Jan 26	28
1961-62	1,150.0	+	10.7	7,720.0	Feb 10	2,790
1962-63	66.0	+	.6	454.0	Feb 09	569
1963-64	17.0	+	.2	178.0	Jan 21	196
1964-65	148.0	+	1.2	886.0	Apr 09	716
1965-66	1,120.0	+	10.0	7,270.0	Dec 29	3,500
1966-67	569.0	.1	7.0	5,070.0	Jan 24	2,280

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

TOPANGA CREEK *above* Mouth of Canyon
STATION NO. F54C-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1967-68	186.0	.1	2.2	1,570.0	Mar 08	567
1968-69	4,920.0	.1	40.6	29,400.0	Jan 25	12,200
1969-70	84.0	.0	1.2	902.0	Mar 04	844
1970-71	720.0	+	6.3	4,560.0	Jan 29	3,020
1971-72	110.0	.2	1.1	809.0	Dec 27	588
1972-73	1,140.0	.1	8.6	6,250.0	Feb 11	3,840
1973-74	1,060.0	.1	5.7	4,110.0	Jan 07	2,060
1974-75	286.0	.1	3.0	2,200.0	Mar 06	1,670
1975-76	24.0	+	.3	214.0	Feb 09	72
1976-77	30.0	+	.6	405.0	Jan 03	219
1977-78	2,676.0	.1	32.4	23,480.0	Mar 04	10,127
1978-79	425.0	.2	7.2*	5,180.0	Mar 27	2,490
1979-80	3,919.0	.2	32.0	23,236.0	Feb 16	13,800
1980-81	89.7	.1	1.8	1,279.0	Mar 02	219
1981-82	143.8	.2	1.5	1,066.0	Mar 17	650
1982-83	2,274.0	.2	277.0	19,241.0	Jan 27	10,200
1983-84	203.0	.2	2.2	1,445.0	Dec 25	2,612
1984-85	26.3	.2	1.3	943.0	Dec 26	56
1985-86	823.0	.2	10.0	7,211.0	Feb 14	5,135
1986-87	*	*	*	*		*
1987-88	*	*	*	*		*
1988-89	9.7	.1	.4	283.0	Dec 21	32
1989-90	*	*	*	*		*
1990-91	DISCONT.	RESTORED	? -10/97			
1996-97	80.0	.6	3.0	2,140.0	Dec 09	229
1997-98	494.0	.7	24.4	17,640.0	Feb 23	2,470
1998-99	19.0	.5	1.2	839.0	Apr 11	93
1999-00	1,333.0	.3	2.8	2,030.0	Feb 23	1,050

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

VERDUGO WASH @ Estelle Avenue
STATION NO. F252-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1928-29	15.0	.0	*	140*	Apr 04	56*
1929-30	14.0	.0	.4	274.0	May 03	80
1930-31	8.4	+	.2	145.0	Apr 26	46
1931-32	39.0	.1	1.0	713.0	Feb 09	145
1932-33	42.0	.1	.4	295.0	Jan 19	391
1933-34	NO RECORD					
1934-35	85*	.0	*	620.0	Jan 05	1020*
1935-36	33.0	.0	.6	463.0	Mar 30	1100*
1936-37	*	.0	*	1,560.0	Dec 27	768
1937-38	1,500.0	.0	7.5	5,450.0	Mar 02	4400E
1938-39	78.0	.0	2.0	1,420.0	Jan 05	520
1939-40	60.0	+	2.0	1,430.0	Jan 08	533
1940-41	357.0	+	10.2	7,370.0	Feb 19	1,120
1941-42	81.0	.8	3.0	2,160.0	Dec 10	440
1942-43	1,020.0	.3	12.0	8,690.0	Jan 23	3,570
1943-44	998.0	.2	7.0	5,040.0	Feb 22	3,160
1944-45	181.0	.6	2.8	2,010.0	Feb 02	1,520
1945-46	135.0	.3	2.7	1,930.0	Dec 22	816
1946-47	234.0	.0	2.7	1,940.0	Dec 25	1,860
1947-48	41.0	.0	.5	382.0	Mar 24	573
1948-49	35.0	.0	.6	433.0	Dec 16	202
1949-50	69.0	.0	.9	638.0	Feb 06	467
1950-51	41.0	.0	.5	383.0	Jan 11	960
1951-52	422.0	.0	7.8	5,630.0	Jan 16	2,920
1952-53	100.0	.0	1.3	968.0	Nov 15	1,520
1953-54	227.0	.0	2.7	1,920.0	Feb 13	1,300
1954-55	134.0	.0	2.0	1,480.0	Jan 18	784
1955-56	550.0	.0	2.5	1,840.0	Jan 26	1,940
1956-57	184.0	.0	1.9	1,400.0	Feb 23	2,960
1957-58	236.0	.0	5.2	3,770.0	Feb 19	1,700
1958-59	232.0	.0	2.0	1,440.0	Feb 16	2,080
1959-60	56.0	.0	1.2	862.0	Jan 11	533
1960-61	98.0	+	.9	667.0	Nov 05	676
1961-62	592.0	.0	6.8	4,830.0	Feb 12	1,880
1962-63	370.0	+	2.0	1,460.0	Feb 09	2,180
1963-64	192.0	.0	2.1	1,510.0	Jan 21	1,640
1964-65	249.0	+	3.8	2,780.0	Apr 08	1,480

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

VERDUGO WASH @ Estelle Avenue

STATION NO. F252-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1965-66	1,030.0	.1	12.2	8,830.0	Dec 29	3,480
1966-67	422.0	.5	10.4	7,530.0	Jan 22	3,230
1967-68	606.0	.2	9.3	6,730.0	Mar 08	3,460
1968-69	1,850.0	1.8	36.1	26,120.0	Jan 25	5,050
1969-70	261.0	2.0	8.4	6,090.0	Feb 28	2,500
1970-71	931.0	1.8	10.6	7,690.0	Nov 29	5,330
1971-72	476.0	1.2	14.8	4,570.0	Dec 24	1,960
1972-73	897.0	1.0	12.8	9,280.0	Jan 18	4,010
1973-74	671.0	1.8	10.2	7,380.0	Jan 07	2,390
1974-75	373.0	.7	7.7	5,590.0	Dec 04	3,390
1975-76	180.0	.5	6.4	4,560.0	Mar 01	1,190
1976-77	210.0	.3	6.0	4,318.0	Jan 03	2,100
1977-78	1,700.0	+	34.2	24,739.0	Feb 10	9,820
1978-79	286.0	.0	7.3	5,269.0	Mar 27	2,870
1979-80	440.0	1.2	18.1	13,000.0	Feb 16	6,420
1980-81	266.0	1.5	12.0	8,706.0	Jan 29	2,870
1981-82	333.0	1.0	12.5	9,083.0	Apr 01	1,960
1982-83	1,260.0	2.0	37.0	26,750.0	Mar 01	6,714
1983-84	NO RECORD					
1984-85	279.0	1.0	9.2	6,686.0	Dec 19	2,430
1985-86	437.0	1.2	12.1	8,737.0	Mar 08	1,620
1986-87	158.0	1.5	5.0	3,635.0		
1987-88	688.0	2.3	19.3	14,042.0	Feb 01	4,150
1988-89	301.0	.3	9.1	6,262.0	Dec 16	1,700
1989-90	474.0		5.7	4,120.0	Feb 17	1,820
1990-91	544.0	.2	11.1	8,017.0		
1991-92	636.0	.0	20.1	14,621.0	Feb 10	4,110
1992-93	733.0	1.7	32.5	23,520.0	Jun 05	4,320
1993-94	265.0	.0	10.4	7,543.0	Nov 30	2,220
1994-95	1,710.0	1.0	46.5	33,700.0	Jan 10	4,460
1995-96	1,260.0	.8	18.6	13,520.0	Feb 21	3,460
1996-97	1,140.0	1.9	23.3	16,860.0	Dec 22	3,010
1997-98	966.0	3.9	22.3	16,150.0	Feb 07	5,550
1998-99	117.0	3.6	10.0	7,250.0	Nov 28	1,390
1999-00	289.0	2.9	11.7	8,470.0	Feb 16	2,700

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

WALNUT CREEK *above* Puente Avenue
STATION NO. F304-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1952-53	47.0	.0	.4	292.0	Dec 01	713
1953-54	297.0	.0	34.9	25,290.0	Feb 13	1,500
1954-55	337.0	.0	29.9	21,640.0	Jan 18	732
1955-56	1,120.0	.0	68.5	49,730.0	Jan 26	3,450
1956-57	361.0	.0	71.2	51,530.0	Feb 28	2,200
1957-58	494.0	.0	11.7	8,490.0	Apr 07	2,510
1958-59	279.0	.0	2.2	1,610.0	Jan 06	2,480
1959-60	163.0	.0	1.8	1,300.0	Jan 12	1,160
1960-61	272.0	.0	12.4	9,010.0	Jan 26	411
1961-62	431.0	*	*	4800*	Feb 11	2,090
1962-63	267.0	+	4.6	3,360.0	Mar 16	1,410
1963-64	232.0	+	3.9	2,860.0	Jan 22	1,280
1964-65	435.0	.2	16.1	11,640.0	Apr 09	3,250
1965-66	646.0	.2	11.0	7,920.0	Dec 29	2,060
1966-67	685.0	.1	20.8	15,060.0	Jan 24	3,360
1967-68	647.0	+	23.3	16,880.0	Mar 08	3,390
1968-69	1,830.0	+	68.4	49,490.0	Feb 25	4,960
1969-70	278.0	+	4.5	3,250.0	Mar 01	2,210
1970-71	384.0	.0	9.4	6,810.0	Dec 21	1,630
1971-72	546.0	.0	4.1	3,070.0	Dec 24	2,650
1972-73	591.0	.0	9.5	6,920.0	Jan 16	2,730
1973-74	749.0	.1	9.2	6,670.0	Jan 07	2,020
1974-75	551.0	+	7.1	5,170.0	Dec 04	4,200
1975-76	255.0	+	3.9	2,800.0	Sep 10	1,200
1976-77	295.0	.0	5.4	3,939.0	May 09	1,920
1977-78	1,970.0	.0	65.0	47,085.0	Mar 04	7,820
1978-79	714.0	.0	17.4	12,619.0	Mar 27	3,020
1979-80	2,490.0	.0	54.5	38,432.0	Feb 16	6,280
1980-81	468.0	.0	4.7	3,406.0	Mar 01	1,840
1981-82	724.0	.0	11.1	8,030.0	Mar 14	2,800
1982-83	1,570.0	.0	45.2	32,750.0	Feb 27	5,850
1983-84	424.0	.0	5.7	4,138.0	Oct 01	2,340
1984-85	276.0	.0	8.2	5,917.0	Nov 13	2,230
1985-86	532.0	.0	13.2	9,537.0	Mar 08	3,580
1986-87	693.0	.0	5.4	3,976.0	Oct 02	2,653
1987-88	454.0	.0	7.3	5,355.0	Oct 22	3,288
1988-89	157.0	.0	2.3	1,626.0	Mar 25	869

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RUNOFF – STREAM GAGING STATION PEAK FLOW

WALNUT CREEK *above* Puente Avenue
STATION NO. F304-R

Season	Daily CFS			Total Runoff (Acre-feet)	Peak Inflow	
	Maximum	Minimum	Mean		Date	CFS
1989-90	43.7	.0	2.9	2,066.0	May 28	2,006
1990-91	724.0	.0	11.1	7,924.0	Mar 26	3,386
1991-92	1,090.0	.0	28.1	20,383.0	Feb 12	6,400
1992-93	1,470.0	.0	68.9	49,850.0	Jan 07	5,700
1993-94	249.0	.0	6.6	4,807.0	Apr 26	2,690
1994-95	900.0	.0	24.8	17,970.0	Jan 10	5,040
1995-96	1,200.0	.0	17.0	12,338.0	Jan 31	5,400
1996-97	453.0	.0	12.9	9,360.0	Jan 26	2,810
1997-98	1,310.0	+	39.0	28,250.0	Feb 07	5,670
1998-99	159.0	.0	6.3	4,590.0	Nov 28	1,400
1999-00	381.0	.0	11.0	8,010.0	Feb 23	3,130

M	Data Missing
*	Record incomplete
E	Estimate
N.D.	Not determined
**	Record not Computed
+	Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

APPENDIX E

HYDROLOGIC REPORT 1999 – 2000

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Big Dalton Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1929-30	52	3.0	.0	52.0		N.D.
1930-31	41	2.0	.0	41.0	Apr 26	3.0
1931-32	690	54.0	.0	688.0	Feb 09	86.0
1932-33	79	5.0	.0	81.0	Jan 20	12.0
1933-34	448	93.0	.0	448.0	Jan 01	227.0
1934-35	593	21.0	.0	575.0	Apr 08	49.0
1935-36	360	12.0	.0	370.0	Feb 11	72.0
1936-37	1,879	51.0	.0	1,868.0	Feb 06	98.0
1937-38	3,271	415.0	.0	3,192.0	Mar 02	1,320.0
1938-39	280	4.0	.0	288.0	Jan 05	26.0
1939-40	232	4.0	.0	236.0	Jan 08	29.0
1940-41	2,767	56.0	+	2,748.0	Mar 04	88.0
1941-42	209	2.0	.0	233.0	Mar 14	6.0
1942-43	3,143	160.0	.0	3,110.0	Jan 23	595.0
1943-44	1,087	109.0	+	1,085.0	Feb 22	226.0
1944-45	734	19.0	.0	729.0	Nov 11	47.0
1945-46	525	40.0	.0	509.0	Dec 23	148.0
1946-47	492	16.0	.0	512.0	Nov 20	56.0
1947-48	58	1.0	.0	8.0	Apr 28	9.7
1948-49	94	1.0	.0	113.0	Dec 17	3.3
1949-50	142	2.0	.0	130.0	Feb 06	3.5
1950-51	27	2.0	+	14.0	Jan 11	4.8
1951-52	1,626	73.0	.0	1,577.0	Jan 16	154.0
1952-53	120	1.0	+	68.0	Dec 01	4.8
1953-54	346	13.0	.0	359.0	Jan 25	53.0
1954-55	87	1.0	+	5.0	Jan 18	2.4
1955-56	190	14.0	+	213.0	Jan 26	56.0
1956-57	76	1.0	+	27.0	Jan 13	1.8
1957-58	2,104	97.0	.0	2,052.0	Apr 03	169.0
1958-59	160	6.0	+	133.0	Feb 16	26.0
1959-60	54	1.0	+	11.0	Apr 27	4.8
1960-61	187	18.0	.0	1,510.0	Nov 05	462.0
1961-62	1,222	63.0	.0	933.0	Dec 02	1,130.0
1962-63	248	20.0	.0	159.0	Feb 09	92.0
1963-64	165	3.0	.0	300.0	Mar 22	30.0
1964-65	380	18.0	.0	15.0	Apr 09	73.0
1965-66	2,210	113.0	.0	2,013.0	Nov 22	489.0
1966-67	4,787	292.0	.0	4,790.0	Dec 06	685.0
1967-68	771	15.0	.0	681.0	Nov 19	56.0
1968-69	13,251	1,210.0	.0	12,995.0	Jan 25	1,540.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Big Dalton Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1969-70	728	15.0	.0	610.0	Feb 28	91.0
1970-71	856	22.0	.0	1,100.0	Dec 21	38.0
1971-72	217	10.0	+		Dec 27	11.0
1972-73	1,386	100.0	+	1,046.0	Feb 11	163.0
1973-74	860	43.0	.0	1,030.0	Jan 07	68.0
1974-75	379	4.0	.0	211.0	Mar 06	7.8
1975-76	237	6.0	.0	467.0	Mar 01	17.0
1976-77	171	3.0	.0	20.0	Jan 03	14.0
1977-78	6,182	232.0	.0	6,234.0	Mar 04	500.0
1978-79	R.I.					N.D.
1979-80	R.I.					N.D.
1980-81	349	5.0	.0	364.0	Jan 29	29.0
1981-82	1,018	50.0	.0	923.0	Mar 17	53.0
1982-83	5,562	240.0	.0	5,532.0	Mar 01	350.0
1983-84	703	8.0	.0	704.0	Dec 25	16.0
1984-85	611	10.0	.0	585.0	Dec 19	16.0
1985-86	886	20.0	.0	865.0	Mar 16	3.0
1986-87	203	4.0	.0	196.0	Jan 04	3.0
1987-88	342	7.0	.0	324.0	Jan 17	17.0
1988-89	382	13.0	.0	340.0	Feb 04	31.0
1989-90	112	3.0	.0	90.0	Feb 17	8.0
1990-91	470	26.0	.0	453.0	Mar 27	62.0
1991-92	1,259	37.0	.0	1,243.0	Feb 12	121.0
1992-93	7,102	322.0	.0	7,146.0	Jan 18	385.0
1993-94	369	3.0	.0	300.0	Feb 07	4.0
1994-95	3,839	73.0	.0	3,820.0	Jan 10	127.0
1995-96	1,247	54.0	.0	1,215.0	Feb 20	96.0
1996-97	1,127	7.6	.0	1,108.0		N.D.
1997-98	4,703	213.0	.0	4,642.0	Feb 23	344.0
1998-99						N.D.
1999-00	208	17.0	.0	218.0	Mar 09	4.6

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Big Tujunga Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1932-33	4,342	218.0	.0	4,518.0		N.D.
1933-34	4,441	994.0	.0	4,234.0	Jan 01	2,430.0
1934-35	11,992	380.0	.0	10,698.0	Apr 08	718.0
1935-36	3,875	130.0	.0	5,508.0	Feb 12	312.0
1936-37	26,969	803.0	.6	25,729.0	Feb 06	1,740.0
1937-38	64,855	12,030.0	1.0	65,022.0	Mar 02	32,940.0
1938-39	9,905	327.0	1.2	9,106.0	Dec 19	666.0
1939-40	7,058	337.0	.4	7,197.0	Jan 08	2,300.0
1940-41	59,402	1,200.0	.9	59,086.0	Mar 04	1,570.0
1941-42	7,120	70.0	.8	7,724.0	Dec 10	134.0
1942-43	52,877	5,700.0	1.1	52,919.0	Jan 23	17,850.0
1943-44	42,270	2,780.0	5.0	41,722.0	Feb 22	4,770.0
1944-45	13,206	475.0	1.2	12,231.0	Nov 11	1,850.0
1945-46	11,543	1,150.0	.8	12,383.0	Mar 30	2,310.0
1946-47	12,987	674.0	.9	12,827.0	Nov 13	1,690.0
1947-48	2,679	44.0	.7	3,579.0	Apr 29	85.0
1948-49	2,129	16.0	.1	1,645.0	Mar 11	18.0
1949-50	2,029	32.0	.2	1,905.0	Feb 06	43.0
1950-51	841	7.7	.1	1,235.0	Apr 29	17.0
1951-52	27,288	896.0	.3	26,125.0	Jan 18	2,030.0
1952-53	3,496	35.0	.1	4,873.0	Nov 15	108.0
1953-54	5,389	212.0	.1	5,290.0	Jan 25	500.0
1954-55	2,623	30.0	.2	2,282.0	Jan 18	52.0
1955-56	3,026	233.0	.4	3,433.0	Jan 26	582.0
1956-57	1,967	107.0	.1	1,660.0	Jan 13	283.0
1957-58	27,558	1,220.0	.1	27,563.0	Apr 03	2,860.0
1958-59	3,405	172.0	.1	3,152.0	Jan 06	213.0
1959-60	1,183	12.0	.3	1,653.0	Jan 12	24.0
1960-61	838	14.0	.4	718.0	Nov 06	35.0
1961-62	16,711	2,540.0	.4	16,776.0	Feb 11	5,050.0
1962-63	1,715	90.0	.2	1,359.0	Feb 10	237.0
1963-64	1,526	40.0	.0	2,039.0	Jan 22	90.0
1964-65	2,429	60.0	.4	1,503.0	Apr 09	165.0
1965-66	30,772	2,810.0	.6	29,779.0	Dec 29	10,800.0
1966-67	30,158	1,180.0	1.6	30,338.0	Dec 06	2,600.0
1967-68	10,584	352.0	1.0	11,446.0	Nov 21	725.0
1968-69	107,609	7,800.0	.0	106,462.0	Feb 25	17,800.0
1969-70	11,643	372.0	1.5	11,624.0	Mar 01	613.0
1970-71	12,394	1,100.0	2.1	11,412.0	Nov 29	3,970.0
1971-72	4,118	194.0	.5	3,374.0	Dec 24	462.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Big Tujunga Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1972-73	15,375	1,914.0	.5	14,680.0	Feb 11	6,320.0
1973-74	8,663	256.0	.9	5,582.0	Jan 07	561.0
1974-75	5,442	198.0	.3	8,666.0	Mar 06	315.0
1975-76	4,482	408.0	.1	3,863.0	Feb 09	1,400.0
1976-77	3,928	164.0	1.2	3,547.0	Jan 03	878.0
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.
1979-80	R.I.					N.D.
1980-81	10,927	226.0	3.0	11,470.0	Jan 29	496.0
1981-82	16,578	569.0	3.8	16,557.0	Mar 17	1,499.0
1982-83	95,294	7,065.0	3.8	93,880.0	Mar 01	10,007.0
1983-84	10,861	337.0	.0	11,314.0	Dec 25	808.0
1984-85	7,362	200.0	.7	6,952.0	Dec 19	361.0
1985-86	12,370	529.0	.4	11,757.0	Jan 30	969.0
1986-87	2,943	28.0	.0	2,843.0	Jan 04	53.0
1987-88	7,121	190.0	.0	6,902.0	Feb 29	685.0
1988-89	4,300	91.0	.0	4,208.0	Feb 10	131.0
1989-90	929	41.0	.0	741.0	Feb 17	62.0
1990-91	8,074	530.0	.0	7,992.0	Mar 01	1,871.0
1991-92	31,767	1,249.0	.1	31,414.0	Feb 12	5,167.0
1992-93	89,492	3,490.0	.2	89,311.0	Feb 19	7,774.0
1993-94	8,635	80.0	.0	9,241.0	Feb 08	170.0
1994-95	34,562	1,005.0	.2	34,532.0	Jan 10	3,608.0
1995-96	8,491	477.0	1.1	7,970.0	Feb 21	530.0
1996-97	9,025	156.0	.3	8,080.0		N.D.
1997-98	48,676	3,370.0	.4	48,281.0	Feb 23	8,288.0
1998-99						N.D.
1999-00	5,740	739.0	.0	5,923.0	Feb 22	159.4

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Cogswell Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1934-35	3,517	54.0	.1	3,517.0		N.D.
1935-36	7,154	265.0	.0	7,138.0		N.D.
1936-37	32,986	943.0	.1	32,996.0	Feb 14	1,240.0
1937-38	60,336	7,990.0	1.4	58,799.0	Mar 02	24,710.0
1938-39	11,560	673.0	.9	11,369.0	Sep 25	1,360.0
1939-40	9,634	309.0	.8	9,569.0	Jan 08	2,020.0
1940-41	61,270	1,400.0	.5	59,951.0	Feb 20	1,640.0
1941-42	6,080	108.0	.3	7,331.0	Dec 10	294.0
1942-43	54,700	2,320.0	.7	53,703.0	Jan 23	15,000.0
1943-44	38,150	2,860	1.4	37,460.0	Feb 22	4,650.0
1944-45	11,887	424.0	1.4	10,385.0	Nov 11	1,600.0
1945-46	14,711	1,260.0	.8	16,377.0	Mar 30	2,790.0
1946-47	20,135	1,030.0	.1	20,135.0	Dec 25	2,290.0
1947-48	3,103	86.0	.3	3,032.0	Apr 29	262.0
1948-49	2,911	32.0	.3	2,765.0	Jan 20	65.0
1949-50	3,778	99.0	.4	3,536.0	Dec 18	239.0
1950-51	887	9.6	.3	568.0	Apr 29	24.0
1951-52	33,783	1,260.0	.3	25,439.0	Jan 16	2,640.0
1952-53	4,410	70.0	.8	12,345.0	Dec 01	254.0
1953-54	8,004	412.0	.3	7,500.0	Jan 24	1,030.0
1954-55	3,941	51.0	.3	3,165.0	Apr 30	176.0
1955-56	4,070	419.0	.1	3,564.0	Jan 26	1,040.0
1956-57	3,421	225.0	.2	3,757.0	Jan 13	685.0
1957-58	36,476	1,460.0	.0	34,530.0	Apr 03	3,710.0
1958-59	4,904	340.0	.4	6,205.0	Jan 06	1,760.0
1959-60	1,935	27.0	.5	2,006.0	Jan 10	65.0
1960-61	1,106	36.0	.4	572.0	Jan 26	116.0
1961-62	25,497	3,480.0	.3	23,255.0	Feb 11	7,010.0
1962-63	3,220	153.0	.6	4,783.0	Feb 09	1,017.0
1963-64	2,587	89.0	.4	2,647.0	Apr 01	276.0
1964-65	5,037	266.0	.3	4,159.0	Apr 09	479.0
1965-66	41,747	2,640.0	.3	42,170.0	Dec 29	9,220.0
1966-67	40,504	1,860.0	.6	32,757.0	Dec 06	4,650.0
1967-68	9,569	338.0	.6	12,713.0	Nov 19	893.0
1968-69	95,676	6,380.0	.1	90,488.0	Jan 25	15,700.0
1969-70	10,222	410.0	1.0	13,859.0	Feb 28	1,020.0
1970-71	10,822	1,030.0	.8	11,683.0	Nov 29	2,930.0
1971-72	4,009	297.0	.4	4,557.0	Dec 24	798.0
1972-73	19,613	2,210.0	.4	16,632.0	Feb 11	6,970.0
1973-74	12,746	424.0	1.1	12,051.0	Jan 07	880.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Cogswell Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1974-75	6,610	241.0	1.1	8,344.0	Mar 06	432.0
1975-76	5,550	509.0	.1	5,040.0	Feb 09	824.0
1976-77	4,955	206.0	.3	5,000.0	Jan 03	421.0
1977-78	86,754	3,852.0	.0	86,030.0	Feb 10	11,200.0
1978-79	23,057	519.0	1.9	24,083.0	Jan 05	343.0
1979-80	59,867	3,028.0	1.8	57,887.0	Feb 16	6,196.0
1980-81	5,299	127.0	.0	7,752.0	Jan 29	511.0
1981-82	14,258	605.0	.4	9,059.0	Mar 17	1,238.0
1982-83	77,775	3,966.0	1.4	78,446.0	Mar 02	5,898.0
1983-84	9,561	272.0	2.8	12,495.0	Dec 25	790.0
1984-85	7,167	284.0	.0	6,383.0	Dec 19	531.0
1985-86	15,584	560.0	.6	15,314.0	Feb 15	916.0
1986-87	2,194	35.0	.1	2,669.0	Jan 04	63.0
1987-88	11,621	282.0	.0	10,919.0	Mar 01	528.0
1988-89	4,953	99.0	.0	5,105.0	Feb 04	175.0
1989-90	1,903	61.0	.0	1,775.0	Feb 18	99.0
1990-91	10,229	605.0	.0	10,921.0	Mar 01	1,063.0
1991-92	39,922	2,352.0	.2	39,922.0	Feb 11	5,231.0
1992-93	83,608	2,330.0	.0	78,936.0	Feb 19	4,135.0
1993-94	6,896	105.0	.2	11,142.0	Feb 08	162.0
1994-95	41,056	1,002.0	.1	41,072.0	Jan 10	2,479.0
1995-96	8,780	496.0	.1	8,777.0	Feb 20	1,056.0
1996-97	9,428	192.0	.2	8,089.0		N.D.
1997-98	47,709	3,476.0	.5	41,403.0	Feb 23	7,343.0
1998-99						N.D.
1999-00	5,066	258.0	.0	5,083.0	Feb 21	365.1

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS - YEARLY RESERVOIR OPERATION SUMMARY

Devil's Gate Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1933-34	2,938	757.0	.0	.0	Jan 01	3,310.0
1934-35	3,843	N.D.	.0	N.D.	Oct 17	1,310.0
1935-36	3,457	N.D.	.0	86.0	Feb 02	939.0
1936-37	12,030	340.0	.0	2,818.0	Feb 06	852.0
1937-38	25,436	3,720.0	.0	17,496.0	Mar 02	10,840.0
1938-39	3,044	200.0	.0	634.0	Dec 19	201.0
1939-40	1,350	142.0	.0	745.0	Jan 08	859.0
1940-41	27,013	1,380.0	.0	24,582.0	Feb 20	3,870.0
1941-42	689	91.0	.0	443.0	Dec 10	479.0
1942-43	25,655	2,560.0	.0	23,552.0	Jan 23	7,740.0
1943-44	8,680	1,450.0	.0	7,905.0	Feb 22	2,310.0
1944-45	2,341	288.0	.0	2,031.0	Nov 11	949.0
1945-46	2,994	435.0	.0	1,343.0	Dec 22	1,040.0
1946-47	4,045	285.0	.0	3,949.0	Dec 25	1,280.0
1947-48	260	32.0	.0	57.0	Mar 24	444.0
1948-49	185	14.0	.0	37.0	Mar 10	59.0
1949-50	318	37.0	.0	81.0	Feb 06	237.0
1950-51	171	18.0	.0	17.0	Jan 11	468.0
1951-52	11,508	792.0	.0	11,377.0	Jan 16	2,650.0
1952-53	563	51.0	.0	194.0	Nov 15	823.0
1953-54	1,324	178.0	.0	488.0	Jan 25	565.0
1954-55	651	50.0	.0	154.0	Jan 18	334.0
1955-56	2,229	591.0	.0	1,339.0	Jan 26	1,420.0
1956-57	926	111.0	.0	142.0	Feb 23	795.0
1957-58	9,642	447.0	.0	6,508.0	Apr 03	1,020.0
1958-59	1,055	160.0	.0	465.0	Jan 06	1,280.0
1959-60	1,052	40.0	.0	131.0	Jan 11	329.0
1960-61	1,035	131.0	.0	488.0	Nov 06	1,260.0
1961-62	7,014	970.0	.0	5,260.0	Feb 11	1,840.0
1962-63	1,215	289.0	.0	251.0	Feb 09	1,290.0
1963-64	860	81.0	.0	170.0	Jan 21	727.0
1964-65	1,721	170.0	.0	246.0	Apr 09	755.0
1965-66	15,667	1,340.0	.0	13,199.0	Nov 22	3,740.0
1966-67	16,391	934.0	.0	6,057.0	Dec 06	2,130.0
1967-68	6,858	698.0	.0	2,233.0	Nov 19	1,310.0
1968-69	44,817	4,220.0	.0	39,164.0	Jan 25	7,910.0
1969-70	2,109	202.0	.0	1,311.0	Mar 04	534.0
1970-71	3,098	682.0	.0	1,894.0	Nov 29	1,760.0
1971-72	798	152.0	.0	+	Dec 24	433.0
1972-73	8,298	1,517.0	.0	5,615.0	Feb 11	3,520.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Devil's Gate Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1973-74	4,032	589.0	.0	2,749.0	Jan 07	1,100.0
1974-75	2,024	237.0	.0	711.0	Mar 06	451.0
1975-76	2,172	281.0	.0	1,204.0	Sep 10	869.0
1976-77	1,682	177.0	.0	1,593.0	Jan 03	587.0
1977-78	R.I.				Mar 04	6,941.0
1978-79	R.I.				Mar 28	269.0
1979-80	R.I.				Feb 16	2793*
1980-81	1,857	84.0	.0	2,337.0	Jan 29	802.0
1981-82	6,574	199.0	.0	6,569.0	Mar 17	272.0
1982-83	26,491	2,571.0	.0	26,338.0	Mar 02	3,419.0
1983-84	937	100.0	.0	1,074.0	Oct 01	105.0
1984-85	1,320	129.0	.0	1,320.0	Dec 19	480.0
1985-86	2,877	166.0	.0	2,877.0	Feb 15	282.0
1986-87	N.D.	N.D.		N.D.	Jan 04	202.0
1987-88	2,346	96.0	.0	2,346.0	Oct 31	226.0
1988-89	113	18.0	.0	113.0	Dec 16	54.0
1989-90	142	12.0	.0	142.0	Feb 17	88.0
1990-91	4,997	523.0	.0	4,997.0	Mar 01	924.0
1991-92	19,885	1,310.0	.0	19,885.0	Feb 12	3,107.0
1992-93	60,794	1,134.0	.0	60,793.0	Jan 17	2,213.0
1993-94	1,456	21.0	.0	1,456.0	Feb 17	25.0
1994-95	21,173	1,030.0	.0	21,173.0	Jan 10	2,493.0
1995-96	3,119	414.0	.0	3,120.0	Feb 21	584.0
1996-97	R.I.					N.D.
1997-98	R.I.					N.D.
1998-99						N.D.
1999-00	15,780	471.0	.0	15,780.0	Mar 05	818.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Eaton Wash Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1936-37	3,062	112.0	.0	1,502.0		N.D.
1937-38	6,993	883.0	.0	5,213.0	Mar 02	2,670.0
1938-39	340	51.0	.0	84.0	Dec 18	169.0
1939-40	390	31.0	.0	96.0	Jan 08	220.0
1940-41	7,323	188.0	.0	6,089.0	Feb 20	426.0
1941-42	78	11.0	.0	.0	Dec 10	73.0
1942-43	7,212	498.0	.0	6,399.0	Jan 23	1,700.0
1943-44	2,901	265.0	.0	1,970.0	Feb 22	371.0
1944-45	331	52.0	.0	101.0	Nov 11	204.0
1945-46	514	77.0	.0	265.0	Dec 23	284.0
1946-47	746	74.0	.0	507.0	Nov 13	286.0
1947-48	64	11.0	.0	5.0	Apr 28	90.0
1948-49	36	4.7	.0	1.2	Jan 20	10.0
1949-50	188	23.0	.0	61.0	Dec 18	88.0
1950-51	44	3.8	.0	7.5	Jan 11	80.0
1951-52	2,636	151.0	.0	2,020.0	Jan 16	495.0
1952-53	145	18.0	.0	.0	Dec 01	225.0
1953-54	533	56.0	.0	202.0	Jan 19	220.0
1954-55	146	14.0	.0	.0	Jan 18	91.0
1955-56	330	123.0	.0	151.0	Jan 26	422.0
1956-57	127	20.0	.0	9.2	Feb 23	138.0
1957-58	3,114	150.0	.0	2,248.0	Apr 01	443.0
1958-59	301	46.0	.0	152.0	Jan 06	702.0
1959-60	60	5.8	.0	.0	Jan 11	48.0
1960-61	61	10.0	.0	.0	Jan 26	39.0
1961-62	1,729	322.0	.0	1,299.0	Feb 11	737.0
1962-63	177	51.0	.0	19.0	Feb 09	198.0
1963-64	222	38.0	.0	33.0	Jan 22	246.0
1964-65	534	49.0	.0	328.0	Apr 09	220.0
1965-66	5,400	415.0	.0	4,267.0	Dec 29	1,520.0
1966-67	3,856	317.0	.0	1,907.0	Dec 06	595.0
1967-68	1,304	133.0	.0	404.0	Nov 19	331.0
1968-69	20,866	1,110	.0	18,644.0	Jan 25	2,540.0
1969-70	718	90.0	.0	527.0	Mar 05	878.0
1970-71	809	178.0	.0	581.0	Nov 29	457.0
1971-72	207	42.0	.0	+	Dec 27	107.0
1972-73	4,299	532.0	.0	2,844.0	Feb 11	587.0
1973-74	2,420	200.0	.0	1,607.0	Jan 07	309.0
1974-75	672	79.0	.0	418.0	Mar 06	81.0
1975-76	893	74.0	.0	424.0	Mar 01	175.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Eaton Wash Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1976-77	461	36.0	.0	281.0	Jan 03	191.0
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.
1979-80	R.I.					N.D.
1980-81	578	45.0	.0	587.0	Mar 01	195.0
1981-82	1,676	121.0	.0	1,530.0	Mar 17	200.0
1982-83	19,050	732.0	.0	18,941.0	Mar 02	1,982.0
1983-84	1,918	61.0	.0	1,929.0	Dec 25	188.0
1984-85	701	23.0	.0	698.0	Dec 19	23.0
1985-86	1,937	56.0	.0	1,933.0	Jan 30	223.0
1986-87	N.D.	27.0	.0	N.D.	Jan 04	23.0
1987-88	848	55.0	.0	649.0	Feb 29	228.0
1988-89	322	26.0	.0	182.0	Dec 16	74.0
1989-90	233	40.0	.0	131.0	Feb 17	63.0
1990-91	1,602	127.0	.0	1,589.0	Mar 01	239.0
1991-92	5,693	295.0	.0	5,678.0	Feb 11	1,068.0
1992-93	14,662	340.0	.0	14,661.0	Jan 07	937.0
1993-94	1,100	26.0	.0	984.0	Feb 08	51.0
1994-95	7,500	225.0	.0	7,461.0	Jan 10	757.0
1995-96	1,891	158.0	.0	1,865.0	Feb 20	266.0
1996-97	R.I.					N.D.
1997-98	6,514	308.0	.0	6,514.0	Feb 23	1,418.0
1998-99						N.D.
1999-00	626	55.0	.0	799.0	Feb 28	70.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Live Oak Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1932-33	0	.0	.0	.0		.0
1933-34	N.D.	N.D.	N.D.	142.0		N.D.
1934-35	27	2.3	.0	27.0	Apr 08	16.0
1935-36	N.D.	4.1	.0	.0		N.D.
1936-37	494	35.0	.0	413.0	Feb 06	.0
1937-38	800	147.0	.0	785.0	Mar 02	339.0
1938-39	21	1.0	.0	3.2	Feb 03	1.4
1939-40	16	1.2	.0	1.4	Jan 08	11.0
1940-41	719	39.0	.0	718.0	Mar 04	90.0
1941-42	0	+	+	.0		+
1942-43	827	78.0	.0	827.0	Jan 22	170.0
1943-44	218	33.0	.0	218.0	Feb 22	74.0
1944-45	177	9.4	.0	177.0	Feb 02	67.0
1945-46	105	22.0	.0	89.0	Dec 23	127.0
1946-47	64	7.5	.0	45.0	Nov 20	25.0
1947-48	0	.0	.0	.0		N.D.
1948-49	0	.0	.0	.0		N.D.
1949-50	5	.3	.0	3.6	Dec 19	2.6
1950-51	0	.0	.0	.0		N.D.
1951-52	362	34.0	.0	343.0	Jan 16	148.0
1952-53	2	+	.0	3.2	Dec 01	.8
1953-54	78	13.0	.0	64.0	Jan 25	82.0
1954-55	0	+	.0	.3		N.D.
1955-56	77	25.0	.0	72.0	Jan 26	128.0
1956-57	2	.1	.0	.1	Jan 13	1.1
1957-58	699	38.0	.0	699.0	Apr 03	67.0
1958-59	6	.8	.0	5.4	Jan 06	9.2
1959-60	0	.0	.0	.0		N.D.
1960-61	5	.7	.0	.0	Nov 06	22.0
1961-62	186	29.0	.0	111.0	Nov 20	366.0
1962-63	13	5.8	.0	5.4	Feb 09	23.0
1963-64	5	.8	.0	.0	Mar 22	6.2
1964-65	20	6.8	.0	15.0	Apr 09	58.0
1965-66	243	23.0	.0	241.0	Nov 22	116.0
1966-67	699	112.0	+	672.0	Dec 06	360.0
1967-68	131	6.0	.0	130.0	Mar 08	39.0
1968-69	2,146	152.0	.0	2,115.0	Jan 25	403.0
1969-70	258	8.4	.0	258.0	Feb 28	14.0
1970-71	243	7.2	.0	243.0	Dec 21	16.0
1971-72	71	3.5	.0	71.0	Dec 24	5.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Live Oak Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1972-73	291	34.0	.0	290.0	Feb 11	52.0
1973-74	132	13.0	.0	132.0	Jan 07	31.0
1974-75	71	2.0	.0	61.0	Mar 06	14.0
1975-76	30	2.5	.0	24.0	Mar 01	7.2
1976-77	32	2.0	.0	33.0	Jan 03	13.0
1977-78	1,517	70.9	.0	1,517.0	Mar 04	187.0
1978-79	655	18.1	.0	655.0	Mar 27	43.4
1979-80	R.I.					N.D.
1980-81	240	3.0	.0	237.0	Mar 02	4.0
1981-82	421	19.0	.0	421.0	Mar 18	32.0
1982-83	1,778	72.0	.0	1,780.0	Mar 01	144.0
1983-84	447	12.0	.0	448.0	Dec 25	47.0
1984-85	162	3.6	.0	162.0	Dec 19	5.0
1985-86	192	4.4	.0	192.0	Feb 16	7.0
1986-87	37	.8	.0	37.0	Jan 04	10.0
1987-88	70	2.7	.0	69.0	Jan 17	4.0
1988-89	96	6.0	.0	93.0	Feb 04	11.0
1989-90	51	2.0	.0	51.0	Feb 17	3.0
1990-91	205	22.0	.0	204.0	Mar 01	44.0
1991-92	277	26.0	.0	277.0	Feb 12	112.0
1992-93	1,762	55.0	.0	1,759.0	Jan 07	68.0
1993-94	230	2.8	.0	235.0	Mar 19	17.0
1994-95	820	32.0	.0	820.0	Jan 10	86.0
1995-96	357	37.0	.0	357.0	Feb 20	75.0
1996-97	R.I.					N.D.
1997-98	828	50.0	.0	782.0	Feb 23	139.0
1998-99						N.D.
1999-00	0	31.0	.0	.0	Feb 21	2.1

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Morris Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1937-38	339,303	18,590.0	.0	337,955.0	Mar 02	70,300.0
1938-39	62,367	890.0	.0	75,278.0	Dec 20	N.D.
1939-40	41,367	439.0	1.0	51,030.0	Mar 06	N.D.
1940-41	294,818	4,137.0	1.0	263,819.0	Feb 20	4,230.0
1941-42	21,562	419.0	.1	16,504.0	Nov 07	N.D.
1942-43	251,552	10,380.0	.0	247,717.0	Jan 23	12,660.0
1943-44	149,889	2,667.0	.0	147,194.0	May 25	5,840.0
1944-45	49,942	1,291.0	.0	47,340.0	Mar 26	3,590.0
1945-46	53,467	987.0	.0	62,578.0	Apr 04	4,880.0
1946-47	60,442	3,369.0	.0	55,718.0	Dec 28	9,300.0
1947-48	14,004	973.0	.0	17,392.0	Dec 12	2,380.0
1948-49	5,387	799.0	.0	3,777.0	Jun 02	N.D.
1949-50	1,901	70.0	.0	834.0	Dec 05	N.D.
1950-51	5,066	180.0	.0	3,446.0	Apr 21	N.D.
1951-52	76,910	3,188.0	.0	69,966.0	Jan 16	5,200.0
1952-53	47,762	1,003.0	.0	52,075.0	Nov 03	1,280.0
1953-54	30,334	1,574.0	.0	29,069.0	Apr 10	3,590.0
1954-55	1,593	299.0	.0	557.0	Apr 15	N.D.
1955-56	3,994	491.0	.0	816.0	Sep 19	N.D.
1956-57	9,962	659.0	.0	10,574.0	Apr 12	667.0
1957-58	216,335	2,418.0	.0	213,390.0	Apr 05	2,740.0
1958-59	10,152	378.0	.0	9,665.0	Feb 16	444.0
1959-60	2,688	359.0	.0	994.0	Jul 09	N.D.
1960-61	6,006	459.0	.0	889.0	May 16	N.D.
1961-62	74,783	1,847.0	.0	73,031.0	Feb 15	2,160.0
1962-63	1,708	99.0	.0	1,957.0	Feb 09	N.D.
1963-64	1,001	36.0	.0	922.0	Jan 21	N.D.
1964-65	10,093	1,426.0	.0	8,908.0	Jun 05	1,430.0
1965-66	200,376	9,263.0	.0	193,965.0	Dec 29	10,330.0
1966-67	203,232	3,872.0	.0	193,246.0	Dec 06	5,320.0
1967-68	35,015	567.0	.0	32,902.0	May 06	675.0
1968-69	554,905	19,290.0	12.0	554,687.0	Feb 25	29,690.0
1969-70	68,267	1,558.0	.0	66,131.0	Mar 01	1,800.0
1970-71	27,828	496.0	.0	31,319.0	Dec 29	497.0
1971-72	21,193	298.0	.0	15,445.0	Jan 05	302.0
1972-73	N.D.	840.0	.0	114,349.0	Feb 11	924.0
1973-74	27,471	1,054.0	.0	30,553.0	Jan 08	3,410.0
1974-75	9,838	313.0	.2	7,366.0	Nov 20	389.0
1975-76	2,270	47.0	.2	2,110.0	Sep 30	125.0
1976-77						N.D.

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY
--

Morris Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1977-78						N.D.
1978-79						N.D.
1979-80						N.D.
1980-81						N.D.
1981-82						N.D.
1982-83						N.D.
1983-84						N.D.
1984-85						N.D.
1985-86						N.D.
1986-87						N.D.
1987-88						N.D.
1988-89						N.D.
1989-90						N.D.
1990-91						N.D.
1991-92						N.D.
1992-93						N.D.
1993-94						N.D.
1994-95	207,136	3,858.0	1.3	201,716.0	Jan 10	3,131.0
1995-96	41,898	454.0	1.3	47,242.0	Feb 20	372.0
1996-97	38,827	313.0	1.5	38,822.0		N.D.
1997-98	213,739	7,805.0	.0	229,947.0	Feb 23	11,892.0
1998-99						N.D.
1999-00	21,977	9,394.0	.0	23,550.0	Aug 30	222.7

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Pacoima Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1929-30	1,110	N.D.	N.D.	965.0		N.D.
1930-31	1,082	N.D.	N.D.	886.0		N.D.
1931-32	8,741	N.D.	N.D.	8,443.0		N.D.
1932-33	2,160	101.0	.0	2,119.0		N.D.
1933-34	3,454	N.D.	N.D.	3,493.0	Jan 01	914.0
1934-35	5,569	84.0	.0	5,556.0		N.D.
1935-36	3,098	88.0	.0	3,094.0	Feb 12	248.0
1936-37	15,737	356.0	.0	14,210.0	Feb 14	508.0
1937-38	25,878	2,360.0	.0	26,796.0	Mar 02	8,320.0
1938-39	3,525	86.0	.0	3,080.0	Dec 19	145.0
1939-40	3,209	156.0	.0	3,133.0	Jan 08	928.0
1940-41	25,785	536.0	.0	25,942.0	Mar 04	815.0
1941-42	1,920	48.0	.1	2,032.0	Dec 29	85.0
1942-43	20,698	1,250.0	.1	20,407.0	Jan 23	2,650.0
1943-44	15,004	898.0	.4	15,167.0	Feb 22	1,790.0
1944-45	4,866	206.0	.4	4,911.0	Feb 02	494.0
1945-46	4,600	332.0	.0	2,904.0	Mar 30	564.0
1946-47	4,356	149.0	.0	6,029.0	Nov 20	282.0
1947-48	369	6.4	.1	335.0	Apr 29	12.0
1948-49	723	10.0	.1	740.0	Mar 05	17.0
1949-50	1,063	19.0	.1	1,019.0	Feb 06	26.0
1950-51	142	1.3	.0	69.0	Apr 29	2.4
1951-52	16,794	681.0	.0	4,325.0	Jan 16	1,290.0
1952-53	967	8.5	.0	3,500.0	Dec 01	32.0
1953-54	2,952	107.0	.1	2,941.0	Jan 25	272.0
1954-55	748	18.0	.1	737.0	Apr 30	25.0
1955-56	1,466	90.0	.0	1,252.0	Jan 27	179.0
1956-57	573	9.8	.0	773.0	Jan 13	14.0
1957-58	15,818	714.0	.0	15,808.0	Apr 03	1,180.0
1958-59	783	29.0	.0	708.0	Jan 06	184.0
1959-60	131	.9	.0	271.0	Jan 11	2.2
1960-61	59	6.3	.0	11.0	Nov 12	60.0
1961-62	6,326	584.0	.1	6,279.0	Feb 11	811.0
1962-63	384	8.1	.1	228.0	Feb 10	19.0
1963-64	529	8.3	.1	722.0	Jan 22	56.0
1964-65	1,313	70.0	.1	1,048.0	Apr 09	160.0
1965-66	15,553	647.0	.0	15,214.0	Nov 22	2,010.0
1966-67	23,605	698.0	.4	23,600.0	Dec 06	1,380.0
1967-68	3,843	76.0	.0	3,833.0	Nov 21	107.0
1968-69	43,398	2,860.0	.0	42,998.0	Feb 25	4,710.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Pacoima Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1969-70	2,717	99.0	.4	2,308.0	Mar 01	276.0
1970-71	4,806	118.0	.5	4,994.0	Nov 29	384.0
1971-72	1,062	36.0	.2	802.0	Dec 26	91.0
1972-73	7,726	696.0	.1	7,383.0	Feb 11	1,640.0
1973-74	4,197	168.0	.2	4,154.0	Jan 08	532.0
1974-75	2,279	48.0	.1	2,526.0	Mar 06	97.0
1975-76	1,622	58.0	.1	1,614.0	Feb 09	102.0
1976-77	1,424	43.0	.3	507.0	Jan 03	213.0
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.
1978-80	R.I.					N.D.
1980-81	2,731	66.0	.0	3,440.0	Jan 29	167.0
1981-82	5,979	226.0	.3	4,867.0	Mar 17	590.0
1982-83	43,336	2,359.0	.5	44,566.0	Mar 01	4,671.0
1983-84	3,521	88.0	.2	1,386.0	Dec 25	153.0
1984-85	2,853	79.0	.0	3,651.0	Dec 20	104.0
1985-86	7,886	279.0	.0	7,015.0	Feb 15	161.0
1986-87	638	7.0	.0	224.0	Jan 04	9.0
1987-88	3,522	52.0	.1	3,441.0	Oct 23	93.0
1988-89	2,398	40.0	.0	2,065.0	Feb 04	72.0
1989-90	784	27.0	.0	817.0	Feb 17	59.0
1990-91	3,520	127.0	.0	3,222.0	Mar 27	140.0
1991-92	N.D.	5,212.0	.0	N.D.	Feb 10	1,180.0
1992-93	40,473	929.0	.1	39,814.0	Jan 13	1,186.0
1993-94	2,465	27.0	.0	3,354.0	Feb 08	46.0
1994-95	23,547	351.0	.0	23,710.0	Jan 10	1,073.0
1995-96	7,655	389.0	.0	7,710.0	Feb 21	532.0
1996-97	6,497	163.0	1.2	5,417.0		N.D.
1997-98	31,461	1,462.0	.1	31,467.0	Feb 23	3,292.0
1998-99						N.D.
1999-00	2,646	70.0	.0	2,675.0	Feb 22	70.2

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Puddingstone Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1928-29	114	12.0	.0	151.0		N.D.
1929-30	295	15.0	.0	223.0		N.D.
1930-31	73	9.0	.0	119.0		N.D.
1931-32	1,547	162.0	.0	1,086.0		N.D.
1932-33	314	30.0	.0	906.0		N.D.
1933-34	2,669	596.0	.0	1,809.0		N.D.
1934-35	610	N.D.	N.D.	846.0	Jan 15	205.0
1935-36	703	54.0	.0	969.0	Apr 10	590.0
1936-37	5,732	303.0	.0	2,173.0	Feb 06	1,480.0
1937-38	12,221	2,200.0	.0	7,544.0	Mar 02	5,310.0
1938-39	1,576	101.0	.0	5,305.0		N.D.
1939-40	646	54.0	.0	2,524.0	Jan 07	448.0
1940-41	12,030	377.0	.0	3,308.0	Mar 04	1,080.0
1941-42	475	30.0	.0	4,385.0	Dec 10	409.0
1942-43	10,043	1,130.0	.0	4,836.0	Jan 23	2,300.0
1943-44	3,408	525.0	.0	3,178.0	Feb 22	1,030.0
1944-45	1,615	139.0	.0	2,376.0	Nov 11	484.0
1945-46	1,591	275.0	.0	6,009.0	Dec 23	929.0
1946-47	1,414	96.0	.0	788.0	Nov 13	445.0
1947-48	324	31.0	.0	362.0	Dec 05	195.0
1948-49	336A	21.0	.0	201.0	Mar 13	240.0
1949-50	493	55.0	.0	140.0	Feb 06	178.0
1950-51	182	15.0	.0	145.0	Jan 29	162.0
1951-52	4,673	353.0	.0	1,857.0	Jan 16	952.0
1952-53	928	32.0	.0	1,140.0	Dec 01	358.0
1953-54	31282A	244.0	.0	31,609.0	Jan 25	600.0
1954-55	26065A	255.0	.0	23,287.0	Nov 11	338.0
1955-56	57309A	458.0	.0	50,771.0	Jan 26	1,360.0
1956-57	50583A	216.0	.0	53,781.0	Jan 13	262.0
1957-58	6,670	302.0	.0	1,976.0	Apr 03	690.0
1958-59	394	68.0	.0	72.0	Jan 06	871.0
1959-60	837	80.0	.0	40.0	Jan 12	148.0
1960-61	10900A	198.0	.0	9,416.0	Nov 06	179.0
1961-62	4,463	173.0	.0	33.0	Dec 02	963.0
1962-63	927	139.0	.0	464.0	Feb 10	325.0
1963-64	594	43.0	.0	.0	Jan 22	242.0
1964-65	2,675	153.0	.0	7,401.0	Apr 09	1,770.0
1965-66	10,456	444.0	.0	3,066.0	Nov 22	1,590.0
1966-67	11,508	1,090.0	.0	9,988.0	Dec 06	2,440.0
1967-68	15,811	174.0	.0	14,275.0	Mar 08	760.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Puddingstone Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1968-69	36,802	2,830.0	.0	35,754.0	Jan 25	4,340.0
1969-70	1,650	163.0	.2	+	Mar 01	507.0
1970-71	1,494	149.0	.1	4,094.0	Dec 18	365.0
1971-72	1,007	186.0	+	+	Dec 24	538.0
1972-73	4,038	341.0	.1	+	Feb 11	604.0
1973-74	2,409	1,070.0	.1	1,069.0	Jan 07	660.0
1974-75	1,832	153.0	.0	1,832.0	Dec 04	769.0
1975-76	2,644	180.0	.1	.0	Sep 10	493.0
1976-77	2,655	138.0	.1	197.0	Jan 03	812.0
1977-78	R.I					N.D.
1978-79	R.I					N.D.
1979-80	R.I					N.D.
1980-81	2,115	154.0	.0	515.0	Jan 29	1,132.0
1981-82	4,731	350.0	.0	2,598.0	Mar 18	810.0
1982-83	15,956	764.0	.0	15,238.0	Mar 01	2,570.0
1983-84	2,791	192.0	.0	2,048.0	Dec 25	1,159.0
1984-85	2,688	143.0	.0	873.0	Dec 18	236.0
1985-86	4,888	241.0	.0	3,150.0	Mar 16	1,058.0
1986-87	1,989	291.0	.0	1,118.0	Jan 04	854.0
1987-88	4,010	143.0	.0	2,373.0	Jan 17	422.0
1988-89	3,539	117.0	.0	2,045.0	Feb 04	211.0
1989-90	2,545	235.0	.0	977.0	Feb 17	683.0
1990-91	4,461	371.0	.0	2,932.0	Mar 01	1,270.0
1991-92	6,781	407.0	.0	5,333.0	Feb 12	959.0
1992-93	30,324	909.0	.0	28,674.0	Jan 18	1,992.0
1993-94	2,884	78.0	.1	1,322.0	Feb 07	212.0
1994-95	11,261	537.0	.1	9,927.0	Jan 10	1,411.0
1995-96	4,587	438.0	.0	3,275.0	Feb 20	1,460.0
1996-97	5,421	200.0	.0	4,382.0		N.D.
1997-98	15,722	626.0	.1	13,941.0	Feb 23	1,660.0
1998-99						N.D.
1999-00	1,283	3,010.0	.0	1,534.0	Feb 24	174.4

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Puddingstone Diversion

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1935-36	304	48.0	.0	304.0	Apr 10	85.0
1936-37	5,019	104.0	.0	4,646.0		N.D.
1937-38	11,697	1,640.0	.0	11,506.0	Mar 02	5,760.0
1938-39	1,288	28.0	.0	1,293.0	Jan 10	23.0
1939-40	350	26.0	.0	155.0	Jan 08	33.0
1940-41	7,213	133.0	.0	6,776.0	Mar 14	155.0
1941-42	341	13.0	.0	203.0	Dec 12	24.0
1942-43	8,593	970.0	.0	7,939.0	Jan 23	2,040.0
1943-44	3,406	357.0	.0	3,010.0	Feb 22	724.0
1944-45	1,719	64.0	.0	1,294.0	Feb 02	88.0
1945-46	970	159.0	.0	773.0	Dec 23	234.0
1946-47	1,400	55.0	.0	1,109.0	Dec 26	58.0
1947-48	0	.0	.0	.0		N.D.
1948-49	0	.0	.0	.0		N.D.
1949-50	0	.0	.0	.0		N.D.
1950-51	0	.0	.0	.0		N.D.
1951-52	3,366	158.0	.0	2,910.0	Jan 16	201.0
1952-53	0	.0	.0	.0		N.D.
1953-54	628	57.0	.0	429.0	Feb 14	82.0
1954-55	0	.0	.0	.0		N.D.
1955-56	196	34.0	.0	128.0	Jan 26	93.0
1956-57	0	.0	.0	.0		N.D.
1957-58	5,938	227.0	.0	5,172.0	Apr 03	284.0
1958-59	89	14.0	.0	49.0	Feb 18	18.0
1959-60	0	.0	.0	.0		N.D.
1960-61	146	11.0	.0	64.0	Nov 26	137.0
1961-62	3,277	152.0	.0	3,106.0	Nov 20	2,110.0
1962-63	827	95.0	.0	515.0	Feb 09	640.0
1963-64	112	19.0	.0	67.0	Jan 22	55.0
1964-65	873	69.0	.0	538.0	Apr 09	239.0
1965-66	6,471	320.0	.0	5,864.0	Nov 22	864.0
1966-67	13,656	958.0	.0	12,140.0	Dec 06	2,230.0
1967-68	2,744	62.0	.0	2,180.0	Nov 30	125.0
1968-69	35,110	2,610.0	.0	34,200.0	Jan 25	5,600.0
1969-70	4,005	27.0	.0	2,788.0	Mar 04	62.0
1970-71	2,181	35.0	.0	1,524.0	Dec 21	61.0
1971-72	764	15.0	.0	488.0	Dec 24	56.0
1972-73	3,746	163.0	.0	3,321.0	Feb 11	219.0
1973-74	1,660	75.0	.0	1,371.0	Jan 07	110.0
1974-75	969	15.0	.0	786.0	Mar 06	46.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Puddingstone Diversion

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1975-76	423	9.1	.0	333.0	Mar 01	16.0
1976-77	844	29.0	.0	578.0	Jan 03	57.0
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.
1979-80	R.I.					N.D.
1980-81	2,025	21.0	.0	1,877.0	Jan 29	44.0
1981-82	2,856	122.0	.0	2,831.0	Mar 18	260.0
1982-83	18,257	705.0	.0	18,272.0	Mar 01	1,867.0
1983-84	3,267	54.0	.0	3,259.0	Dec 25	84.0
1984-85	1,353	37.0	.0	1,294.0	Dec 18	40.0
1985-86	1,324	99.0	.0	1,201.0	Mar 16	104.0
1986-87	686	18.0	.0	702.0	Jan 04	49.0
1987-88	927	38.0	.0	823.0	Jan 17	214.0
1988-89	1,060	76.0	.0	927.0	Feb 04	111.0
1989-90	228	48.0	.0	193.0	Feb 17	78.0
1990-91	2,079	54.0	.0	2,024.0	Feb 28	195.0
1991-92	3,289	163.0	.0	3,277.0	Feb 12	264.0
1992-93	25,714	698.0	.0	25,686.0	Jan 18	757.0
1993-94	1,475	14.0	.0	1,488.0	Feb 07	23.0
1994-95	11,349	211.0	.0	11,349.0	Jan 10	252.0
1995-96	3,045	71.0	.0	3,044.0	Feb 20	161.0
1996-97	2,468	84.0	.0	2,440.0		N.D.
1997-98	13,037	514.0	.0	12,996.0	Feb 24	652.0
1998-99						N.D.
1999-00	746	46.0	.0	769.0	Jun 23	55.1

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

San Dimas Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1928-29	N.D.	N.D.	.0	N.D.		N.D.
1929-30	591	28.0	.0	573.0		N.D.
1930-31	585	23.0	.0	466.0		N.D.
1931-32	2,502	162.0	.0	2,496.0		N.D.
1932-33	652	50.0	.0	648.0		N.D.
1933-34	1,351	229.0	.0	1,357.0	Jan 01	422.0
1934-35	1,753	60.0	.0	1,682.0	Apr 08	145.0
1935-36	1,094	35.0	.0	1,136.0	Feb 11	155.0
1936-37	6,316	154.0	.0	6,126.0	Feb 06	296.0
1937-38	12,492	1,600.0	.4	12,494.0	Mar 02	4,920.0
1938-39	2,165	43.0	.2	2,024.0	Jan 05	80.0
1939-40	1,532	60.0	.0	1,600.0	Jan 08	302.0
1940-41	9,645	131.0	.1	9,240.0	Mar 04	235.0
1941-42	1,603	16.0	.2	1,855.0	Dec 10	29.0
1942-43	9,271	573.0	.5	9,095.0	Jan 23	1,700.0
1943-44	5,348	398.0	.1	5,423.0	Feb 22	785.0
1944-45	3,747	97.0	.9	3,811.0	Nov 11	375.0
1945-46	2,560	149.0	.1	2,368.0	Dec 23	519.0
1946-47	2,705	100.0	.1	2,982.0	Nov 20	340.0
1947-48	720	10.0	.0	706.0	Feb 05	15.0
1948-49	728	11.0	.1	694.0	Jan 20	19.0
1949-50	734	25.0	.1	750.0	Dec 18	65.0
1950-51	300	5.3	.1	301.0	Apr 29	16.0
1951-52	4,864	208.0	.1	4,593.0	Jan 16	453.0
1952-53	822	9.8	.1	1,092.0	Dec 01	25.0
1953-54	1,514	97.0	.1	1,501.0	Jan 25	327.0
1954-55	561	11.0	.1	526.0	Jan 18	27.0
1955-56	736	98.0	.1	767.0	Jan 26	362.0
1956-57	452	12.0	.1	433.0	Jan 13	41.0
1957-58	6,786	299.0	.0	6,503.0	Apr 03	753.0
1958-59	931	37.0	.1	1,239.0	Feb 16	189.0
1959-60	408	6.7	.1	455.0	Feb 08	11.0
1960-61	468	31.0	.1	250.0	Nov 05	397.0
1961-62	3,206	224.0	+	2,664.0	Nov 20	2,520.0
1962-63	1,001	81.0	.1	1,108.0	Feb 09	440.0
1963-64	680	20.0	.1	711.0	Jan 22	121.0
1964-65	1,118	53.0	.0	1,175.0	Apr 09	232.0
1965-66	6,494	305.0	.2	6,326.0	Dec 29	1,010.0
1966-67	12,352	674.0	.0	11,598.0	Dec 06	1,720.0
1967-68	3,148	80.0	.1	3,058.0	Nov 19	414.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

San Dimas Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1968-69	28,645	1,710.0	.7	28,808.0	Jan 25	3,620.0
1969-70	4,314	71.0	.7	4,736.0	Mar 01	114.0
1970-71	2,465	70.0	.5	2,125.0	Nov 29	127.0
1971-72	1,040	33.0	.2	1,217.0	Dec 24	77.0
1972-73	4,252	346.0	.7	4,000.0	Feb 11	685.0
1973-74	2,447	121.0	.3	2,389.0	Jan 07	185.0
1974-75	1,487	28.0	.1	1,566.0	Mar 06	67.0
1975-76	1,002	52.0	.1	926.0	Sep 10	443.0
1976-77	1,094	41.0	.0	1,146.0	Jan 03	260.0
1977-78	R.I.					
1978-79	R.I.					
1979-80	19,951	673.0	2.3	18,715.0	Feb 16	2,549.0
1980-81	3,016	37.0	.8	3,216.0	Jan 29	147.0
1981-82	3,848	161.0	.2	3,700.0	Mar 17	295.0
1982-83	17,632	527.0	.0	17,381.0	Mar 01	1,559.0
1983-84	3,816	55.0	.0	4,330.0	Dec 25	115.0
1984-85	2,554	45.0	.6	2,560.0	Dec 19	67.0
1985-86	2,401	55.0	.0	2,415.0	Mar 16	89.0
1986-87	N.D.	10.0	.1	N.D.	Jan 05	13.0
1987-88	1,821	54.0	.0	1,216.0	Jan 17	157.0
1988-89	1,122	35.0	.0	1,225.0	Feb 04	96.0
1989-90	731	28.0	.0	462.0	Feb 17	93.0
1990-91	1,967	112.0	.0	2,361.0	Mar 27	236.0
1991-92	4,037	143.0	.0	3,938.0	Feb 12	403.0
1992-93	24,941	651.0	.0	24,446.0	Jan 14	945.0
1993-94	2,295	17.0	.2	2,424.0	Feb 07	31.0
1994-95	10,102	177.0	.8	9,801.0	Jan 10	363.0
1995-96	4,036	149.0	.2	4,097.0	Feb 20	418.0
1996-97	13,175	81.0	.0	2,988.0		N.D.
1997-98	12,122	396.0	.3	11,948.0	Feb 23	1,194.0
1998-99						N.D.
1999-00	1,243	64.0	.0	1,297.0	Feb 18	63.5

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

San Gabriel Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1937-38	339,155	30,720.0	37.0	332,893.0	Mar 02	89,320.0
1938-39	67,231	1,330.0	23.0	61,655.0	Dec 19	2,780.0
1939-40	58,554	757.0	18.0	63,386.0	Jan 08	2,270.0
1940-41	306,801	3,940.0	20.0	305,515.0	Feb 20	5,780.0
1941-42	50,285	297.0	20.0	49,759.0	Dec 29	468.0
1942-43	271,286	17,180.0	20.0	267,085.0	Jan 23	46,000.0
1943-44	184,923	5,710.0	43.0	184,622.0	Feb 22	9,860.0
1944-45	91,961	1,300.0	28.0	90,131.0	Nov 11	6,440.0
1945-46	99,531	2,980.0	28.0	89,502.0	Dec 21	5,760.0
1946-47	107,688	3,340.0	18.0	104,088.0	Dec 26	6,520.0
1947-48	29,259	257.0	9.9	37,794.0	Apr 29	506.0
1948-49	24,728	94.0	11.0	21,546.0	Jan 20	120.0
1949-50	27,797	266.0	9.5	27,736.0	Dec 19	448.0
1950-51	10,169	54.0	3.0	13,002.0	Jan 11	174.0
1951-52	159,048	3,340.0	3.9	118,918.0	Jan 16	6,130.0
1952-53	41,270	375.0	7.5	77,961.0	Dec 01	544.0
1953-54	60,515	1,280.0	8.3	56,517.0	Jan 25	2,940.0
1954-55	39,159	171.0	18.0	37,304.0	Apr 30	313.0
1955-56	35,215	950.0	14.0	38,127.0	Jan 26	2,250.0
1956-57	37,210	1,090.0	15.0	35,069.0	Jan 13	2,850.0
1957-58	230,745	4,270.0	21.0	229,610.0	Apr 03	6,900.0
1958-59	43,762	1,030.0	14.0	43,100.0	Jan 06	3,080.0
1959-60	19,474	112.0	5.0	19,258.0	Apr 28	168.0
1960-61	12,041	122.0	2.2	12,698.0	Nov 05	634.0
1961-62	116,890	6,350.0	3.4	112,380.0	Feb 11	13,960.0
1962-63	25,930	512.0	6.2	24,587.0	Feb 09	2,440.0
1963-64	24,009	287.0	5.2	22,601.0	Apr 01	504.0
1964-65	36,281	396.0	5.5	34,427.0	Apr 09	1,070.0
1965-66	220,689	9,030.0	12.0	217,503.0	Dec 29	27,180.0
1966-67	224,903	6,700.0	30.0	224,538.0	Dec 06	12,420.0
1967-68	66,761	697.0	26.0	68,771.0	Nov 19	1,620.0
1968-69	527,883	28,020.0	24.0	524,874.0	Jan 25	44,400.0
1969-70	66,842	1,250.0	26.0	66,688.0	Feb 28	2,550.0
1970-71	60,375	2,120.0	29.0	55,358.0	Nov 29	6,400.0
1971-72	34,908	975.0	14.0	38,192.0	Dec 25	1,390.0
1972-73	124,722	5,075.0	14.1	124,333.0	Feb 11	17,430.0
1973-74	72,959	1,140.0	32.0	67,194.0	Jan 07	1,820.0
1974-75	47,681	423.0	27.0	46,194.0	Mar 06	880.0
1975-76	38,598	978.0	18.0	33,781.0	Sep 11	1,630.0
1976-77	36,322	407.0	15.0	34,846.0	Jan 03	1,137.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

San Gabriel Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1977-78	486,296	13,437.0	14.9	483,712.0	Mar 04	31,730.0
1978-79	158,043	1,647.0	42.9	163,511.0	Mar 28	1,965.0
1979-80	346,155	11,476.0	42.5	344,454.0	Feb 16	24,540.0
1980-81	42,882	281.0	15.0	40,116.0	Jan 29	784.0
1981-82	95,225	1,591.0	19.0	79,833.0	Mar 17	2,869.0
1982-83	404,332	14,585.0	33.0	402,734.0	Mar 01	17,080.0
1983-84	61,069	983.0	13.0	75,284.0	Dec 25	1,568.0
1984-85	46,633	617.0	8.5	46,101.0	Dec 19	742.0
1985-86	103,558	1,252.0	14.0	100,926.0	Jan 30	1,911.0
1986-87	22,847	149.0	3.0	22,919.0	Jan 05	259.0
1987-88	66,101	574.0	3.8	49,337.0	Feb 29	814.0
1988-89	33,435	273.0	4.0	47,683.0	Dec 16	496.0
1989-90	18,979	248.0	2.3	17,008.0	Feb 18	388.0
1990-91	61,479	1,575.0	3.3	39,454.0	Mar 01	4,294.0
1991-92	171,617	5,796.0	.0	193,158.0	Feb 12	11,426.0
1992-93	445,072	10,181.0	.0	429,615.0	Feb 19	12,934.0
1993-94	44,269	312.0	.6	50,441.0	Feb 08	433.0
1994-95	248,268	3,811.0	12.8	242,886.0	Jan 10	6,996.0
1995-96	72,722	2,995.0	2.0	70,533.0	Feb 21	3,822.0
1996-97	66,304	947.0	5.2	64,946.0		N.D.
1997-98	275,500	9,169.0	8.2	237,419.0	Feb 23	22,512.0
1998-99						N.D.
1999-00	43,634	1,626.0	3.0	43,713.0	Feb 21	947.5

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Santa Anita Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1926-27	1,208	13.0	.4	1,030.0		N.D.
1927-28	1,009	22.0	.1	1,162.0		N.D.
1928-29	1,214	30.0	.0	1,256.0		N.D.
1929-30	1,276	25.0	.1	964.0		N.D.
1930-31	989	34.0	.0	1,155.0		N.D.
1931-32	4,010	236.0	.1	3,883.0		N.D.
1932-33	2,190	152.0	.0	2,022.0	Jan 19	390.0
1933-34	2,603	322.0	.0	2,622.0	Jan 01	800.0
1934-35	3,693	92.0	.1	3,585.0	Apr 08	449.0
1935-36	2,480	84.0	.0	2,535.0	Feb 12	228.0
1936-37	8,798	192.0	.0	8,616.0	Feb 06	313.0
1937-38	16,594	1,780.0	1.3	16,689.0	Mar 02	5,140.0
1938-39	2,726	74.0	.4	2,461.0	Dec 19	159.0
1939-40	2,743	62.0	.4	2,664.0	Jan 08	378.0
1940-41	15,225	239.0	.4	15,235.0	Mar 04	300.0
1941-42	2,070	25.0	.6	2,140.0	Dec 29	53.0
1942-43	19,371	1,110.0	.6	19,440.0	Jan 23	3,100.0
1943-44	7,463	514.0	1.3	7,294.0	Feb 22	813.0
1944-45	4,147	101.0	1.1	4,133.0	Nov 11	303.0
1945-46	3,426	164.0	.8	3,360.0	Dec 23	492.0
1946-47	4,489	122.0	.7	4,462.0	Nov 20	382.0
1947-48	1,075	14.0	.3	1,243.0	Apr 28	41.0
1948-49	1,031	17.0	.2	983.0	Jan 20	32.0
1949-50	1,357	30.0	.2	1,311.0	Dec 18	115.0
1950-51	460	4.5	.1	497.0	Jan 11	10.0
1951-52	8,408	351.0	.1	8,292.0	Jan 16	837.0
1952-53	1,562	20.0	.5	1,729.0	Dec 01	153.0
1953-54	3,302	201.0	.4	3,412.0	Jan 24	1,240.0
1954-55	1,432	18.0	.3	1,437.0	Nov 11	173.0
1955-56	2,218	175.0	.3	2,196.0	Jan 26	569.0
1956-57	1,535	36.0	.5	1,431.0	Feb 23	122.0
1957-58	11,696	298.0	.7	11,715.0	Apr 03	618.0
1958-59	2,183	66.0	.6	2,033.0	Jan 06	622.0
1959-60	954	6.5	.1	1,152.0	Feb 01	16.0
1960-61	527	12.0	.1	407.0	Jan 26	65.0
1961-62	6,328	682.0	.1	6,242.0	Feb 11	1,460.0
1962-63	1,628	56.0	.7	1,848.0	Feb 09	368.0
1963-64	1,219	32.0	+	1,144.0	Apr 01	53.0
1964-65	2,039	50.0	.0	1,988.0	Apr 09	130.0
1965-66	13,102	600.0	.4	12,933.0	Dec 29	1,920.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Santa Anita Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1966-67	16,245	645.0	1.5	16,261.0	Dec 06	1,520.0
1967-68	3,376	56.0	.1	3,579.0	Nov 19	165.0
1968-69	38,734	2,292.0	.3	38,369.0	Jan 25	5,500.0
1969-70	2,859	85.0	1.0	2,859.0	Feb 28	208.0
1970-71	3,211	184.0	1.0	3,075.0	Nov 29	674.0
1971-72	1,316	36.0	.5	1,249.0	Dec 24	99.0
1972-73	6,414	482.0	.4	6,258.0	Feb 11	1,350.0
1973-74	4,660	174.0	1.2	4,546.0	Jan 07	280.0
1974-75	2,347	36.0	.1	2,647.0	Mar 06	54.0
1975-76	1,580	52.0	.2	1,469.0	Mar 01	101.0
1976-77	1,320	35.0	1.0	1,206.0	Jan 03	200.0
1977-78	R.I.					
1978-79	R.I.					
1979-80	R.I.					
1980-81	2,221	27.0	.6	2,210.0	Jan 29	147.0
1981-82	3,714	127.0	.6	3,652.0	Mar 17	213.0
1982-83	21,246	882.0	.0	21,325.0	Mar 02	1,197.0
1983-84	3,603	57.0	.3	3,586.0	Dec 25	142.0
1984-85	2,363	48.0	.0	2,272.0	Dec 19	102.0
1985-86	4,735	77.0	.4	4,612.0	Jan 30	89.0
1986-87	1,041	7.6	.0	1,174.0	Jan 05	11.0
1987-88	2,490	37.0	.1	2,488.0	Jan 17	87.0
1988-89	1,729	52.0	.0	1,599.0	Feb 04	119.0
1989-90	737	30.0	.0	740.0	Feb 17	117.0
1990-91	2,393	92.0	.0	2,323.0	Mar 01	417.0
1991-92	9,339	390.0	.2	9,292.0	Feb 11	863.0
1992-93	23,546	558.0	.2	23,581.0	Jan 07	909.0
1993-94	1,475	15.0	.0	1,565.0	Mar 24	19.0
1994-95	12,439	242.0	.1	12,281.0	Jan 10	587.0
1995-96	4,494	274.0	.1	4,535.0	Feb 21	481.0
1996-97	4,970	93.0	.1	4,934.0		N.D.
1997-98	13,694	787.0	.0	13,655.0	Feb 23	2,449.0
1998-99						N.D.
1999-00	1,872	35.0	.0	1,970.0	Feb 24	54.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Sawpit Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1927-28	26	N.D.	.0	39.0		N.D.
1928-29	96	5.3	.0	108.0		N.D.
1929-30	219	7.9	.0	208.0		N.D.
1930-31	97	3.9	.0	68.0		N.D.
1931-32	710	56.0	.0	726.0	Feb 09	76.0
1932-33	184	8.6	.0	185.0		N.D.
1933-34	468	106.0	.0	457.0	Jan 01	240.0
1934-35	548	36.0	.0	540.0	Apr 08	168.0
1935-36	574	22.0	.0	574.0	Feb 11	72.0
1936-37	1,434	36.0	.0	1,401.0		N.D.
1937-38	2,909	384.0	.0	2,868.0	Mar 02	1,070.0
1938-39	232	17.0	.0	170.0		N.D.
1939-40	264	11.0	.0	308.0	Jan 08	39.0
1940-41	2,180	63.0	.0	2,195.0	Mar 04	109.0
1941-42	107	3.7	.0	39.0	Dec 29	4.8
1942-43	2,966	162.0	.0	2,950.0	Jan 23	520.0
1943-44	747	73.0	.0	743.0	Feb 22	138.0
1944-45	316	16.0	.0	319.0	Nov 11	59.0
1945-46	254	24.0	.0	250.0	Dec 23	85.0
1946-47	362	23.0	.0	361.0	Nov 20	77.0
1947-48	23	.3	.0	5.1	Apr 28	2.9
1948-49	42	.4	.0	32.0	Mar 10	.9
1949-50	86	21.0	.0	77.0	Dec 18	7.9
1950-51	32	.8	.0	32.0	Jan 11	2.4
1951-52	1,112	60.0	.0	1,092.0	Jan 16	226.0
1952-53	88	3.2	.0	82.0	Dec 01	34.0
1953-54	274	14.0	.0	263.0	Jan 24	105.0
1954-55	142	4.3	.0	139.0	Nov 11	73.0
1955-56	204	37.0	+	210.0	Jan 26	48.0
1956-57	80	.8	.0	65.0	Feb 23	8.1
1957-58	1,371	46.0	.0	1,368.0	Apr 03	112.0
1958-59	815	36.0	.1	804.0	Jan 06	1,600.0
1959-60	201	4.8	+	163.0	Apr 27	70.0
1960-61	111	1.7	.0	144.0	Nov 05	12.0
1961-62	1,269	122.0	.1	1,236.0	Feb 11	282.0
1962-63	256	12.0	.1	256.0	Feb 09	77.0
1963-64	271	3.7	.0	294.0	Jan 21	10.0
1964-65	405	9.7	.1	355.0	Apr 09	27.0
1965-66	2,224	87.0	.0	2,218.0	Dec 29	423.0
1966-67	3,985	157.0	1.1	3,980.0	Dec 06	307.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Sawpit Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1967-68	1,510	12.0	.8	1,510.0	Nov 19	32.0
1968-69	7,555	635.0	.9	9,498.0	Jan 25	1,060.0
1969-70	1,496	36.0	.5	1,407.0	Feb 28	187.0
1970-71	733	21.0	.4	733.0	Nov 29	70.0
1971-72	521	5.6	.3	521.0	Dec 24	16.0
1972-73	1,449	94.0	.3	1,538.0	Feb 11	350.0
1973-74	1,350	57.0	.1	1,270.0	Jan 07	109.0
1974-75	921	5.9	.5	921.0	Mar 06	15.0
1975-76	646	6.4	.1	646.0	Mar 01	22.0
1976-77	603	7.2	1.0	603.0	Oct 22	74.0
1977-78	4,642	116.1	1.2	4,716.0	Feb 10	250.0
1978-79	2,139	10.0	1.3	2,070.0	Mar 27	19.4
1979-80	5,285	131.2	1.2	5,296.0	Feb 16	404.0
1980-81	1,045	7.2	.4	1,045.0	Jan 29	30.0
1981-82	1,244	39.0	.0	1,307.0	Mar 17	48.0
1982-83	4,587	142.0	.0	4,490.0	Mar 02	300.0
1983-84	1,268	9.3	.0	1,268.0	Dec 25	26.0
1984-85	929	6.7	.5	928.0	Dec 19	25.0
1985-86	1,204	10.0	.0	1,203.0	Mar 16	16.0
1986-87	N.D.	4.2	.0	N.D.	Jan 06	1.5
1987-88	975	7.3	.0	975.0	Mar 01	5.0
1988-89	751	6.7	.0	751.0	Dec 16	11.0
1989-90	534	6.3	.0	527.0	Feb 17	16.0
1990-91	1,113	34.0	.0	1,113.0	Mar 01	77.0
1991-92	1,910	41.0	.4	1,910.0	Feb 12	123.0
1992-93	5,564	67.0	.4	5,563.0	Jan 07	202.0
1993-94	1,555	4.1	.5	1,555.0	Feb 08	6.8
1994-95	35,373	77.0	.5	3,572.0	Jan 10	136.0
1995-96	2,381	38.0	1.4	2,382.0	Feb 21	49.0
1996-97	1,952	11.0	1.5	1,952.0		N.D.
1997-98	3,045	137.0	1.7	3,045.0	Feb 23	332.0
1998-99						N.D.
1999-00	1,569	48.0	1.0	1,553.0	Nov 23	3.7

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Thompson Creek Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1931-32	81	12.0	.0	81.0	Feb 09	91.0
1932-33	0	.0	.0	.0		N.D.
1933-34	N.D.	N.D.	N.D.	.0		N.D.
1934-35	1	N.D.	N.D.	.0		N.D.
1935-36	1	N.D.	N.D.	.0		N.D.
1936-37	274	24.0	.0	.0		N.D.
1937-38	1,099	259.0	.0	1,096.0	Mar 02	580.0
1938-39	21	.6	.0	.0	Jan 30	1.1
1939-40	49	4.5	.0	.0	Jan 07	26.0
1940-41	640	46.0	.0	2.8	Mar 04	97.0
1941-42	0	+	.0	.0	Dec 10	.5
1942-43	767	121.0	.0	334.0	Jan 23	270.0
1943-44	286	56.0	.0	.0	Feb 22	111.0
1944-45	149	18.0	.0	.0	Nov 12	132.0
1945-46	148	25.0	.0	.0	Dec 23	120.0
1946-47	88	16.0	.0	.0	Nov 20	47.0
1947-48	0	.0	.0	.0		N.D.
1948-49	0	.0	.0	.0		N.D.
1949-50	6	2.0	.0	.0	Dec 19	4.5
1950-51	0	.0	.0	.0		N.D.
1951-52	314	30.0	.0	34.0	Jan 16	70.0
1952-53	12	1.3	.0	.0	Dec 01	8.2
1953-54	194	19.0	.0	.0	Jan 25	172.0
1954-55	4	1.0	.0	.0	Jan 18	1.4
1955-56	58	25.0	.0	.0	Jan 26	117.0
1956-57	4	2.0	.0	.0	Jan 13	5.8
1957-58	389	34.0	.0	219.0	Apr 03	67.0
1958-59	6	1.0	.0	.0	Feb 16	4.7
1959-60	2	.3	.0	.0	Apr 28	5.4
1960-61	5	1.0	.0	.0	Nov 12	3.9
1961-62	101	9.3	.0	.0	Nov 20	190.0
1962-63	88	26.0	.0	17.0	Feb 09	145.0
1963-64	23	4.2	.0	.0	Mar 22	20.0
1964-65	26	9.9	.0	.0	Apr 09	55.0
1965-66	258	34.0	.0	.0	Nov 23	140.0
1966-67	842	200.0	.0	305.0	Dec 06	408.0
1967-68	167	6.8	.0	.0	Nov 19	18.0
1968-69	2,556	279.0	.0	2,061.0	Jan 25	574.0
1969-70	54	4.8	.0	1.6	Mar 01	13.0
1970-71	32	5.5	.0	.0	Dec 21	12.0

N.D. Not determined

R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

RESERVOIRS – YEARLY RESERVOIR OPERATION SUMMARY

Thompson Creek Dam

Season	Inflow Annual (AF)	Inflow		Outflow Annual (AF)	Peak Inflow	
		Max-Day (CFS)	Min-Day (CFS)		Date	Q (CFS)
1971-72	6	1.3	.0	.0	Dec 27	3.0
1972-73	161	34.0	.0	7.5	Feb 11	58.0
1973-74	37	10.0	.0	37.0	Jan 07	29.0
1974-75	0	.0	.0	.0		N.D.
1975-76	15	3.5	.0	.0	Feb 01	3.5
1976-77	37	6.8	.0	.0		N.D.
1977-78	R.I.					N.D.
1978-79	R.I.					N.D.
1979-80	R.I.					N.D.
1980-81	0	.0	.0	.0		N.D.
1981-82	62	9.4	.0	18.0	Mar 17	40.0
1982-83	1,118	114.0	.0	583.0	Mar 01	377.0
1983-84	70	2.7	.0	11.0	Dec 26	4.0
1984-85	0	.0	.0	.0		N.D.
1985-86	58	9.7	.0	58.0	Mar 16	27.0
1986-87	0	.0	.0	.0		N.D.
1987-88	2	.3	.0	2.1	Jan 17	.9
1988-89	2	.3	.0	2.0	Feb 04	.5
1989-90	6	.5	.0	5.6	Feb 17	.8
1990-91	76	17.0	.0	34.0	Mar 27	20.0
1991-92	190	16.0	.0	190.0	Mar 23	20.0
1992-93	1,267	57.0	.0	1,202.0	Jan 18	166.0
1993-94	0	.1	.0	.4	Mar 19	1.2
1994-95	330	35.0	.0	330.0	Jan 10	82.0
1995-96	392	31.0	.0	392.0	Feb 20	73.0
1996-97	48	11.0	.0	48.0		N.D.
1997-98	526	98.0	.0	525.0	Feb 23	299.0
1998-99						N.D.
1999-00	0	.0	.0	.0		N.D.

N.D. Not determined


R.I. Records incomplete

+ Less than 0.05 Acre Feet or less than 0.05 CFS, but greater than 0

APPENDIX F

HYDROLOGIC REPORT 1999 – 2000

EROSION CONTROL – LOCATION MAP



APPENDIX G

HYDROLOGIC REPORT 1999 – 2000

WATER CONSERVATION – SUMMARY – DPW FACILITIES

WATER CONSERVATION – SUMMARY – DPW FACILITIES

BEN LOMOND

Type SHALLOW
Season First Used 1958-59
Area **Gross** 24 ACRES
 Wetted 17 ACRES
Capacities **Channel**** 9,000 CFS
 Intakes 400 CFS
 Storage 168 AF
 Percolation* 30 CFS
Location BOTH NORTH AND SOUTH SIDES OF SAN DIMAS WASH CHANNEL AT
 SOUTHWESTERLY CORNER OF INTERSECTION OF ARROW HIGHWAY
 AND BARRANCA AVENUE.
Source of Water COVINA IRRIGATING COMPANY, UNCONTROLLED RUNOFF, IMPORTED.
Remarks SPREADING GROUNDS UTILIZED TO CONSERVE EXCESS COVINA
 IRRIGATION COMPANY WATER RELEASED FROM THE COMMITTEE OF
 NINE.
 * THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
 ** DESIGN CAPACITY OF MAIN CHANNEL.

BIG DALTON

Type SHALLOW
Season First Used 1930-31
Area **Gross** 24 ACRES
 Wetted 8 ACRES
Capacities **Channel**** 5,000 CFS
 Intakes 45 CFS
 Storage 12 AF
 Percolation* 12 CFS
Location WESTERLY SIDE OF BIG DALTON WASH, ONE HALF MILE ABOVE
 SIERRA MADRE AVENUE.
Source of Water CONTROLLED FLOWS FROM BIG DALTON DAM AND BIG DALTON
 DEBRIS BASIN.
Remarks
 * THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
 ** DESIGN CAPACITY OF MAIN CHANNEL.

BRANFORD

Type DEEP
Season First Used 1956-57
Area **Gross** 12 ACRES
 Wetted 7 ACRES
Capacities **Channel**** 1,540 CFS
 Intakes 1,540 CFS
 Storage 137 AF
 Percolation* 1 CFS
Location SOUTHWESTERLY OF ARLETA AVENUE ABOVE CONFLUENCE OF
 TUJUNGA WASH AND PACOIMA DIVERSION CHANNEL.
Source of Water UNCONTROLLED FLOWS FROM BRANFORD STREET DRAIN.
Remarks INSTREAM SPREADING FACILITY. OUTLET CAPACITY 1,540 CFS TO
 PACOIMA DIVERSION CHANNEL.
 * THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
 ** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – DPW FACILITIES

BUENA VISTA

Type DEEP
Season First Used 1954-55
Area **Gross** 10 ACRES
 Wetted 6 ACRES
Capacities **Channel**** 2,900 CFS
 Intakes 2,900 CFS
 Storage 177 AF
Percolation* 6 CFS
Location 1.0 MILE EASTERLY OF SAWPIT WASH. 0.5 MILE NORTHERLY OF
 ARROW HIGHWAY, BETWEEN MERIDIAN STREET AND BUENA VISTA
 CHANNEL.
Source of Water CONTROLLED FLOW FROM SANTA FE DAM AND UNCONTROLLED
 FLOW FROM BUENA VISTA CHANNEL.
Remarks INSTREAM SPREADING FACILITY. TOTAL OUTLET CAPACITY OF 270
 CFS.
 * THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
 ** DESIGN CAPACITY OF MAIN CHANNEL.

CITRUS

Type SHALLOW
Season First Used 1960-61
Area **Gross** 19 ACRES
 Wetted 15 ACRES
Capacities **Channel**** 11,000 CFS
 Intakes 245 CFS
 Storage 80 AF
Percolation* 28 CFS
Location SOUTH SIDE OF BIG DALTON WASH BETWEEN CITRUS AND CERRITOS
 AVENUES.
Source of Water CONTROLLED FLOWS FROM BIG DALTON DAM AND LITTLE DALTON
 DEBRIS DAMS. UNCONTROLLED FLOWS FROM BIG DALTON WASH.
Remarks THERE ARE 2 INTAKES, ONE IS A DROP INLET, THE OTHER AN AIR
 INFLATED RUBBER DAM.
 * THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
 ** DESIGN CAPACITY OF MAIN CHANNEL.

DOMINGUEZ GAP

Type DEEP
Season First Used 1957-58
Area **Gross** 54 ACRES
 Wetted 24 ACRES
Capacities **Channel**** 146,000 CFS
 Intakes 20 CFS
 Storage 234 AF
Percolation* 1 CFS
Location SOUTH OF DEL AMO BOULEVARD AND BORDERS THE EASTERN AND
 WESTERN SIDES OF THE LOS ANGELES RIVER
Source of Water CONTROLLED FLOW FROM LOS ANGELES RIVER LOW FLOW CHANNEL
 AND UNCONTROLLED FLOWS FROM STORM DRAINS.
Remarks EAST SIDE BASIN USED FOR FLOOD REGULATION WITH SOME
 CONSERVATION STORAGE. INTAKE CAPACITY IS 20 CFS FOR LOW
 FLOW DIVERSION FROM THE LOS ANGELES RIVER. THE WEST SIDE
 BASIN IS FED BY A 24-INCH CONCRETE PIPE FROM THE EAST SIDE
 BASIN.
 * THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
 ** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – DPW FACILITIES

EATON BASIN

	Type	DEEP
	Season First Used	1956-57
Area	Gross	16 ACRES
	Wetted	10 ACRES
Capacities	Channel**	9,500 CFS
	Intakes	400 CFS
	Storage	284 AF
	Percolation*	10 CFS
	Location	EAST SIDE OF EATON WASH, NORTH OF DUARTE ROAD, 0.6 MILES SOUTH OF HUNTINGTON DRIVE.
	Source of Water	CONTROLLED FLOW FROM EATON WASH DAM AND UNCONTROLLED FLOWS BETWEEN DAM AND SPREADING BASIN.
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

EATON WASH

	Type	DEEP & SHALLOW
	Season First Used	1947-48
Area	Gross	28 ACRES
	Wetted	25 ACRES
Capacities	Channel**	6,600 CFS
	Intakes	200 CFS
	Storage	525 AF
	Percolation*	14 CFS
	Location	EASTERLY SIDE OF EATON WASH FROM BELOW EATON DAM TO FOOTHILL BOULEVARD.
	Source of Water	CONTROLLED FLOW FROM EATON WASH DAM. IMPORTED WATER CAN BE SPREAD IN STRIP BASINS.
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

FORBES

	Type	SHALLOW
	Season First Used	1964-65
Area	Gross	21 ACRES
	Wetted	10 ACRES
Capacities	Channel**	9,000 CFS
	Intakes	100 CFS
	Storage	87 AF
	Percolation*	5 CFS
	Location	SOUTH SIDE OF SAN DIMAS WASH BETWEEN LONE HILL AVENUE AND VALLEY CENTER AVENUE.
	Source of Water	CONTROLLED RELEASES FROM PUDDINGSTONE DIVERSION DAM, AND UNCONTROLLED FLOWS FROM SAN DIMAS WASH; ALSO IMPORTED .
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – DPW FACILITIES

HANSEN

	Type	SHALLOW
	Season First Used	1944-45
Area	Gross	156 ACRES
	Wetted	105 ACRES
Capacities	Channel**	22,000 CFS
	Intakes	400 CFS
	Storage	279 AF
	Percolation*	150 CFS
	Location	NORTHWESTERLY SIDE OF TUJUNGA WASH FROM ABOVE GLENOAKS BOULEVARD SOUTHWESTERLY TO SAN FERNANDO ROAD.
	Source of Water	CONTROLLED FLOWS FROM HANSEN DAM AND BIG TUJUNGA DAM.
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

IRWINDALE\MANNING PIT

	Type	DEEP
	Season First Used	1958-59
Area	Gross	62 ACRES
	Wetted	30 ACRES
Capacities	Channel**	25,500 CFS
	Intakes	400 CFS
	Storage	1,134 AF
	Percolation*	60 CFS
	Location	NORTHEASTERLY OF INTERSECTION OF BIG DALTON CHANNEL AND IRWINDALE AVENUE; CONTINUES 1,300 FEET EAST OF IRWINDALE VENUE
	Source of Water	BIG DALTON CHANNEL CONTROLLED FLOWS FROM BIG AND LITTLE DALTON DEBRIS DAMS AND PUDDINGSTONE DIVERSION DAM; UNCONTROLLED FLOWS; ALSO IMPORTED RELEASES .
	Remarks	IRWINDALE CLEANED OUT SUMMER OF 1996.
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

LITTLE DALTON

	Type	SHALLOW
	Season First Used	1931-32
Area	Gross	14 ACRES
	Wetted	5 ACRES
Capacities	Channel**	8,600 CFS
	Intakes	20 CFS
	Storage	5 AF
	Percolation*	15 CFS
	Location	WESTERLY OF GLENDORA MT. ROAD FROM LITTLE DALTON DEBRIS BASIN SOUTH TO EAST PALM DRIVE.
	Source of Water	CONTROLLED FLOW FROM LITTLE DALTON DEBRIS BASIN AND IMPORTED WATER. (IMPORTED WATER DELIVERY COMMENCED IN OCTOBER 1995).
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – DPW FACILITIES

LIVE OAK

	Type	SHALLOW
	Season First Used	1961-62
Area	Gross	5 ACRES
	Wetted	2 ACRES
Capacities	Channel**	2,600 CFS
	Intakes	15 CFS
	Storage	2 AF
	Percolation*	13 CFS
	Location	WESTERLY SIDE OF LIVE OAK WASH. NORTH OF BASE LINE ROAD (PROJECTED).
	Source of Water	CONTROLLED FLOW FROM LIVE OAK DAM AND LIVE OAK DEBRIS BASIN
	Remarks	* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES. ** DESIGN CAPACITY OF MAIN CHANNEL.

LOPEZ

	Type	SHALLOW
	Season First Used	1956-57
Area	Gross	18 ACRES
	Wetted	12 ACRES
Capacities	Channel**	11,000 CFS
	Intakes	25 CFS
	Storage	24 AF
	Percolation*	15 CFS
	Location	SOUTHEASTERLY SIDE OF PACOIMA WASH, NORTHEASTERLY OF FOOTHILL BOULEVARD.
	Source of Water	CONTROLLED FLOW FROM PACOIMA DAM AND LOPEZ FLOOD CONTROL BASIN
	Remarks	* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES. ** DESIGN CAPACITY OF MAIN CHANNEL.

PACOIMA

	Type	SHALLOW
	Season First Used	1932-33
Area	Gross	169 ACRES
	Wetted	107 ACRES
Capacities	Channel**	17,000 CFS
	Intakes	600 CFS
	Storage	440 AF
	Percolation*	65 CFS
	Location	BOTH SIDES OF OLD PACOIMA WASH CHANNEL FROM ARLETA AVENUE SOUTHWESTERLY TO WOODMAN AVENUE.
	Source of Water	CONTROLLED FLOW FROM PACOIMA DAM. PARTIALLY CONTROLLED FLOW FROM LOPEZ FLOOD CONTROL BASIN, UNCONTROLLED FLOW FROM EAST CANYON AND PACOIMA WASH AND IMPORTED WATER.
	Remarks	* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES. ** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – DPW FACILITIES

PECK ROAD

	Type	DEEP
	Season First Used	1959-60
Area	Gross	157 ACRES
	Wetted	105 ACRES
Capacities	Channel**	30,100 CFS
	Intakes	30,100 CFS
	Storage	3,347 AF
	Percolation*	25 CFS
	Location	CONFLUENCE OF SAWPIT AND SANTA ANITA WASHES.
	Source of Water	CONTROLLED RELEASES FROM SANTA ANITA AND SAWPIT DEBRIS BASINS AND UNCONTROLLED FLOWS FROM LOCAL RUNOFF VIA SAWPIT AND SANTA ANITA WASHES.
	Remarks	INSTREAM SPREADING FACILITY.
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

RIO HONDO COASTAL

	Type	SHALLOW
	Season First Used	1937-38
Area	Gross	570 ACRES
	Wetted	430 ACRES
Capacities	Channel**	40,000 CFS
	Intakes	1,950 CFS
	Storage	3,694 AF
	Percolation*	400 CFS
	Location	EASTERLY SIDE OF RIO HONDO SOUTHERLY FROM S. P. R. R. (SOUTH OF WHITTIER BLVD.) TO SLAUSON AVENUE; WEST SIDE OF RIO HONDO CHANNEL FROM 0.2 MILE ABOVE WHITTIER BOULEVARD SOUTH TO FOSTER BRIDGE BOULEVARD.
	Source of Water	CONTROLLED RELEASES FROM SAN GABRIEL CANYON DAMS, SANTA FE AND WHITTIER NARROWS DAMS. UNCONTROLLED RUNOFF VIA SAN GABRIEL RIVER, RIO HONDO CHANNEL AND THEIR TRIBUTARIES; ALSO IMPORTED AND RECLAIMED WATER.
	Remarks	IN COOPERATION WITH THE CORPS OF ENGINEERS. THE DISTRICT OPERATES 1,200 ACRE-FOOT POOL AT WHITTIER NARROWS DAM FOR RETENTION OF STORM WATER.
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

S.G. RIVER (MONTEBELLO FOREBAY)

	Type	SHALLOW
	Season First Used	1954-55
Area	Gross	308 ACRES
	Wetted	308 ACRES
Capacities	Channel**	20,000 CFS
	Intakes	In river Percolation
	Storage	913 AF
	Percolation*	75 CFS
	Location	HEADWORKS TO FIRESTONE AVE. ONLY. STORAGE BEHIND THE SEVEN RUBBER DAMS INSTALLED ON DROP STRUCTURE.
	Source of Water	SAME AS SAN GABRIEL COASTAL.
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – DPW FACILITIES

S.G. RIVER (SAN GABRIEL VALLEY)

	Type	
	Season First Used	1965-66
Area	Gross	196 ACRES
	Wetted	196 ACRES
Capacities	Channel**	41,000-98,000 CFS
	Intakes	In river Percolation
	Storage	0 AF
	Percolation*	180 CFS
	Location	SAN GABRIEL RIVER FROM SANTA FE DAM TO WHITTIER NARROWS DAM.
	Source of Water	CONTROLLED FLOW FROM DAMS IN SAN GABRIEL CANYON, SANTA FE DAM AND UNCONTROLLED VALLEY RUNOFF BELOW SANTA FE DAM; ALSO IMPORTED WATER.
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

SAN DIMAS CANYON

	Type	SHALLOW
	Season First Used	1965-66
Area	Gross	22 ACRES
	Wetted	11 ACRES
Capacities	Channel**	7,000 CFS
	Intakes	25 CFS
	Storage	22 AF
	Percolation*	12 CFS
	Location	SOUTHEAST SIDE OF SAN DIMAS WASH BETWEEN PUDDINGSTONE DIVERSION AND SAN DIMAS CANYON ROAD.
	Source of Water	CONTROLLED RELEASES FROM PUDDINGSTONE DIVERSION DAM; UNCONTROLLED FLOW FROM LOCAL STORM RUNOFF.
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

SAN GABRIEL CANYON

	Type	DEEP
	Season First Used	1917
Area	Gross	165 ACRES
	Wetted	140 ACRES
Capacities	Channel**	98,000 CFS
	Intakes	150 CFS
	Storage	8,170 AF
	Percolation*	50 CFS
	Location	EASTERLY SIDE OF SAN GABRIEL RIVER. BELOW MOUTH OF SAN GABRIEL CANYON. NORTH OF THE CITY OF AZUSA.
	Source of Water	SAN GABRIEL RIVER CONTROLLED RELEASES FROM COGSWELL DAM, SAN GABRIEL DAM, AND MORRIS DAM. COMMITTEE OF NINE SURPLUS FLOWS AND IMPORTED WATER.
	Remarks	THERE ARE 2 INTAKES TO THIS FACILITY, ONE IS FED FROM SURPLUS 'COMMITTEE OF NINE' FLOWS, THE OTHER IS FROM THE RIVER INTO BASIN NO. 2.
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – DPW FACILITIES

SAN GABRIEL COASTAL

	Type	SHALLOW
	Season First Used	1938-39
Area	Gross	128 ACRES
	Wetted	96 ACRES
Capacities	Channel**	20,000 CFS
	Intakes	350 CFS
	Storage	550 AF
	Percolation*	75 CFS
	Location	WESTERLY SIDE OF SAN GABRIEL RIVER, SOUTHERLY FROM WHITTIER BOULEVARD TO WASHINGTON BOULEVARD.
	Source of Water	CONTROLLED RELEASES FROM SAN GABRIEL CANYON DAMS, SANTA FE AND WHITTIER NARROWS DAMS. ALSO IMPORTED AND RECLAIMED WATER.
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

SANTA ANITA

	Type	SHALLOW
	Season First Used	1944-45
Area	Gross	20 ACRES
	Wetted	8 ACRES
Capacities	Channel**	12,000 CFS
	Intakes	20 CFS
	Storage	25 AF
	Percolation*	5 CFS
	Location	WESTERLY SIDE OF SANTA ANITA WASH 1.25 MILES ABOVE FOOTHILL BOULEVARD.
	Source of Water	CONTROLLED FLOW FROM SANTA ANITA DAM AND SANTA ANITA DEBRIS BASIN.
	Remarks	THE HEADWORKS LOCATED UPSTREAM OF THE DEBRIS BASIN DIVERTS WATER TO SANTA ANITA SPREADING GROUNDS AND CITY OF SIERRA MADRE SPREADING GROUNDS
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

SANTA FE

	Type	SHALLOW
	Season First Used	1953-54
Area	Gross	338 ACRES
	Wetted	168 ACRES
Capacities	Channel**	98,000 CFS
	Intakes	600 CFS
	Storage	540 AF
	Percolation*	400 CFS
	Location	WITHIN SANTA FE DAM RESERVOIR AND SPILLWAY AREAS.
	Source of Water	CONTROLLED FLOWS FROM SAN GABRIEL CANYON RESERVOIRS. UNCONTROLLED FLOWS FROM SAN GABRIEL RIVER BELOW MORRIS RESERVOIR; ALSO IMPORTED WATER.
	Remarks	NEW DIVERSION HEADWORKS STRUCTURE CONSTRUCTED, CONSISTING OF A NEW RUBBER DAM AND 2 INTAKES GATES.
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – DPW FACILITIES

SAWPIT

	Type	SHALLOW
	Season First Used	1946-47
Area	Gross	12 ACRES
	Wetted	4 ACRES
Capacities	Channel**	5,000 CFS
	Intakes	30 CFS
	Storage	13 AF
	Percolation*	12 CFS
	Location	WESTERLY SIDE OF SAWPIT WASH BELOW MOUTH OF CANTON NEAR NORUMBEGA DRIVE, MONROVIA.
	Source of Water	CONTROLLED FLOWS FROM SAWPIT DAM AND SAWPIT DEBRIS BASIN.
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

VALLY BLVD. RUBBER DAM

	Type	SHALLOW
	Season First Used	1994-95
Area	Gross	60 ACRES
	Wetted	60 ACRES
Capacities	Channel**	60,000 CFS
	Intakes	In river Percolation
	Storage	400 AF
	Percolation*	0 CFS
	Location	DROP STRUCTURE SOUTH OF VALLY BLVD, AT THE CONFLUENCE OF THE SAN GABRIEL RIVER AND WALNUT CREEK.
	Source of Water	SAME AS FORBES AND IRWINDALE/MANNING PIT CAN ALSO RECEIVE RELEASE FROM SAN GABRIEL CANYON RESERVOIRS AND IMPORTED WATER.
	Remarks	
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

WALNUT

	Type	DEEP
	Season First Used	1962-63
Area	Gross	16 ACRES
	Wetted	8 ACRES
Capacities	Channel**	8,000 CFS
	Intakes	150 CFS
	Storage	170 AF
	Percolation*	5 CFS
	Location	WEST SIDE OF WALNUT WASH, NORTH OF SAN BERNARDINO FREEWAY.
	Source of Water	CONTROLLED FLOW FROM PUDDINGSTONE DAM AND UNCONTROLLED FLOWS FROM WALNUT CREEK.
	Remarks	BASIN CLEANED OUT SUMMER OF 1995.
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – DPW FACILITIES

ARROYO SECO

	Type	SHALLOW
	Season First Used	1948-49
Area	Gross	24 ACRES
	Wetted	15 ACRES
Capacities	Channel**	0 CFS
	Intakes	75 CFS
	Storage	30 AF
	Percolation*	18 CFS
	Location	EASTERLY SIDE OF ARROYO SECO, 0.5 MILES ABOVE DEVIL'S GATE DAM.
	Source of Water	CONTROLLED FLOW FROM CITY OF PASADENA. UNCONTROLLED FROM ARROYO SECO AND THE ALTADENA STORM DRAIN
	Remarks	SPREADING GROUNDS ARE HELD UNDER EASEMENT FROM THE CITY OF PASADENA.
		* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
		** DESIGN CAPACITY OF MAIN CHANNEL.

APPENDIX H

HYDROLOGIC REPORT 1999 – 2000

WATER CONSERVATION – SUMMARY – NON DPW FACILITIES

WATER CONSERVATION – SUMMARY – NON DPW FACILITIES

FISH CANYON (COMMITTEE OF NINE)

Type SHALLOW BASINS
Season First Used ABOUT 1917
Area **Gross** 6 ACRES
 Wetted 4.0 ACRES
Capacities **Channel**** CFS
 Intakes CFS
 Storage AF
 Percolation* 7 CFS
Location WESTERLY SIDE OF SAN GABRIEL RIVER BELOW MOUTH OF FISH CANYON AND NORTH OF THE CITY OF AZUSA.
Source of Water THE 'COMMITTEE OF NINE'.
Remarks OWNED AND OPERATED BY CAL-AMERICAN WATER COMPANY.
 * THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
 ** DESIGN CAPACITY OF MAIN CHANNEL.

SIERRA MADRE (CITY OF SIERRA MADRE)

Type SHALLOW BASINS
Season First Used ABOUT 1933
Area **Gross** 22 ACRES
 Wetted 9.0 ACRES
Capacities **Channel**** CFS
 Intakes 25 CFS
 Storage 47 AF
 Percolation* 15 CFS
Location CITY OF SIERRA MADRE, SOUTH SIDE OF GRANDVIEW AVENUE, ONE HALF MILE WEST OF SANTA ANITA AVENUE.
Source of Water LITTLE SANTA ANITA CREEK AND STREET RUNOFF ALSO CONTROLLED FLOWS FROM SANTA ANITA DAM.
Remarks THE DEPARTMENT DIVERTS WATER TO THIS FACILITY VIA SANTA ANITA HEADWORKS.
 * THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
 ** DESIGN CAPACITY OF MAIN CHANNEL.

THOMPSON CREEK POMONA VALLEY PROTECTIVE ASSOCIATION

Type DITCHES CHECKS AND DEEP BASIN
Season First Used ABOUT 1928
Area **Gross** 53 ACRES
 Wetted 37.0 ACRES
Capacities **Channel**** CFS
 Intakes 35 CFS
 Storage AF
 Percolation* 15 CFS
Location SOUTHERLY FROM, AND ADJACENT TO THOMPSON CREEK DAM, EAST SIDE OF CREEK
Source of Water COBAL, WILLIAMS, PALMER, AND PADUA CREEKS, ALSO THOMPSON CREEK, WHEN RESERVOIR ABOVE ELEVATION 1,625.
Remarks OPERATED BY POMONA VALLEY PROTECTIVE ASSOCIATION. THE DEPARTMENT DIVERTS WATER TO THIS FACILITY VIA THE PALMER DIVERSION.
 * THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.
 ** DESIGN CAPACITY OF MAIN CHANNEL.

WATER CONSERVATION – SUMMARY – NON DPW FACILITIES**TUJUNGA (L.A. CITY DEPT. OF WATER AND POWER)**

	Type	SHALLOW BASINS
	Season First Used	ABOUT 1931-32
Area	Gross	188 ACRES
	Wetted	83.2 ACRES
Capacities	Channel**	22000.0 CFS
	Intakes	400 CFS
	Storage	100 AF
	Percolation*	120 CFS
Location	SAN FERNANDO VALLEY, EAST SIDE OF TUJUNGA WASH AT ROSCOE BOULEVARD	
Source of Water	CONTROLLED RELEASES FROM BIG TUJUNGA CAM, HANSEN DAM AND UNCONTROLLED RUNOFF FROM STORM DRAINS, ALSO IMPORTED WATER.	
Remarks	THE DEPARTMENT HAS AN AGREEMENT WITH THE CITY OF LOS ANGELES TO OPERATE THIS FACILITY.	
	* THE CAPACITY LISTED IS ESTIMATES OF INFILTRATION RATES.	
	** DESIGN CAPACITY OF MAIN CHANNEL.	

APPENDIX I

HYDROLOGIC REPORT 1999 – 2000

WATER CONSERVATION – SUMMARY – WATER CONSERVED

WATER CONSERVATION – SUMMARY – WATER CONSERVED

Los Angeles County Department of Public Works, Hydraulic / Water Conservation Division Total Monthly Water Conserved (acre-feet) during Water Year 1999-2000

AREA	SPREADING FACILITY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ACC TOT	Historic Average	Historic High		
																Amount	Wtr Yr	
San Fernando Valley Facilities	Branford	13	31	10	117	79	24	77	22	19	21	27	28	468	366	724	1969-70	
	Hansen	18	9	14	18	2,510	2,250	1,180	573	446	244	225	0	7,487	10,897	35,221	1982-83	
	Lopez	0	11	4	2	3	3	178	373	2	1	0	0	577	568	1,938	1967-68	
	Pacoima	0	0	0	79	1,600	934	296	0	0	0	0	0	2,909	4,956	22,973	1982-83	
	Tujunga†	0	0	0	13	763	1,140	645	103	0	0	0	0	2,664	9,384	42,817	1982-83	
	SUBTOTAL	31	51	28	229	4,955	4,351	2,376	1,071	467	266	252	28	14,105	26,171			
San Gabriel Valley Facilities	Ben Lomond	884	362	110	0	272	69	45	105	1,112	794	80	1,750	5,583	2,969	6,444	1966-67	
	Big Dalton	0	0	0	0	5	84	94	27	3	0	0	0	213	658	3,766	1966-67	
	Buena Vista	3	1	4	16	18	20	66	13	5	4	4	9	163	665	2,731	1957-58	
	Citrus	117	401	303	1	48	21	45	20	23	24	50	45	1,098	874	6,478	1994-95	
	Eaton Basin	17	35	76	95	373	139	165	35	36	20	39	42	1,072	1,008	3,481	1982-83	
	Eaton Grounds	0	0	0	0	322	328	0	0	0	51	0	0	701	962	4,761	1982-83	
	Forbes	0	0	0	0	43	0	0	0	0	161	216	173	647	823	2,628	1986-87	
	Irwindale	941	132	262	20	567	157	200	0	1,420	1,320	1,060	1,070	7,149	5,162	41,280	1991-92	
	Little Dalton	0	38	667	573	453	186	232	11	0	0	0	218	2,378	422	5,546	1995-96	
	Live Oak	0	0	0	0	0	0	0	0	0	0	0	0	0	221	1,660	1982-83	
	Peck Road	121	78	134	310	1,820	656	562	111	59	36	66	78	4,031	7,925	50,026	1982-83	
	San Dimas Canyon	0	0	0	0	0	0	0	0	0	530	23	0	0	553	1,919	6,049	1982-83
	San Gabriel Canyon	4,160	1,450	3,050	3,940	3,990	3,140	3,400	4,440	1,020	1,630	1,610	1,210	33,040	10,699	33,040	1999-00	
	Santa Anita	0	6	5	0	6	85	36	33	49	0	0	0	220	487	1,641	1965-66	
	Santa Fe SG	131	0	0	0	0	554	0	0	928	732	3,530	4,900	10,775	26,547	124,478	1982-83	
Sawpit	10	1	0	0	0	134	29	56	28	38	50	50	396	781	2,926	1982-83		
Walnut	123	57	0	49	6	510	432	0	0	46	88	104	1,415	1,220	3,063	1992-93		
Sierra Madre†	0	48	92	0	60	255	166	63	58	0	0	0	742	1,765	5,003	1966-67		
Fish Canyon†	481	253	241	271	221	331	337	387	455	447	438	452	4,314	6,142	9,737	1978-79		
S.G. River Perc. Reach from Morris Dam to W.N. Dam	Morris Dam to Sta. F190	404	414	413	415	356	527	408	512	630	323	777	1,140	6,319	21,906	119,600	1977-78	
	Sta. F190 to Santa Fe Dam O/F	287	41	287	569	1,341	2,434	2,526	2,329	1,088	841	1,250	1,271	14,264	13,933	141,600	1968-69	
	Santa Fe Dam O/F to Sta. F263	840	1,509	3,753	6,334	3,249	2,101	2,274	3,812	4,026	1,318	2,201	1,455	32,872	18,731	79,083	1991-92	
	SUBTOTAL	8,519	4,826	9,397	12,593	13,150	11,731	11,017	11,954	11,631	7,863	11,416	13,848	127,945	125,819			
Coastal Plain Facilities	Rio Hondo Coastal	2,252	3,609	6,284	8,653	12,164	8,033	4,994	5,579	2,925	106	0	1,069	55,668	65,404	96,363	1978-79	
	Whittier Narrows Reservoir	666	1,890	959	863	671 E	547 E	311	424	300	497	245	2,193	9,566	30,591	102,610	1991-92	
	San Gabriel Coastal	24	93	2,766	5,199	7,868	6,519	3,829	4,722	4,136	2,547	3,314	2,664	43,681	30,247	81,586	1992-93	
	Dominguez Gap	0	0	0	0	0	0	0	184	179	149	0	0	512	575	2,414	1961-62	
	SUBTOTAL	2,942	5,592	10,009	14,715	20,703	15,099	9,134	10,909	7,540	3,299	3,559	5,926	109,427	126,817			
Total Water Conserved		11,492	10,469	19,434	27,537	38,808	31,181	22,527	23,934	19,638	11,428	15,227	19,802	251,477	278,807			

NOTES: † : Owned by other entities
E: Estimated

APPENDIX J

HYDROLOGIC REPORT 1999 – 2000

WATER CONSERVATION – SUMMARY – IMPORTED WATER

WATER CONSERVATION – SUMMARY – IMPORTED WATER

IMPORTED WATER OUTLET RELEASES: *Water Delivered in Acre-Feet*

	San Dimas	Thompson Creek	Alhambra	USGMWD	TVMWD	Olden Street	SGVMWD Spreading Ground				Waste to the Ocean	Monthly Total Spread
	CB	CB	CB	USG3	Little DaPM26	L.A.	Canyon Basin	Beatt	Big D	San D		
OCT	0.0	0.0	0.0	2,174.2	0.0	0.0	1,360.0	0.0	369.0	1,583.0	0.0	5,486.2
NOV	0.0	393.4	0.0	0.0	30.2	0.0	286.0	0.0	75.0	338.0	0.0	1,122.6
DEC	2,593.3	5,645.6	0.0	0.0	673.7	0.0	3,043.0	0.0	85.0	108.0	0.0	12,148.6
JAN	7,018.6	5,043.0	0.0	3,466.8	517.3	0.0	665.0	0.0	0.0	0.0	0.0	16,710.7
FEB	3,019.1	1,748.8	0.0	3,323.6	405.1	0.0	2,056.0	0.0	0.0	0.0	0.0	10,552.6
MAR	0.0	4,575.3	0.0	2,360.2	104.4	0.0	3,422.0	0.0	0.0	0.0	0.0	10,461.9
APR	0.0	0.0	0.0	1,738.8	248.2	0.0	3,306.0	0.0	0.0	0.0	0.0	5,293.0
MAY	3,579.5	4,981.1	0.0	2,203.2	0.0	0.0	3,013.0	0.0	0.0	14.0	0.0	13,790.8
JUN	0.0	6,439.4	0.0	3,686.9	0.0	0.0	0.0	0.0	0.0	2,307.0	0.0	12,433.3
JUL	0.0	0.0	0.0	466.3	0.0	0.0	200.0	0.0	0.0	2,269.0	0.0	2,935.3
AUG	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2,449.0	0.0	2,449.0
SEP	0.0	0.0	0.0	0.0	238.9	0.0	0.0	0.0	0.0	2,369.0	0.0	2,607.9
TOTAL	16,210.5	28,826.6	0.0	19,420.0	2,217.8	0.0	17,351.0	0.0	529.0	11,437.0	0.0	95,991.9

APPENDIX K

HYDROLOGIC REPORT 1999 – 2000

WATER CONSERVATION – SUMMARY – RECLAIMED WATER

WATER CONSERVATION – SUMMARY – RECLAIMED WATER

RECLAIMED WATER: *Water Delivered in Acre-Feet*

	WHITTIER NARROWS PLANT				SAN JOSE PLANT				POMONA PLANT	MONTHLY TOTAL SPREAD
	Delivered		Wasted	Monthly Spread	Delivered		Wasted	Monthly Spread		
	Rio Hondo	San Gabriel			Rio Hondo	San Gabriel				
OCT	930.3	0.0	38.0	892.3	1517.8	92.6	0.0	1610.4	228.5	2731.2
NOV	843.6	0.0	5.5	838.1	3918.0	339.0	0.0	4257.0	280.7	5375.8
DEC	870.7	0.0	0.0	870.7	24.9	2240.8	0.0	2265.7	255.8	3392.2
JAN	880.6	0.0	0.0	880.6	37.6	1531.7	0.0	1569.3	449.4	2899.3
FEB	808.1	0.0	82.0	726.1	261.6	1512.1	262.0	1511.7	459.4	2697.2
MAR	815.4	0.0	50.2	765.2	219.6	1903.0	262.6	1860.0	483.8	3109.0
APR	361.9	460.4	43.6	778.7	689.7	1108.9	84.9	1713.7	401.5	2893.9
MAY	0.0	863.2	0.0	863.2	189.7	1762.7	0.0	1952.4	409.1	3224.7
JUN	0.0	825.7	0.0	825.7	48.6	1757.1	0.0	1805.7	309.9	2941.3
JUL	71.5	749.0	0.0	820.5	170.3	2397.8	0.0	2568.1	176.3	3564.9
AUG	0.0	358.7	0.0	358.7	0.0	3998.6	0.0	3998.6	97.9	4455.2
SEP	292.5	81.7	0.0	374.2	2622.6	2830.6	0.0	5453.2	158.4	5985.8
TOTAL	5874.6	3338.7	219.3	8994.0	9700.4	21474.9	609.5	30565.8	3710.7	43270.5

APPENDIX L

HYDROLOGIC REPORT 1999 – 2000

WATER CONSERVATION – SUMMARY – GROUND WATER

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Jan-50	-30.1
Feb-50	-30.7
Mar-50	-27.3
Apr-50	-45.6
May-50	-41.4
Jun-50	-45.1
Jul-50	-49.6
Aug-50	-56.9
Sep-50	-51.9
Oct-50	-55.3
Nov-50	-60.7
Dec-50	-43.8
Jan-51	-49.9
Feb-51	-49.4
Mar-51	-54
Apr-51	-66.9
May-51	-57.9
Jun-51	-67.7
Jul-51	-67.1
Aug-51	-77.2
Sep-51	-70.4
Oct-51	-73.3
Nov-51	-67.6
Dec-51	-53.8
Jan-52	-46.8
Feb-52	-45.7
Mar-52	-44.7
Apr-52	-47.4
May-52	-40.3
Jun-52	-45.9
Jul-52	-62.7
Aug-52	-74
Sep-52	-76.4
Oct-52	-72.4
Nov-52	-65
Dec-52	-47.7
Jan-53	-43.2
Feb-53	-42.4
Mar-53	-49.9
Apr-53	-61.6
May-53	-60.6
Jun-53	-71.9
Jul-53	-80.9
Aug-53	-83.5
Sep-53	-78.4
Oct-53	-78.7

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Nov-53	-72.3
Dec-53	-63.3
Jan-54	-58.9
Feb-54	-49
Mar-54	-58.3
Apr-54	-54.4
May-54	-61
Jun-54	-75.2
Jul-54	-80.4
Aug-54	-87.4
Sep-54	-88.9
Oct-54	-82.9
Nov-54	-74.9
Dec-54	-63.7
Jan-55	-63.6
Feb-55	-51.3
Mar-55	-59.4
Apr-55	-67.1
May-55	-59.2
Jun-55	-70.7
Jul-55	-77.7
Aug-55	-86.2
Sep-55	-93.3
Oct-55	-93.7
Nov-55	-78.7
Dec-55	-69.3
Jan-56	-72.7
Feb-56	-68.1
Mar-56	-74.7
Apr-56	-83.5
May-56	-82.3
Jun-56	-87.7
Jul-56	-90
Aug-56	-99
Sep-56	-100.8
Oct-56	-101.3
Nov-56	-97.7
Dec-56	-98.2
Jan-57	-94.6
Feb-57	-69.6
Mar-57	-65.4
Apr-57	-69.4
May-57	-87.4
Jun-57	-88.3
Jul-57	-92.5
Aug-57	-95

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Sep-57	-99
Oct-57	-100
Nov-57	-85
Dec-57	-84.1
Jan-58	-76.8
Feb-58	-72.9
Mar-58	-77.5
Apr-58	-70.6
May-58	-87.5
Jun-58	-92.2
Jul-58	-95.4
Aug-58	-93.6
Sep-58	-91.7
Oct-58	-87.6
Nov-58	-84
Dec-58	-82.8
Jan-59	-78.7
Feb-59	-78.3
Mar-59	-74
Apr-59	-81.2
May-59	-82.9
Jun-59	-87.5
Jul-59	-94.2
Aug-59	-96.2
Sep-59	-98.2
Oct-59	-96.7
Nov-59	-95.2
Dec-59	-93.5
Jan-60	-83.6
Feb-60	-81.5
Mar-60	-85.8
Apr-60	-83.5
May-60	-75.3
Jun-60	-74.2
Jul-60	-76.5
Aug-60	-92.2
Sep-60	-84.2
Oct-60	-95
Nov-60	-91.3
Dec-60	-76.6
Jan-61	-74.2
Feb-61	-81.8
Mar-61	-91
Apr-61	-92.5
May-61	-81.2
Jun-61	-108.8

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Jul-61	-111.7
Aug-61	-112.9
Sep-61	-113
Oct-61	-106.8
Nov-61	-101.4
Dec-61	-92.7
Jan-62	-80.7
Feb-62	-78.1
Mar-62	-74.8
Apr-62	-76.1
May-62	-92.7
Jun-62	-91.7
Jul-62	-100.1
Aug-62	-107.6
Sep-62	-109.9
Oct-62	-103.9
Nov-62	-73
Dec-62	-64.4
Jan-63	-55.3
Feb-63	-50.9
Mar-63	-48.7
Apr-63	-47.3
May-63	-48.1
Jun-63	-49.3
Jul-63	-50.5
Aug-63	-63.1
Sep-63	-68.8
Oct-63	-60.4
Nov-63	-46.8
Dec-63	-33.4
Jan-64	-36.4
Feb-64	-33
Mar-64	-31.6
Apr-64	-32.6
May-64	-39.4
Jun-64	-45.9
Jul-64	-47.7
Aug-64	-52
Sep-64	-53.9
Oct-64	-50.5
Nov-64	-40.9
Dec-64	-34.7
Jan-65	-30.7
Feb-65	-30.3
Mar-65	-32.7
Apr-65	-32

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
May-65	-35.7
Jun-65	-40.3
Jul-65	-40.1
Aug-65	-45.8
Sep-65	-49.5
Oct-65	-44.6
Nov-65	-42
Dec-65	-30.6
Jan-66	-26
Feb-66	-24.9
Mar-66	-26.5
Apr-66	-28.8
May-66	-32.2
Jun-66	-43
Jul-66	-48.9
Aug-66	-46.8
Sep-66	-49.5
Oct-66	-45.4
Nov-66	-40.2
Dec-66	-30.1
Jan-67	-24.5
Feb-67	-21.8
Mar-67	-21.7
Apr-67	-20.4
May-67	-16.5
Jun-67	-23.2
Jul-67	-29.8
Aug-67	-41.6
Sep-67	-43.4
Oct-67	-34.5
Nov-67	-35.4
Dec-67	-30.5
Jan-68	-26.9
Feb-68	-24.4
Mar-68	-25
Apr-68	-25.5
May-68	-37.2
Jun-68	-40.9
Jul-68	-40.6
Aug-68	-46.3
Sep-68	-51.3
Oct-68	-46.6
Nov-68	-38.5
Dec-68	-34.1
Jan-69	-30.4
Feb-69	-25.8

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Mar-69	-26
Apr-69	-26
May-69	-33.9
Jun-69	-42.4
Jul-69	-47.7
Aug-69	-49.1
Sep-69	-51.7
Oct-69	-57
Nov-69	-44.7
Dec-69	-39.2
Jan-70	-34.6
Feb-70	-29.4
Mar-70	-27.1
Apr-70	-31
May-70	-34.5
Jun-70	-39.2
Jul-70	-38.4
Aug-70	-40
Sep-70	-43.7
Oct-70	-52.5
Nov-70	-50.8
Dec-70	-39.5
Jan-71	-31.7
Feb-71	-30
Mar-71	-32.8
Apr-71	-37.8
May-71	-38.2
Jun-71	-39.9
Jul-71	-51
Aug-71	-52.2
Sep-71	-50.1
Oct-71	-54.7
Nov-71	-57
Dec-71	-46.3
Jan-72	-34.2
Feb-72	-32.3
Mar-72	-34.3
Apr-72	-40.5
May-72	-44.5
Jun-72	-59.5
Jul-72	-53.5
Aug-72	-64.5
Sep-72	-73.3
Oct-72	-69.2
Nov-72	-60.8
Dec-72	-46.3

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Jan-73	-40.2
Feb-73	-38.8
Mar-73	-33.8
Apr-73	-37.9
May-73	-49.5
Jun-73	-59.8
Jul-73	-68.3
Aug-73	-71.1
Sep-73	-69.7
Oct-73	-69.4
Nov-73	-67.5
Dec-73	-52.9
Jan-74	-54.7
Feb-74	-51.7
Mar-74	-54.4
Apr-74	-50.6
May-74	-62.7
Jun-74	-63.9
Jul-74	-69.7
Aug-74	-73.6
Sep-74	-73.6
Oct-74	-76.3
Nov-74	-71.7
Dec-74	-68.8
Jan-75	-58.1
Feb-75	-55.5
Mar-75	-48.1
Apr-75	-45.9
May-75	-47.1
Jun-75	-58.9
Jul-75	-70
Aug-75	-74.7
Sep-75	-71.1
Oct-75	-78.3
Nov-75	-75
Dec-75	-72.8
Jan-76	-70
Feb-76	-66.8
Mar-76	-66.1
Apr-76	-69.4
May-76	-70.5
Jun-76	-76.6
Jul-76	-85.4
Aug-76	-85.7
Sep-76	-88
Oct-76	-77.7

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Nov-76	-84.2
Dec-76	-78.9
Jan-77	-74.2
Feb-77	-67.2
Mar-77	-66.8
Apr-77	-74.6
May-77	-84.7
Jun-77	-78.9
Jul-77	-88.7
Aug-77	-92.1
Sep-77	-90.4
Oct-77	-90.2
Nov-77	-87.8
Dec-77	-85.2
Jan-78	-78.8
Feb-78	-65.4
Mar-78	-64.1
Apr-78	-63.4
May-78	-50.4
Jun-78	-63.2
Jul-78	-82.8
Aug-78	-80.9
Sep-78	-83.6
Oct-78	-85.1
Nov-78	-76.1
Dec-78	-66.7
Jan-79	-62
Feb-79	-53.6
Mar-79	-43.5
Apr-79	-42.6
May-79	-53.6
Jun-79	-62.9
Jul-79	-77.1
Aug-79	-85.8
Sep-79	-89.5
Oct-79	-85.2
Nov-79	-83.5
Dec-79	-83.7
Jan-80	-66.8
Feb-80	-57.5
Mar-80	-55.9
Apr-80	-58.9
May-80	-59.1
Jun-80	-69.1
Jul-80	-79.4
Aug-80	-84.9

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Sep-80	-86.3
Oct-80	-82.5
Nov-80	-80.3
Dec-80	-77.5
Jan-81	-63.4
Feb-81	-52.1
Mar-81	-49.6
Apr-81	-48.8
May-81	-64.4
Jun-81	-69.1
Aug-81	-72.5
Sep-81	-79
Nov-81	-64.8
Dec-81	-71.8
Jan-82	-45.1
Feb-82	-49.7
Mar-82	-52.3
Apr-82	-59
Jul-82	-69
Aug-82	-74.2
Sep-82	-73.8
Nov-82	-68
Dec-82	-61.5
Jan-83	-51.6
Feb-83	-52.7
Mar-83	-49.3
Apr-83	-47.8
May-83	-57.5
Jun-83	-63.7
Jul-83	-66.7
Aug-83	-66.7
Sep-83	-53.3
Oct-83	-46.3
Nov-83	-45.5
Dec-83	-21.7
Jan-84	-19.1
Feb-84	-17.5
Mar-84	-21.4
Apr-84	-24.6
May-84	-48
Jun-84	-58.7
Jul-84	-58.7
Aug-84	-61.9
Sep-84	-66.7
Oct-84	-62.4
Nov-84	-53.2

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Dec-84	-44.3
Jan-85	-35.3
May-85	-40.4
Jun-85	-44.8
Jul-85	-56
Aug-85	-59.9
Sep-85	-59.1
Oct-85	-48.8
Nov-85	-49.3
Dec-85	-42.9
Jan-86	-38.5
Mar-86	-38.7
Apr-86	-43.8
May-86	-44.1
Jun-86	-56.9
Jul-86	-54.3
Aug-86	-66.8
Sep-86	-58.1
Oct-86	-52.3
Nov-86	-43.6
Dec-86	-43.6
Jan-87	-45.6
Feb-87	-44.6
Apr-87	-45.4
May-87	-48.4
Jun-87	-41
Jul-87	-63.6
Aug-87	-50.4
Sep-87	-61.5
Oct-87	-62.7
Nov-87	-63.2
Dec-87	-47.7
Jan-88	-47.2
Feb-88	-49.7
Mar-88	-49
Apr-88	-56.5
May-88	-62.5
Jun-88	-62.5
Jul-88	-77
Aug-88	-77.5
Sep-88	-78.8
Oct-88	-73.1
Nov-88	-73.1
Dec-88	-66.2
Jan-89	-55.1
Feb-89	-63.2

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Mar-89	-71.9
Apr-89	-71
May-89	-77
Jun-89	-76.2
Jul-89	-78.7
Aug-89	-76
Sep-89	-87.8
Oct-89	-73.4
Nov-89	-54.2
Dec-89	-56.7
Jan-90	-49.2
Feb-90	-44.9
Mar-90	-45.1
Apr-90	-36
May-90	-55.9
Jun-90	-89.9
Jul-90	-97.2
Aug-90	-98.7
Sep-90	-99.5
Oct-90	-91.5
Nov-90	-48.3
Dec-90	-34.8
Jan-91	-33.3
Feb-91	-42.4
Mar-91	-46.1
Apr-91	-26
May-91	-78.3
Jun-91	-90.2
Jul-91	-80.4
Aug-91	-77.5
Sep-91	-63.4
Oct-91	-62.7
Nov-91	-63.4
Dec-91	-60.9
Jan-92	-55.4
Feb-92	-50.6
Mar-92	-28.2
Apr-92	-46.7
May-92	-62.9
Sep-92	-73.5
Oct-92	-72
Nov-92	-78.8
Dec-92	-76.5
Jan-93	-70.4
Feb-93	-68.5
Mar-93	-65.9

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Apr-93	-51.9
May-93	-37.9
Jun-93	-27.6
Jul-93	-21.2
Aug-93	-19.2
Sep-93	-19.9
Oct-93	-17.4
Nov-93	-19.4
Dec-93	-13.9
Jan-94	-10.9
Feb-94	-16.7
Mar-94	-9.4
Apr-94	-5.8
May-94	-22.6
Jun-94	-48.4
Jul-94	-54.7
Aug-94	-55.6
Sep-94	-64.2
Oct-94	-35.9
Nov-94	-27.4
Dec-94	-25.3
Jan-95	-20.9
Feb-95	-35.3
Mar-95	-26.7
Apr-95	-32.2
May-95	-18.8
Jun-95	-42.8
Jul-95	-57.2
Aug-95	-50.2
Sep-95	-62.5
Oct-95	-31.6
Nov-95	-19.4
Dec-95	-25.4
Jan-96	-18.6
Feb-96	-10.3
Mar-96	-11.6
Apr-96	-5.8
May-96	-37.4
Jun-96	-51.8
Jul-96	-62.6
Aug-96	-64.8
Sep-96	-78.9
Oct-96	-70.4
Nov-96	-70.4
Dec-96	-70.4
Jan-97	-8.1

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 26.6 ft above MSL**

STATION	460K
	WS Elev.
Feb-97	-6.4
Mar-97	-7.8
Apr-97	-44.4
May-97	-74.4
Jun-97	-93.2
Jul-97	-98.8
Aug-97	-101.2
Sep-97	-103.4
Oct-97	-57.1
Nov-97	-45.2
Dec-97	-29.1
Jan-98	-20.2
Feb-98	-24.4
Mar-98	-11.8
Apr-98	-8.1
May-98	-58.5
Jun-98	-86.1
Jul-98	-95.6
Aug-98	-111.5
Sep-98	-113.3
Oct-98	-61.3
Nov-98	-42.2
Dec-98	-21.8
Jan-99	-22.9
Feb-99	-32.2
Mar-99	-14.5
Apr-99	-15.4
May-99	-70.4
Jun-99	-88.4
Jul-99	-96.4
Sep-99	-107.4
Oct-99	-48.9
Nov-99	-35.9
Jan-00	-29.3
Feb-00	-28
Mar-00	-19.9
Apr-00	-25
May-00	-81.2
Jun-00	-97.9
Jul-00	-102.7
Aug-00	-109
Sep-00	-109.4

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Feb-57	-83.3		
Mar-57	-92.3		
Apr-57	-92.3		
Aug-57	-85.3		
Sep-57	-89.3		
Oct-57	-92.3		
Nov-57	-91.3		
Dec-57	-89.3		
Jan-58	-89.3		
Feb-58	-88.3		
Mar-58	-88.3		
Apr-58	-87.3		
May-58	-86.3		
Jun-58	-87.3		
Jul-58	-87.3		
Aug-58	-88.3		
Sep-58	-88.3		
Oct-58	-88.3		
Nov-58	-89.3		
Dec-58	-89.3		
Jan-59	-89.3		
Feb-59	-89.3		
Mar-59	-77.3		
Apr-59	-75.3		
May-59	-86.3		
Jun-59	-89.3		
Jul-59	-93.3		
Aug-59	-96.3		
Sep-59	-90.3		
Oct-59	-87.3		
Nov-59	-88.3		
Dec-59	-91.3		
Jan-60	-81.3		
Feb-60	-74.3		
Mar-60	-71.3		
Apr-60	-71.3		
May-60	-83.3		
Jun-60	-93.3		
Jul-60	-95.3		
Aug-60	-94.3		
Sep-60	-91.3		
Oct-60	-88.3		
Nov-60	-87.3		
Dec-60	-82.3		
Jan-61	-74.3		
Feb-61	-75.3		

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Mar-61	-72.3		
Apr-61	-72.3		
May-61	-81.3		
Jun-61	-61.8		
Jul-61	-62.3		
Aug-61	-82.3		
Sep-61	-86.3		
Oct-61	-87.3		
Nov-61	-88.3		
Dec-61	-88.3		
Jan-62	-73.3		
Feb-62	-73.3		
Mar-62	-69.3		
Apr-62	-69.3		
May-62	-76.1		
Jun-62	-80.3		
Jul-62	-80.9		
Aug-62	-84.7		
Sep-62	-88		
Oct-62	-87.7		
Nov-62	-87.7		
Dec-62	-88.3		
Feb-63	-78.1		
Mar-63	-77.3		
Apr-63	-77.2		
May-63	-78.7		
Jun-63	-83.1		
Jul-63	-81.6		
Aug-63	-82		
Sep-63	-80.6		
Oct-63	-80.7		
Nov-63	-80.3		
Dec-63	-81.3		
Jan-64	-78.8		-54
Feb-64	-77.5		-58
Mar-64	-78.4		-55
Apr-64	-80.4		-54
May-64	-84.8		-64
Jun-64	-89.4		-64
Jul-64	-93.1		-59
Aug-64	-90		-61
Sep-64	-88.5		-59
Oct-64	-87.6		-64
Nov-64	-91.2		-60.7
Dec-64	-77.6		-54
Jan-65	-80.2		-66

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Feb-65	-73.3		-57.2
Mar-65	-73		-54
Apr-65	-73.2		-52.2
May-65	-76.5		-57
Jun-65	-80		-55
Jul-65	-83.5		-53
Aug-65	-89.8		-62
Sep-65	-91.1		-58
Oct-65	-86.1		-60
Nov-65	-87.1		-57
Dec-65	-77.1		-50.2
Jan-66	-77.7		-50
Feb-66	-79.2		-53
Mar-66	-79.1		-52
Apr-66	-80.9		-51
May-66	-90.1		-50
Jun-66	-91		-55
Jul-66	-94.6		-57
Aug-66	-88.7		-53
Sep-66	-85.3		-53
Oct-66	-88		-57
Nov-66	-80.6		-49
Dec-66	-75.9		-50
Jan-67	-74.2		-48
Feb-67	-72.2		-50
Mar-67	-72.9		-45.7
Apr-67	-70.8		-48
May-67	-73.2		-49
Jun-67	-82		-62
Jul-67	-85.9		-63
Aug-67	-87.9		-51.2
Sep-67	-88.4		-48
Oct-67	-88.3		-47.2
Nov-67	-84.9		-47.2
Dec-67	-81.1		-48.2
Jan-68	-76		-49
Feb-68	-73		-49
Mar-68	-71.2		-46
Apr-68	-73.8		-45.2
May-68	-73.9		-45
Jun-68	-80.6		-45
Jul-68	-83		-44
Aug-68	-83.7		-45
Sep-68	-83.1		-45
Oct-68	-75.9		-41.7
Nov-68	-74		-42.2

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Dec-68	-73.2		-43.2
Jan-69	-71.9		-44
Feb-69	-74.9		-44
Mar-69	-68.7		-44
Apr-69	-71.5		-40
May-69	-69.8		-45
Jun-69	-72.4		-49
Jul-69	-76.2		-50
Aug-69	-82.6		-50
Sep-69	-83.7		-52
Oct-69	-87.3		-43
Nov-69	-82		-43
Dec-69	-73.5		-43
Jan-70	-68.3		-42
Feb-70	-71.1		-39
Mar-70	-69		-38.2
Apr-70	-74.8		-39.3
May-70	-74.8		-42
Jun-70	-78.5		-40
Jul-70	-86		-40
Aug-70	-83.1		-41
Sep-70	-83.2		-44
Oct-70	-84.5		-43
Nov-70	-84		-41.2
Dec-70	-81		-41.2
Jan-71	-81.7		-43.2
Feb-71	-82.2		-38.2
Mar-71	-80.8		-42.2
Apr-71	-81.8		-36.2
May-71	-80		-37.2
Jun-71	-78.9		-44.2
Jul-71	-80		
Aug-71	-81.3		
Sep-71	-80.2		
Oct-71	-79.6		-42.2
Nov-71	-78.4		-40.2
Dec-71	-77.6		
Jan-72	-77.2		
Feb-72	-75.6		-41.2
Mar-72	-70.6		-41.2
Apr-72	-73.5		-40.2
May-72	-76.4		-38.2
Jun-72	-73.2		-37.2
Jul-72	-72.3		-38.2
Aug-72	-72.7		-39.2
Sep-72	-76		-39.2

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Oct-72	-78.4		
Nov-72	-78		
Dec-72	-74.7		
Jan-73	-76.3		-40.2
Feb-73	-75.4		-38.2
Mar-73	-74.2		-37.2
Apr-73	-70.7		-37.2
May-73	-71		
Jun-73	-68.5		
Jul-73	-69.4		
Aug-73	-70.4		-37.2
Sep-73	-69.9		
Oct-73	-68.9		-37.2
Dec-73	-60.9		
Jan-74	-60		
Feb-74	-58.2		-33.2
Mar-74	-57.7		-38.2
Apr-74	-57.2		-37.2
May-74	-56.9		-37.2
Jun-74	-59.2		-34.2
Jul-74	-61.4		-35.2
Aug-74	-63.9		-35.2
Sep-74	-70		-34.2
Oct-74	-62.1		-33.2
Nov-74	-69		-33.2
Dec-74	-63		-35.2
Jan-75	-63		-36.2
Feb-75	-61		-36.2
Mar-75	-59		-36.2
Apr-75	-58		-38.2
May-75	-52.5		
Jun-75	-53.9		-39.2
Jul-75	-58		-39.2
Aug-75	-62		-36.2
Sep-75	-63		-39.2
Oct-75	-62		-36.2
Nov-75	-57.5		-35.2
Dec-75	-62		-35.2
Jan-76	-62		-35.2
Feb-76	-62		-37.2
Mar-76	-63		-38.2
Apr-76	-62		-42.2
May-76	-59		-37.2
Jun-76	-62		-37.2
Jul-76	-61		-37.2
Aug-76	-63		-37.2

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Sep-76	-63		-37.2
Oct-76	-62		-35.2
Nov-76	-53.4		-36.1
Dec-76	-62		-33.2
Jan-77	-60		-32.2
Feb-77	-61		-32.2
Mar-77	-49		-32.2
Apr-77	-60		-32.2
May-77	-55		-34.2
Jun-77	-56		-34.2
Jul-77	-58		-37.2
Aug-77	-62		-37.2
Sep-77	-62		-37.2
Oct-77	-54.1		-35.4
Nov-77	-51.2		
Dec-77	-53.5		
Jan-78	-51.5		
Feb-78	-57.8		
Mar-78	-69.7		
Apr-78	-58.4		-32.2
May-78	-71.6		
Jun-78	-82.1		
Oct-78	-98.7		-33.2
Jan-79	-91.3		
Feb-79	-97.3		
Mar-79	-99.3		
Apr-79	-80.7		
May-79	-99.3		
Jun-79	-79.3		
Jul-79	-76.3		
Aug-79	-81.3		-43
Sep-79	-83.3		-40
Oct-79	-97.3		-36
Nov-79	-104		-36
Dec-79			-37
Jan-80			-34
Feb-80			-34
Mar-80			-34
Apr-80	-78.3		-42.2
May-80	-79.3		-34
Jun-80	-79.3		-34
Jul-80	-79.3		-37
Aug-80	-91.3		-37
Sep-80	-89.3		-37
Oct-80	-93.3		-38
Nov-80	-92.3		-38

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Dec-80	-89.3		-38
Jan-81	-77.3		-35
Feb-81	-73.3		-34
Mar-81	-79.3		-34
Apr-81	-79.3		-33.2
May-81	-81.3		-34
Jun-81	-79.3		
Jul-81	-78.3		-28
Aug-81	-77.3		-30
Sep-81	-79.3		-32
Oct-81	-87.3		-31.2
Nov-81	-91.3		-34
Dec-81	-93.3		-34
Jan-82	-97.3		-34
Feb-82	-96.3		-34
Mar-82	-95.3		-35
Apr-82	-97.3		-34.2
May-82	-97.3		-38
Jun-82	-98.3		
Jul-82	-101		-37
Aug-82	-87.3		-37
Sep-82	-83.3		-37
Oct-82	-83.3		-35.2
Nov-82	-90.3		-38
Dec-82	-85.3		-38
Jan-83	-80.3		-37
Feb-83	-87.3		-38
Mar-83	-90.3		-38
Apr-83	-85.3		-37
May-83	-83.3		-36.2
Jun-83	-91.3		-30.2
Jul-83	-89.3		-39.2
Aug-83	-91.3		
Sep-83	-83.3		
Oct-83	-91.3		-37.2
Nov-83	-89.3		-36.2
Dec-83	-79.3		-27.2
Jan-84	-68.3		-30.2
Feb-84	-63.3		-30.2
Mar-84	-73.3		
Apr-84	-79.3		-27.2
May-84	-83.3		-29.2
Jun-84	-83.3		-29.2
Jul-84	-85.3		
Aug-84	-89.3		-32.2
Sep-84	-83.3		-31.2

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Oct-84	-85.3		-31.2
Nov-84	-85.3		
Dec-84	-80.3		-30.2
Jan-85	-83.3		-31.2
Feb-85	-63.3		
Mar-85	-67.3		-31.2
Apr-85	-69.3		-31.2
May-85	-69.3		-31.2
Jun-85	-71.3		-27.2
Jul-85	-69.3		-26.2
Aug-85	-67.3		-22.2
Sep-85	-69.3		-24.2
Oct-85	-71.3		-24.2
Nov-85	-75.3		-33
Dec-85	-79.3		-34
Jan-86	-77.3		-24
Feb-86	-75.3		-22.5
Mar-86	-76.3		-23
Apr-86	-77.3		-25
May-86	-77.3		-26
Jun-86	-89.3		-24
Jul-86	-95.3		-31
Aug-86	-90.3		-32
Sep-86	-90.3		-31
Oct-86	-88.3		-29
Nov-86	-87.3		-36
Dec-86	-75.3		-27
Jan-87	-66.3		-25
Apr-87	-65.3		
May-87	-72.3		
Jun-87	-76.3		
Jul-87	-79.3		
Aug-87	-78.3		
Sep-87	-76.3		
Oct-87	-69.3		
Nov-87	-68.3		-25.6
Dec-87	-68.3		-27
Jan-88	-65.8		-25.8
Feb-88	-66.1		-24.3
Mar-88	-59.1		
Apr-88	-57.6		-23.3
May-88	-55.3		-16.6
Jun-88	-52.3		-26.3
Jul-88	-52.3		-25
Aug-88	-51.3		-26.8
Sep-88	-51.3		-28

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Oct-88	-52.4		-25
Nov-88	-51.3		-25
Dec-88	-49.3		-24
Jan-89	-52.3		-19
Feb-89			-23
Mar-89	-60.1		-24.8
Apr-89	-63.8		-26.3
May-89	-70.6		-25
Jun-89	-71.3		-24
Jul-89	-69.3		-30
Aug-89	-66.8		-24
Sep-89	-66.8		-24
Oct-89	-60.4		-24
Nov-89	-62.3		-27.2
Dec-89	-62.3		-24
Jan-90	-62.3		-22.2
Feb-90	-62.3		-23.2
Mar-90	-60.3		-23.2
Apr-90	-62.4		-26.2
May-90	-61.3		-23.2
Jun-90	-61.3		-24.2
Jul-90	-61.3		-21.2
Aug-90	-61.3		-24.2
Sep-90	-61.3		-26.2
Oct-90	-61.3		-24.2
Nov-90	-61.3		-23.2
Dec-90	-61.3		-21.2
Jan-91	-66.3		-17.2
Feb-91	-52.3		-17.2
Mar-91	-56.6		-24.2
Apr-91	-58.3		-23.2
May-91	-63.3		-24.2
Jun-91	-67.3		-25.2
Jul-91	-68.6		-28.2
Aug-91	-72.3		-28.2
Sep-91	-79.3	-61.7	-24.2
Oct-91	-80.3	-55.7	-25.2
Nov-91	-80.8		-26.2
Dec-91			-28.2
Jan-92			-25.2
Feb-92	-68.3		-25.2
Mar-92	-80.3		-28.2
Apr-92	-86.8	-54.7	-27.2
May-92			-28.2
Jun-92			-26.2
Jul-92			-28.2

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Aug-92			-28.2
Sep-92			-30.2
Oct-92		-41.7	-31.2
Nov-92			-22.2
Dec-92			-25.2
Jan-93			-23.2
Feb-93			-22.2
Mar-93			-25.2
Apr-93		-55.7	-25.2
May-93			-26.2
Jun-93		-96.2	-27.2
Jul-93			-30.2
Aug-93		-47.7	-25.2
Sep-93		-73.7	-23.2
Oct-93		-42	-25.2
Nov-93		-53.2	-16.2
Dec-93		-46	-17.2
Jan-94		-33.2	-14.2
Feb-94		-34.7	-17.2
Mar-94		-36.7	-16.2
Apr-94		-51.7	-18.2
May-94		-43.7	-21
Jun-94			-23.2
Jul-94		-57.7	-26.2
Aug-94		-58.7	-25.2
Sep-94		-27.7	-18.2
Oct-94		-44.7	-18.2
Nov-94			-18.2
Dec-94			-17.2
Jan-95			-17.2
Apr-95			-18.2
May-95			-19.2
Jun-95			-24.2
Jul-95			-23.2
Aug-95			-23.2
Oct-95			-16.7
Apr-96			-24.2
Apr-97			-22.2
Oct-97			-18.2
Mar-98			-20.2
Jul-98			-22.2
Oct-98			-24.2
Nov-98			-23.2
Jan-99			-21.2
Apr-99			-24.2
May-99			-23.2

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain****Ground Surface Elevation: 50.0 ft above MSL**

STATION	1346D	1366C	760C
	WS Elev.	WS Elev.	WS Elev.
Aug-99			-27.2
Nov-99			-25.2
May-00			-28.2

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Jan-51	-42.1
Feb-51	-40.4
Mar-51	-41.7
Apr-51	-46.7
May-51	-48.5
Jun-51	-52
Jul-51	-59
Aug-51	-66.2
Sep-51	-70.4
Oct-51	-70.4
Nov-51	-69.6
Dec-51	-65.5
Jan-52	-59.2
Feb-52	-56.2
Mar-52	-54.1
Apr-52	-52.1
May-52	-49.2
Jun-52	-49.5
Jul-52	-53.5
Aug-52	-63.2
Sep-52	-68
Oct-52	-70.6
Nov-52	-70.1
Dec-52	-63.5
Jan-53	-51.2
Feb-53	-45.4
Mar-53	-47.6
Apr-53	-52.6
May-53	-50.6
Jun-53	-65.3
Jul-53	-73.1
Aug-53	-79.4
Sep-53	-81.8
Oct-53	-81.3
Nov-53	-76.5
Dec-53	-72.9
Jan-54	-67.7
Feb-54	-63
Mar-54	-56.9
Apr-54	-53.8
May-54	-53.3
Jun-54	-58.9
Jul-54	-65.4
Aug-54	-76.1
Sep-54	-82.6
Oct-54	-83.8

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Nov-54	-80.5
Dec-54	-73.3
Jan-55	-66.1
Feb-55	-62.2
Mar-55	-60.7
Apr-55	-59.4
May-55	-61.5
Jun-55	-64.2
Jul-55	-69.2
Aug-55	-75.8
Sep-55	-82
Oct-55	-85.6
Nov-55	-83.8
Dec-55	-79.9
Jan-56	-69
Feb-56	-66.7
Mar-56	-66.7
Apr-56	-72.5
May-56	-74.3
Jun-56	-100
Jul-56	-87.6
Aug-56	-92.1
Sep-56	-98.8
Oct-56	-101.5
Nov-56	-102.5
Dec-56	-103
Jan-57	-99.9
Feb-57	-89.7
Mar-57	-80.8
Apr-57	-75
May-57	-83.5
Jun-57	-84.7
Jul-57	-96.7
Aug-57	-103
Sep-57	-106.7
Oct-57	-107.6
Nov-57	-101.2
Dec-57	-97
Jan-58	-90.2
Feb-58	-87.7
Mar-58	-82.9
Apr-58	-77.5
May-58	-81.5
Jun-58	-87.6
Jul-58	-94.8
Aug-58	-98.3

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Sep-58	-98.7
Oct-58	-100
Nov-58	-98.2
Dec-58	-93.1
Jan-59	-89
Feb-59	-83.3
Mar-59	-85.4
Apr-59	-86.1
May-59	-86.6
Jun-59	-89.2
Jul-59	-92.7
Aug-59	-97.4
Sep-59	-101
Oct-59	-104.4
Nov-59	-104.5
Dec-59	-104.8
Jan-60	-101.4
Feb-60	-96.8
Mar-60	-96.6
Apr-60	-95.2
May-60	-90.8
Jun-60	-87.6
Jul-60	-91.8
Aug-60	-104.2
Sep-60	-92.5
Oct-60	-106.9
Nov-60	-108
Dec-60	-99.4
Jan-61	-94.2
Feb-61	-90.8
Mar-61	-92.8
Apr-61	-94.9
May-61	-90.8
Jun-61	-111.3
Jul-61	-119.2
Aug-61	-125.6
Sep-61	-128.7
Oct-61	-124.9
Nov-61	-118.6
Dec-61	-109.5
Jan-62	-100.6
Feb-62	-94.3
Mar-62	-88.7
Apr-62	-87.6
May-62	-97.3
Jun-62	-103.5

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Jul-62	-107.3
Aug-62	-116.6
Sep-62	-121.4
Oct-62	-117.4
Nov-62	-97.6
Dec-62	-83.7
Jan-63	-74.6
Feb-63	-68.6
Mar-63	-65.3
Apr-63	-62.9
May-63	-58
Jun-63	-60.6
Jul-63	-61.3
Aug-63	-79.2
Sep-63	-82.8
Oct-63	-74.4
Nov-63	-63.5
Dec-63	-57.3
Jan-64	-53.2
Feb-64	-51.3
Mar-64	-47.1
Apr-64	-45.6
May-64	-45.8
Jun-64	-45.9
Jul-64	-54.1
Aug-64	-63.4
Sep-64	-78.1
Oct-64	-68.9
Nov-64	-56.9
Dec-64	-56.9
Jan-65	-52.2
Feb-65	-50.7
Mar-65	-49.7
Apr-65	-49.4
May-65	-48.3
Jun-65	-50.7
Jul-65	-54.9
Aug-65	-56.7
Sep-65	-62.5
Oct-65	-60.1
Nov-65	-61.2
Dec-65	-59.2
Jan-66	-53.3
Feb-66	-49.9
Mar-66	-42.6
Apr-66	-43.2

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
May-66	-46.8
Jun-66	-52.3
Jul-66	-59.2
Aug-66	-69.1
Sep-66	-69.4
Oct-66	-69.4
Nov-66	-60.2
Dec-66	-53.6
Jan-67	-49.3
Feb-67	-44.8
Mar-67	-42.3
Apr-67	-40.7
May-67	-38.4
Jun-67	-38.8
Jul-67	-40.6
Aug-67	-46.7
Sep-67	-56
Oct-67	-52
Nov-67	-50.7
Dec-67	-45.8
Jan-68	-34.3
Feb-68	-37
Mar-68	-40.8
Apr-68	-38.7
May-68	-42.3
Jun-68	-49.4
Jul-68	-53.1
Aug-68	-65.5
Sep-68	-71
Oct-68	-63.6
Nov-68	-60.1
Dec-68	-54.7
Jan-69	-49.6
Feb-69	-47.2
Mar-69	-43.8
Apr-69	-34.9
May-69	-42.3
Jun-69	-48.9
Jul-69	-56.4
Aug-69	-66.1
Sep-69	-75.7
Oct-69	-74
Nov-69	-68.9
Dec-69	-65.1
Jan-70	-55.8
Feb-70	-39

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Mar-70	-29.1
Apr-70	-26.9
May-70	-30.8
Jun-70	-33.1
Jul-70	-32
Aug-70	-34
Sep-70	-52.7
Oct-70	-57.6
Nov-70	-50.5
Dec-70	-41.9
Jan-71	-33.5
Feb-71	-31.6
Mar-71	-32.8
Apr-71	-36.1
May-71	-36.8
Jun-71	-39.6
Jul-71	-46.8
Aug-71	-55.6
Sep-71	-63.8
Oct-71	-62.7
Nov-71	-60.8
Dec-71	-53.3
Jan-72	-48.9
Feb-72	-36
Mar-72	-30.5
Apr-72	-31.8
May-72	-32.3
Jun-72	-40.4
Jul-72	-47.8
Aug-72	-59.9
Sep-72	-68.2
Oct-72	-66.9
Nov-72	-59.2
Dec-72	-47.7
Jan-73	-41.9
Feb-73	-36.4
Mar-73	-30.5
Apr-73	-28.3
May-73	-32.7
Jun-73	-44.6
Jul-73	-55.5
Aug-73	-59.5
Sep-73	-63.7
Oct-73	-62.7
Nov-73	-60.6
Dec-73	-54.7

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Jan-74	-49
Feb-74	-44.4
Mar-74	-43
Apr-74	-40.7
May-74	-43.6
Jun-74	-47.3
Jul-74	-50.2
Aug-74	-55
Sep-74	-57.5
Oct-74	-59.7
Nov-74	-59.3
Dec-74	-55.1
Jan-75	-48.1
Feb-75	-46
Mar-75	-41.9
Apr-75	-39.7
May-75	-36.4
Jun-75	-38.4
Jul-75	-44.4
Aug-75	-57.9
Sep-75	-63.5
Oct-75	-66.6
Nov-75	-67.4
Dec-75	-65
Jan-76	-62.9
Feb-76	-64.2
Mar-76	-61.5
Apr-76	-60.7
May-76	-61.3
Jun-76	-65.1
Jul-76	-75.7
Aug-76	-77.5
Sep-76	-81.6
Oct-76	-80.4
Nov-76	-83.2
Dec-76	-82.8
Jan-77	-80.4
Feb-77	-74.5
Mar-77	-71.4
Apr-77	-72.7
May-77	-77.8
Jun-77	-71.3
Jul-77	-79.6
Aug-77	-90.3
Sep-77	-89.9
Oct-77	-90.7

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Nov-77	-88.6
Dec-77	-79.4
Jan-78	-81.1
Feb-78	-71.5
Mar-78	-64.2
Apr-78	-57
May-78	-57.3
Jun-78	-63
Jul-78	-70.4
Aug-78	-81.7
Sep-78	-88.8
Oct-78	-91.7
Nov-78	-83.4
Dec-78	-77.3
Jan-79	-68.1
Feb-79	-59.2
Mar-79	-53.2
Apr-79	-48.5
May-79	-51.3
Jun-79	-57.3
Jul-79	-71.2
Aug-79	-81.8
Sep-79	-89.4
Oct-79	-88.3
Nov-79	-86.8
Dec-79	-88.3
Jan-80	-77.1
Feb-80	-66.9
Mar-80	-60.4
Apr-80	-58.1
May-80	-56.1
Jun-80	-59.4
Jul-80	-71.9
Aug-80	-81.1
Sep-80	-87.8
Oct-80	-89.4
Nov-80	-90.2
Dec-80	-89.8
Jan-81	-79.5
Feb-81	-58.6
Mar-81	-51.1
Apr-81	-51.3
May-81	-50.1
Jun-81	-54.4
Jul-81	-61.5
Aug-81	-67.4

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Sep-81	-80.6
Oct-81	-77.6
Nov-81	-73.4
Dec-81	-64.9
Jan-82	-63.2
Feb-82	-45.5
Mar-82	-45.5
Apr-82	-45.6
May-82	-47.2
Jun-82	-48
Jul-82	-59.3
Aug-82	-73.6
Sep-82	-76.3
Oct-82	-75.3
Dec-82	-60.8
Jan-83	-52.7
Feb-83	-51.2
Mar-83	-43.8
Apr-83	-45.9
May-83	-44.9
Jun-83	-53.9
Jul-83	-53.9
Aug-83	-59.3
Sep-83	-48.3
Oct-83	-48.5
Nov-83	-35.8
Dec-83	-25.7
Jan-84	-9.8
Feb-84	-16.2
Mar-84	-10.9
Apr-84	-22.8
May-84	-28.3
Jun-84	-39.5
Jul-84	-48.2
Aug-84	-50.8
Sep-84	-55
Oct-84	-54.5
Nov-84	-50.9
Dec-84	-42.6
Jan-85	-32.8
May-85	-34.2
Jun-85	-39.6
Jul-85	-45.5
Aug-85	-48.8
Sep-85	-47.7
Oct-85	-47.2

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Nov-85	-46.3
Dec-85	-43.2
Jan-86	-30.4
Mar-86	-27.7
Apr-86	-35.7
May-86	-37.6
Jun-86	-40.2
Jul-86	-46
Aug-86	-50.5
Sep-86	-54.8
Oct-86	-51.2
Nov-86	-49.2
Dec-86	-48.5
Jan-87	-45.5
Feb-87	-40.1
Mar-87	-34.8
Apr-87	-39.2
May-87	-41.1
Jun-87	-41.7
Jul-87	-43.5
Aug-87	-49.3
Sep-87	-52
Oct-87	-54.6
Nov-87	-52.6
Dec-87	-49.8
Jan-88	-41.6
Feb-88	-37.8
Mar-88	-38
Apr-88	-41.7
May-88	-45.4
Jun-88	-45.4
Jul-88	-53.6
Aug-88	-63.1
Sep-88	-63.8
Oct-88	-64
Nov-88	-64
Dec-88	-73.4
Jan-89	-57.4
Feb-89	-56.6
Mar-89	-59
Apr-89	-58.9
May-89	-61
Jun-89	-61
Jul-89	-71
Aug-89	-65
Sep-89	-67.5

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Oct-89	-65
Nov-89	-52.9
Dec-89	-49
Jan-90	-47.1
Feb-90	-45.8
Mar-90	-47.4
Apr-90	-36.1
May-90	-35.9
Jun-90	-57.1
Jul-90	-65.7
Aug-90	-75.5
Sep-90	-71.3
Oct-90	-70.8
Nov-90	-55.9
Dec-90	-39.2
Jan-91	-29.2
Feb-91	-32.2
Mar-91	-32.1
Apr-91	-58.2
May-91	-30
Jun-91	-61.1
Jul-91	-65.3
Aug-91	-61.5
Oct-91	-61.5
Nov-91	-54.5
Dec-91	-49.6
Jan-92	-41.1
Feb-92	-43
Mar-92	-36.4
Apr-92	-34.8
May-92	-38.6
Jun-92	-48.4
Jul-92	-57.3
Aug-92	-60.8
Sep-92	-54
Oct-92	-51.5
Nov-92	-56.8
Dec-92	-59.2
Jan-93	-58.3
Feb-93	-58.2
Mar-93	-56.6
Apr-93	-30.4
May-93	-47
Jun-93	-34.6
Jul-93	-25.3
Aug-93	-17.7

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Sep-93	-16.7
Oct-93	-14.8
Nov-93	-13.2
Dec-93	-8.7
Jan-94	-5.4
Feb-94	-8.5
Mar-94	-2
Apr-94	-0.5
Jun-94	-22.8
Jul-94	-37.7
Aug-94	-42.4
Sep-94	-48.1
Oct-94	-41.3
Nov-94	-26.5
Dec-94	-15.6
Jan-95	-13.2
Feb-95	-19.3
Mar-95	-21.2
Apr-95	-23.1
May-95	-27.3
Jun-95	-23.4
Jul-95	-30.2
Aug-95	-33
Sep-95	-35.9
Oct-95	-31.4
Nov-95	-19.5
Dec-95	-12.7
Jan-96	-8.9
Feb-96	-6.1
Mar-96	-0.7
Apr-96	8.2
May-96	-7.1
Jun-96	-19.7
Jul-96	-30.8
Aug-96	-41
Sep-96	-49
Oct-96	-38
Nov-96	-22.2
Dec-96	-48.2
Jan-97	-5.4
Feb-97	-1.4
Mar-97	3.2
Apr-97	-2.1
May-97	-33.2
Jun-97	-52
Jul-97	-66.2

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Coastal Plain, City of Long Beach****Ground Surface Elevation: 88.8 ft above MSL**

STATION	906D
	WS Elev.
Aug-97	-73.7
Sep-97	-80.7
Oct-97	-65.4
Nov-97	-53.5
Dec-97	-36.5
Jan-98	-28
Feb-98	-19.2
Mar-98	-11.4
Apr-98	-6.5
May-98	-15.2
Jun-98	-45.8
Jul-98	-56.5
Aug-98	-71
Sep-98	-74.6
Oct-98	-67.4
Nov-98	-50.7
Dec-98	-30.2
Feb-99	-17.2
Mar-99	-11.2
Apr-99	-7
May-99	-20.7
Jun-99	-43.2
Jul-99	-63.7
Sep-99	-80.8
Oct-99	-58.2
Nov-99	-43.5
Dec-99	-38.7
Jan-00	-30.3
Feb-00	-5.4
Mar-00	-16
Apr-00	-11.2
May-00	-29.4
Jun-00	-57
Jul-00	-67.2
Aug-00	-78.3
Sep-00	-86

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
Jul-64	91.8
Aug-64	89
Sep-64	80
Oct-64	75
Nov-64	75.5
Dec-64	84.3
Jan-65	109.2
Feb-65	102.8
Mar-65	105.4
Apr-65	110
May-65	109.6
Jun-65	115.2
Jul-65	114.3
Aug-65	110.4
Sep-65	102
Oct-65	98.5
Nov-65	101.6
Dec-65	104.4
Jan-66	109.2
Feb-66	114.3
Mar-66	116.9
Apr-66	118.1
May-66	120.8
Jun-66	120.8
Jul-66	118.7
Aug-66	112.2
Sep-66	109
Oct-66	112
Nov-66	115.8
Dec-66	115.7
Jan-67	120.9
Feb-67	120.4
Mar-67	120.4
Apr-67	120.4
May-67	123.9
Jun-67	124.3
Jul-67	119.1
Aug-67	112.4
Sep-67	106.2
Oct-67	109.8
Nov-67	113.1
Dec-67	114.9
Jan-68	115.9
Feb-68	116.3
Mar-68	114.4
Apr-68	115.3

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
May-68	114.7
Jun-68	113.5
Jul-68	111.6
Aug-68	108.7
Sep-68	105.9
Oct-68	109.4
Nov-68	113
Dec-68	112
Jan-69	107.2
Feb-69	111
Mar-69	116
Apr-69	120.9
May-69	121.7
Jun-69	120.6
Jul-69	119.7
Aug-69	116.7
Sep-69	112.6
Oct-69	107.9
Nov-69	104.7
Dec-69	109.6
Jan-70	113.8
Feb-70	115.3
Mar-70	119.5
Apr-70	121.7
May-70	117.8
Jun-70	113.8
Jul-70	111.1
Aug-70	106.8
Sep-70	103.9
Oct-70	101.3
Nov-70	106.9
Dec-70	112.5
Jan-71	117
Feb-71	115.9
Mar-71	117.3
Apr-71	117
May-71	113.3
Jun-71	110.7
Jul-71	107.4
Aug-71	106.2
Sep-71	102.6
Oct-71	100.6
Nov-71	100.8
Dec-71	103
Jan-72	107
Feb-72	109.5

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
Mar-72	105.8
Apr-72	98.7
May-72	94.6
Jun-72	90.1
Jul-72	86.2
Aug-72	80.3
Sep-72	76.3
Oct-72	73.2
Nov-72	71.1
Dec-72	75.8
Jan-73	83
Feb-73	88.7
Mar-73	97.9
Apr-73	103.1
May-73	101.9
Jun-73	104.1
Jul-73	105.5
Aug-73	106.4
Sep-73	107.1
Oct-73	103.7
Nov-73	104.4
Dec-73	106
Jan-74	109.3
Feb-74	105.7
Mar-74	108.7
Apr-74	111.7
May-74	112.8
Jun-74	111.8
Jul-74	108.2
Aug-74	105.1
Sep-74	102.6
Oct-74	101.4
Nov-74	99.7
Dec-74	100
Jan-75	101.7
Feb-75	101.7
Mar-75	103.4
Apr-75	105.7
May-75	103.7
Jun-75	104.1
Jul-75	104.8
Aug-75	100.9
Sep-75	96.7
Oct-75	93.4
Nov-75	91.4
Dec-75	90.1

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
Jan-76	89.3
Feb-76	89.7
Mar-76	95.3
Apr-76	93
May-76	93.6
Jun-76	84.3
Jul-76	88.3
Aug-76	85.5
Sep-76	77.9
Oct-76	77.7
Nov-76	74.1
Dec-76	69.8
Jan-77	69.2
Feb-77	79.8
Mar-77	89
Apr-77	87.6
May-77	81.7
Jun-77	80.2
Jul-77	74.9
Aug-77	70.2
Sep-77	67.1
Oct-77	64.5
Nov-77	61.7
Dec-77	59
Jan-78	65.2
Feb-78	81.7
Mar-78	91.8
Apr-78	96.8
May-78	101.5
Jun-78	103.4
Jul-78	101.2
Aug-78	101.4
Sep-78	101.1
Oct-78	102.8
Nov-78	104.6
Dec-78	107.8
Jan-79	111.4
Feb-79	114.4
Mar-79	115.3
Apr-79	116.4
May-79	113.5
Jun-79	114.5
Jul-79	111.4
Aug-79	112
Sep-79	113.1
Oct-79	113.7

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
Nov-79	112.7
Dec-79	114.1
Jan-80	113.4
Feb-80	117.4
Mar-80	119.9
Apr-80	123
May-80	122.5
Jun-80	121.3
Jul-80	119
Aug-80	113.6
Sep-80	108.8
Oct-80	107
Nov-80	109
Dec-80	112
Jan-81	114.2
Feb-81	115.1
Mar-81	115.9
Apr-81	116.4
May-81	115.5
Jun-81	114.2
Jul-81	111.6
Aug-81	110.5
Sep-81	110.8
Oct-81	110.6
Nov-81	109
Dec-81	108.6
Jan-82	111.2
Feb-82	114.5
Mar-82	115.1
Apr-82	117.3
May-82	115
Jun-82	110.4
Jul-82	107.9
Aug-82	104.7
Sep-82	100.3
Oct-82	103.1
Nov-82	108.3
Dec-82	113.6
Jan-83	115.3
Feb-83	117
Mar-83	120.4
Apr-83	123.5
May-83	124.5
Jun-83	122.9
Jul-83	122.4
Aug-83	122.5

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
Sep-83	117.6
Oct-83	116.1
Nov-83	121.1
Dec-83	122.7
Jan-84	123.7
Feb-84	120.5
Mar-84	116
Apr-84	117.6
May-84	120.9
Jun-84	121.6
Jul-84	120.2
Aug-84	114.2
Sep-84	109.4
Oct-84	104.5
Nov-84	99.8
Jan-85	113.4
Feb-85	113.4
May-85	119.3
Jun-85	119.2
Jul-85	117.8
Aug-85	110.2
Sep-85	104.6
Oct-85	99.5
Nov-85	95.9
Dec-85	97.6
Jan-86	98.1
Feb-86	101.7
Mar-86	111.2
Apr-86	115.9
May-86	117.8
Jun-86	119.2
Jul-86	113.7
Aug-86	105.8
Sep-86	102
Oct-86	100.8
Nov-86	98.6
Dec-86	99.5
Jan-87	105.3
Feb-87	108.6
Mar-87	111
Apr-87	111.5
May-87	110.8
Jun-87	108.1
Jul-87	101.1
Aug-87	98.2
Sep-87	96.5

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
Oct-87	98.2
Nov-87	99.5
Dec-87	102.5
Jan-88	101.8
Feb-88	98.9
Mar-88	97.7
Apr-88	97.8
May-88	101.6
Jun-88	105.7
Jul-88	106.7
Aug-88	101.7
Sep-88	94.1
Oct-88	91.1
Nov-88	89
Dec-88	89.6
Jan-89	98.3
Feb-89	103.3
Mar-89	106.4
Apr-89	108.4
May-89	109.5
Jun-89	107.8
Jul-89	106.8
Aug-89	103.7
Sep-89	99.4
Oct-89	95.2
Nov-89	93.1
Dec-89	96.4
Jan-90	96.4
Feb-90	100.2
Mar-90	106.6
Apr-90	110.4
May-90	113.9
Jun-90	113
Jul-90	112.7
Aug-90	107.7
Sep-90	103.8
Oct-90	104.5
Nov-90	105.2
Dec-90	104
Jan-91	102
Feb-91	107.2
Mar-91	106.1
Apr-91	120.8
May-91	113.8
Jun-91	110.5
Jul-91	107.1

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
Aug-91	107.2
Sep-91	109.1
Oct-91	111.4
Nov-91	115
Dec-91	115.6
Jan-92	116
Feb-92	115.7
Mar-92	119.7
Apr-92	121.1
May-92	118.7
Jun-92	115.7
Jul-92	116.8
Aug-92	118.6
Sep-92	114.8
Oct-92	111.7
Nov-92	115.7
Dec-92	116
Jan-93	121.1
Feb-93	125.3
Mar-93	125.3
Apr-93	129.2
May-93	127.3
Jun-93	123.5
Jul-93	123.7
Aug-93	123
Sep-93	123
Oct-93	120.4
Nov-93	120.7
Dec-93	121.6
Jan-94	124.5
Feb-94	124.3
Mar-94	126.6
Apr-94	127
May-94	126
Jun-94	126.3
Jul-94	126
Aug-94	121.9
Sep-94	115.2
Oct-94	110
Nov-94	110.5
Dec-94	113.1
Jan-95	117
Feb-95	124.8
Mar-95	126.9
Apr-95	129.5
May-95	128.6

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
Jun-95	126.9
Jul-95	125.7
Aug-95	121.8
Sep-95	116.3
Oct-95	111.8
Nov-95	113
Dec-95	113.7
Jan-96	115.9
Feb-96	119.7
Mar-96	126.1
Apr-96	128.5
May-96	128
Jun-96	124.4
Jul-96	125.9
Aug-96	123.2
Sep-96	119.7
Oct-96	119.2
Nov-96	116.7
Dec-96	117.9
Jan-97	117
Feb-97	129.8
Mar-97	127.9
Apr-97	125.5
May-97	127.1
Jun-97	125.2
Jul-97	124.8
Aug-97	123.1
Sep-97	118
Oct-97	115.7
Nov-97	112.7
Dec-97	113.2
Jan-98	117.5
Feb-98	122.6
Mar-98	127.2
Apr-98	129.2
May-98	129.1
Jun-98	127.3
Jul-98	126.1
Aug-98	123.3
Sep-98	119.2
Oct-98	116.8
Nov-98	115.7
Dec-98	116.5
Jan-99	114.4
Feb-99	117.7
Mar-99	117.6

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Central Basin****Ground Surface Elevation: 159.7 ft above MSL**

STATION	1601T
	WS Elev.
Apr-99	120.1
May-99	117.3
Jun-99	115.4
Jul-99	109.4
Aug-99	105.4
Sep-99	100.9
Oct-99	97.3
Nov-99	95.9
Dec-99	96.8
Jan-00	103.3
Feb-00	113.6
Mar-00	119.5
Apr-00	119.9
May-00	119.2
Jun-00	118
Jul-00	114
Aug-00	108.8

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Main San Gabriel Basin****Ground Surface Elevation: 245.0 ft above MSL**

STATION	2955X	2965C
	WS Elev.	WS Elev.
Jan-61	209.9	
Feb-61	210.5	
Mar-61	210.1	
Apr-61	210.5	
May-61	209.7	
Jun-61	208.5	
Jul-61	207.8	
Aug-61	204.9	
Sep-61	204.3	
Oct-61	205.2	
Nov-61	205.9	
Dec-61	206.1	
Jan-62	208	
Feb-62	208.5	
Mar-62	209.9	
Apr-62	210.7	
May-62	211.2	
Jun-62	210.3	
Jul-62	210	
Aug-62	209.1	
Sep-62	209.2	
Oct-62	209.5	
Nov-62	209.2	
Dec-62	209.3	
Jan-63	209.9	
Feb-63	209.8	
Mar-63	209.8	
Apr-63	209.9	
May-63	208.4	
Jun-63	207.5	
Jul-63	206.5	
Aug-63	203.4	
Sep-63	202.4	
Oct-63	201.8	
Nov-63	203.3	
Dec-63	204.3	
Jan-64	204.6	
Feb-64	203.6	
Mar-64	202.9	
Apr-64	201.3	
Jul-64	199.8	
Aug-64	198.2	
Sep-64	195.9	
Oct-64	195.1	
Nov-64	197.4	
Dec-64	194.2	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Main San Gabriel Basin****Ground Surface Elevation: 245.0 ft above MSL**

STATION	2955X	2965C
	WS Elev.	WS Elev.
Jan-65	199.1	
Feb-65	198.4	
Mar-65	199.1	
Apr-65	200.2	
May-65	200.3	
Jun-65	199.5	
Jul-65	199.4	
Aug-65	196.8	
Sep-65	195.1	
Oct-65	194	
Nov-65	194	
Dec-65	196.2	
Jan-66	202.1	
Feb-66	202.4	
Mar-66	205.4	
Apr-66	206.6	
May-66	207.3	
Jun-66	209.2	
Jul-66	206.4	
Aug-66	205.4	
Sep-66	204.6	
Oct-66	206.5	
Nov-66	206.3	
Dec-66	207.1	
Jan-67	208.5	
Feb-67	209.4	
Mar-67	210.2	
Apr-67	211.8	
May-67	212.5	
Jun-67	213.6	
Jul-67	213.8	
Aug-67	213.9	
Sep-67	213.9	
Oct-67	213.8	
Nov-67	215.1	
Dec-67	215.6	
Jan-68	216.8	
Feb-68	217.8	
Mar-68	217.9	
Apr-68	217.8	
May-68	217.6	
Jun-68	217.4	
Jul-68	217.3	
Aug-68	216	
Sep-68	215.7	
Oct-68	215.4	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Main San Gabriel Basin****Ground Surface Elevation: 245.0 ft above MSL**

STATION	2955X	2965C
	WS Elev.	WS Elev.
Nov-68	215.8	
Dec-68	215.3	
Jan-69	215.2	
Feb-69	217.6	
Mar-69	217.8	
Apr-69	218.8	
May-69	218.6	
Jun-69	218.9	
Jul-69	219.1	
Aug-69	218.9	
Sep-69	218	
Oct-69	218.3	
Nov-69	218.7	
Dec-69	218.5	
Jan-70	218.7	
Feb-70	218.5	
Mar-70	218.6	
Apr-70	218.3	
May-70	218	
Jul-70	217.1	
Aug-70	215.5	
Sep-70	215	
Oct-70	213.8	
Nov-70	213.2	
Dec-70	213.7	
Jan-71	213.9	
Feb-71	213.6	
Mar-71	213.7	
Apr-71	213.5	
May-71	214.6	
Jun-71	214.7	
Jul-71	214.4	
Aug-71	212.8	
Oct-71	207.1	
Nov-71	211.4	
Dec-71	211.3	
Jan-72	211.7	
Feb-72	212.8	
Mar-72	212.2	
Apr-72	210	
May-72	209.6	
Jun-72	208.1	
Jul-72	206.3	
Aug-72	206.7	
Sep-72	204.3	
Oct-72	202.9	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Main San Gabriel Basin****Ground Surface Elevation: 245.0 ft above MSL**

STATION	2955X	2965C
	WS Elev.	WS Elev.
Nov-72	202.9	
Dec-72	204.5	
Jan-73	204.7	
Feb-73	205.7	
Mar-73	206.1	
Apr-73	206.6	
May-73	207.4	
Jun-73	207.8	
Jul-73	207.5	
Aug-73	207.5	
Sep-73	207.2	
Oct-73	207.5	
Nov-73	206.7	
Dec-73	207.9	
Jan-74	207.8	
Feb-74	208.5	
Mar-74	208.5	
Apr-74	208.4	
May-74	208	
Jun-74	207.3	
Jul-74	206.5	
Aug-74	205.7	
Sep-74	205.4	
Oct-74	205.2	
Nov-74	205.2	
Dec-74	205	
Jan-75	205.2	
Feb-75	205	
Mar-75	205.3	
Apr-75	205	
May-75	204.2	
Jun-75	204.5	
Jul-75	204.2	
Aug-75	202.7	
Sep-75	201.8	
Oct-75	200.9	
Nov-75	200.6	
Dec-75	199.8	
Jan-76	200	
Feb-76	199.9	
Mar-76	200.2	
Apr-76	199.9	
May-76	199.1	
Jun-76	198.3	
Jul-76	198.1	
Aug-76	197	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Main San Gabriel Basin****Ground Surface Elevation: 245.0 ft above MSL**

STATION	2955X	2965C
	WS Elev.	WS Elev.
Sep-76	194.8	
Oct-76	194.5	
Nov-76	193.9	
Dec-76	193.4	
Jan-77	193.5	
Feb-77	194.1	
Mar-77	194.4	
Apr-77	194	
May-77	193	
Jun-77	192.5	
Jul-77	191.4	
Aug-77	188.9	
Sep-77	188.5	
Oct-77	187.1	
Nov-77	186.3	
Dec-77	185.6	
Jan-78	186.6	
Feb-78	191.3	
Mar-78	194.9	
Apr-78	199.9	
May-78	201.2	
Jun-78	202.7	
Jul-78	203.8	
Aug-78	204.5	
Sep-78	205.6	
Oct-78	206.1	
Nov-78	207.2	
Dec-78	207.9	
Jan-79	209.2	
Feb-79	209.9	
Mar-79	210.8	
Jul-79	211.4	
Sep-79	211.1	
Oct-79	211.2	
Nov-79	211.4	
Dec-79	211.1	
Jan-80	211.6	
Feb-80	213.5	
Mar-80	214.5	
Apr-80	214.4	
May-80	214.8	
Jun-80	214.9	
Jul-80	214.6	
Aug-80	214.5	
Sep-80	214.5	
Oct-80	214.6	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Main San Gabriel Basin****Ground Surface Elevation: 245.0 ft above MSL**

STATION	2955X	2965C
	WS Elev.	WS Elev.
Nov-80	214.8	
Dec-80	214.9	
Jan-81	214.9	
Feb-81	215.1	
Mar-81	215.5	
Apr-81	214.9	
May-81	212.7	
Jun-81	213.5	
Jul-81	213.2	
Aug-81	211.8	
Sep-81	212.1	
Jan-82	210.3	
Apr-82	210.7	
May-82	210.4	
Aug-82	208.7	
Sep-82	208.4	
Oct-82	208.1	
Nov-82	208.5	
Dec-82	209.2	
Jan-83	209.5	
Feb-83	210.8	
Mar-83	212.7	
Apr-83	213.5	
May-83	214.3	
Jun-83	214.4	
Jul-83	215	
Aug-83	215.1	
Sep-83	215.7	
Oct-83	216.2	
Nov-83	216.9	
Dec-83	217.3	
Jan-84	217.6	
Feb-84	217.6	
Mar-84	217.3	
Apr-84	217.3	
May-84	216.5	
Jun-84	216	
Jul-84	215.6	
Aug-84	214.2	
Sep-84	213.7	
Oct-84	212.5	
Nov-84	213.1	
Dec-84	213.5	
Jan-85	213.6	
Feb-85	213.5	
Jun-85	211.7	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Main San Gabriel Basin****Ground Surface Elevation: 245.0 ft above MSL**

STATION	2955X	2965C
	WS Elev.	WS Elev.
Jul-85	210.1	
Aug-85	209.2	
Sep-85	207.9	
Oct-85	207.7	
Nov-85	207.3	
Dec-85	208	
Jan-86	207.8	
Feb-86	208	
Mar-86	209.5	
Apr-86	209.8	
May-86	209.3	
Jun-86	209	
Jul-86	207.6	
Aug-86	206.1	
Sep-86	205.9	
Oct-86	204	
Nov-86	204.4	
Dec-86	204.5	
Jan-87	204.7	217.5
Feb-87	204.6	217.5
Mar-87	204.5	217.8
Apr-87	204.4	217.7
May-87	203.1	217
Jun-87	202.8	216.8
Jul-87	204.3	215.9
Aug-87	203.3	215.2
Sep-87	202.5	214.5
Oct-87	201.3	213.4
Nov-87	202.6	213.5
Dec-87	202.5	213.4
Jan-88	202.5	213.1
Feb-88	196.8	212.9
Mar-88	200.2	212.9
Apr-88	199.9	212.6
May-88	197.3	212.8
Jun-88	200.7	212.6
Jul-88	200.5	211.6
Aug-88	199	210.5
Sep-88	196.7	209
Oct-88	196.1	207.9
Nov-88	188.2	207
Dec-88	190.3	206.9
Jan-89	198.2	207.7
Jul-89		207.4
Aug-89	200.5	213.1
Sep-89		203

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin****Ground Surface Elevation: 245.0 ft above MSL**

STATION	2955X	2965C
	WS Elev.	WS Elev.
Nov-89	192.7	201.4
Dec-89	193.3	201.9
Jan-90	195.5	200.4
Feb-90	197.6	197.1
Mar-90	204.7	197
Apr-90	188.4	
May-90	190.8	199.5
Jun-90	191.4	
Nov-90		199.4
Apr-92		201
Mar-93		219.1
Sep-93		220
Apr-94		222.3
Oct-94		217.8
Apr-95		220.2
Apr-96		223.3
Oct-96		220
May-97		220.1
Oct-97		215.4
Apr-98		219
Oct-98		220.2
Apr-99		220.7
Nov-99		216.4
Mar-00		216.1
Sep-00		218.1

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
Jan-60	250.4
Feb-60	250.8
Mar-60	251
Apr-60	250.4
May-60	248.9
Jun-60	247.3
Jul-60	244.8
Aug-60	241.4
Sep-60	239
Oct-60	235.8
Nov-60	236.1
Dec-60	236.7
Jan-61	236.7
Feb-61	236.5
Mar-61	236.5
Apr-61	236.1
May-61	235.1
Jun-61	233.6
Jul-61	231.4
Aug-61	228.9
Sep-61	226.6
Oct-61	225
Nov-61	224.1
Dec-61	224.2
Jan-62	225.3
Feb-62	225.4
Mar-62	233.6
Apr-62	245
May-62	243.7
Jun-62	242.1
Jul-62	240.1
Aug-62	239.2
Sep-62	240.4
Oct-62	238.8
Nov-62	238.3
Dec-62	238
Jan-63	237.6
Feb-63	236.5
Mar-63	236
Apr-63	235.4
May-63	233.6
Jun-63	233
Jul-63	228.1
Aug-63	225
Sep-63	223.7
Oct-63	223.2

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
Nov-63	223.7
Dec-63	223.7
Jan-64	223.6
Feb-64	222.9
Mar-64	222.3
Apr-64	221.6
May-64	220.3
Jun-64	219.2
Jul-64	217.4
Aug-64	215.6
Sep-64	213.8
Oct-64	212.2
Nov-64	211.2
Dec-64	211.6
Jan-65	212
Feb-65	212.1
Mar-65	212
Apr-65	212.6
May-65	222.9
Jun-65	211.7
Jul-65	211.9
Aug-65	211.8
Sep-65	209.8
Oct-65	209.2
Nov-65	209.2
Dec-65	211.3
Jan-66	233.6
Feb-66	251.5
Mar-66	252.5
Apr-66	254.7
May-66	252.8
Jun-66	248.9
Jul-66	245.4
Aug-66	240.5
Sep-66	236
Oct-66	233.3
Nov-66	231.6
Dec-66	231.6
Jan-67	247.4
Feb-67	249.3
Mar-67	260
Apr-67	266.8
May-67	274.8
Jun-67	284.7
Jul-67	287.7
Aug-67	284.9

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
Sep-67	280.6
Oct-67	276.8
Nov-67	275.3
Dec-67	274.7
Jan-68	277
Feb-68	276.4
Mar-68	275.7
Apr-68	274.9
May-68	273.7
Jun-68	271
Jul-68	268
Aug-68	264.6
Sep-68	260.4
Oct-68	258.5
Nov-68	256.9
Dec-68	256.3
Jan-69	256.6
Feb-69	260.4
Mar-69	278.3
Apr-69	293.9
May-69	300.3
Jun-69	301.8
Jul-69	298.6
Aug-69	293.3
Sep-69	288.5
Oct-69	284.1
Nov-69	280.2
Dec-69	278
Jan-70	276
Feb-70	274.5
Mar-70	273.3
Apr-70	277.4
May-70	277.7
Jun-70	274.2
Jul-70	270.8
Aug-70	266.7
Sep-70	263.2
Oct-70	260.1
Nov-70	258
Dec-70	256.6
Jan-71	257.1
Feb-71	261.3
Mar-71	262.9
Apr-71	261.6
May-71	259.6
Jun-71	257.7

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
Jul-71	255
Aug-71	251.5
Sep-71	248.1
Oct-71	245.2
Nov-71	243.6
Dec-71	242.8
Jan-72	242.1
Feb-72	243.2
Mar-72	243.1
Apr-72	242.2
May-72	240.3
Jun-72	237.9
Jul-72	234.7
Aug-72	230.9
Sep-72	228.1
Oct-72	226.1
Nov-72	224.9
Dec-72	225.3
Jan-73	226.7
Feb-73	226.3
Mar-73	229.7
Apr-73	244.7
May-73	250.3
Jun-73	250.8
Jul-73	247.4
Aug-73	243.6
Sep-73	239.3
Oct-73	236.9
Nov-73	235
Dec-73	234.7
Jan-74	234.8
Feb-74	237
Mar-74	240.7
Apr-74	240.6
May-74	240
Jun-74	238.7
Jul-74	238.5
Aug-74	237.1
Sep-74	235.6
Oct-74	233.5
Nov-74	231.8
Dec-74	230.6
Jan-75	230.2
Feb-75	229.3
Mar-75	228.6
Apr-75	228.8

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
May-75	230.2
Jun-75	232.6
Jul-75	234.8
Aug-75	231.5
Sep-75	227.5
Oct-75	224.9
Nov-75	224.5
Dec-75	223.7
Jan-76	224.7
Feb-76	223.2
Mar-76	222.6
Apr-76	225.9
May-76	226.1
Jun-76	223.4
Jul-76	220.2
Aug-76	217.2
Sep-76	214.7
Oct-76	214
Nov-76	214
Dec-76	213.8
Jan-77	212.5
Feb-77	213.8
Mar-77	215.5
Apr-77	214.5
May-77	212.8
Jun-77	212.3
Jul-77	211
Aug-77	208.6
Sep-77	207
Oct-77	205.7
Nov-77	204.9
Dec-77	203.7
Jan-78	203.7
Feb-78	210
Mar-78	229.7
Apr-78	244.9
May-78	254.5
Jun-78	262.5
Jul-78	270.4
Aug-78	266.9
Sep-78	260.9
Oct-78	258.6
Nov-78	256.1
Dec-78	255.5
Jan-79	253.8
Feb-79	256.3

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
Mar-79	257.8
Apr-79	262.2
May-79	267.2
Jun-79	268.6
Jul-79	266
Aug-79	262
Sep-79	257.7
Oct-79	254
Nov-79	251.6
Dec-79	250.5
Jan-80	249.9
Feb-80	249.3
Mar-80	255.7
Apr-80	267
May-80	278
Jun-80	284.9
Jul-80	281.6
Aug-80	276.7
Sep-80	272
Oct-80	268.6
Nov-80	265.2
Dec-80	263.1
Jan-81	262.7
Feb-81	261.5
Mar-81	260.4
Apr-81	259.5
May-81	257.7
Jun-81	255.3
Jul-81	251.9
Aug-81	248.2
Sep-81	245.3
Oct-81	242.8
Nov-81	241.7
Dec-81	241.3
Jan-82	242.4
Feb-82	244.6
Mar-82	247.2
Apr-82	249.7
May-82	249.1
Jun-82	247.5
Jul-82	245.1
Aug-82	243.6
Sep-82	241.2
Oct-82	240.5
Nov-82	245.6
Dec-82	249.9

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
Jan-83	252.3
Feb-83	253.2
Mar-83	256.8
Apr-83	271.4
May-83	279.8
Jun-83	286.9
Jul-83	293.9
Aug-83	293.8
Sep-83	288.3
Oct-83	283.2
Nov-83	280.9
Dec-83	282.5
Jan-84	280.9
Feb-84	281.9
Mar-84	279.8
Apr-84	276.6
May-84	273.7
Jun-84	270
Jul-84	266.4
Aug-84	262.4
Sep-84	258.7
Oct-84	254
Nov-84	253.5
Dec-84	252.7
Jan-85	252.4
Feb-85	254.4
Mar-85	252.9
Apr-85	251.5
May-85	250.1
Jun-85	248
Jul-85	245.3
Aug-85	242.1
Sep-85	239.1
Oct-85	237.5
Nov-85	238.7
Dec-85	242.2
Jan-86	245.4
Feb-86	247.1
Mar-86	247.7
Apr-86	252.9
May-86	253.9
Jun-86	252.8
Jul-86	250.2
Aug-86	247.2
Sep-86	243.3
Oct-86	240.7

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
Nov-86	239
Dec-86	237.4
Jan-87	239
Feb-87	239.8
Mar-87	240.7
Apr-87	241.5
May-87	241
Jun-87	238.2
Jul-87	235.9
Aug-87	232.6
Sep-87	229.9
Oct-87	227.8
Nov-87	226.8
Dec-87	226.9
Jan-88	227.8
Feb-88	230.1
Mar-88	232.5
Apr-88	230.7
May-88	228.7
Jun-88	226.1
Jul-88	223.7
Aug-88	221.9
Sep-88	219.4
Oct-88	217.7
Nov-88	216.7
Dec-88	216.2
Jan-89	218.7
Feb-89	223.6
Mar-89	225.5
Apr-89	224.1
May-89	222.3
Jun-89	225.9
Jul-89	221.4
Aug-89	218.9
Sep-89	210.2
Oct-89	211.2
Nov-89	210.4
Dec-89	209.5
Jan-90	208.8
Feb-90	207.9
Mar-90	207.7
Apr-90	207.8
May-90	209.5
Jun-90	208.3
Jul-90	205.7
Aug-90	203.5

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
Sep-90	201
Oct-90	191.7
Nov-90	199.8
Dec-90	200.5
Jan-91	199.8
Feb-91	198.5
Mar-91	196.7
Apr-91	198.4
May-91	200.7
Jun-91	200.7
Jul-91	198
Aug-91	199.7
Sep-91	212.4
Oct-91	206.3
Nov-91	209.3
Dec-91	209.9
Jan-92	210.5
Feb-92	210.9
Mar-92	215.8
Apr-92	226.1
May-92	233
Jun-92	233.5
Jul-92	237.5
Aug-92	238.1
Sep-92	235.5
Oct-92	232.1
Nov-92	230.7
Dec-92	231.5
93-JAN	238.5
Feb-93	246
Mar-93	254.8
Apr-93	263.4
May-93	269.3
Jun-93	271.3
Jul-93	266.8
Aug-93	263.6
Sep-93	259.7
Oct-93	259
Nov-93	259
Dec-93	257.1
Jan-94	255.4
Feb-94	253.2
Mar-94	251.4
Apr-94	249.3
May-94	247.8
Jun-94	249

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
JUL-94.	248.1
Aug-94	245.2
Sep-94	241.8
Oct-94	238.5
Nov-94	237
Dec-94	235.4
Jan-95	235.4
Feb-95	238.1
Mar-95	248.3
Apr-95	264.2
May-95	270.1
Jun-95	271.1
JUL-945	267.8
Aug-95	265.7
Sep-95	263
Oct-95	257.1
Nov-95	257.4
Dec-95	255.9
Jan-96	253.5
Feb-96	252.8
Mar-96	250.1
Apr-96	249.9
May-96	248.2
Jun-96	249.2
Jul-96	248.4
Aug-96	247.3
Sep-96	248
Oct-96	249.4
Nov-96	248.4
Dec-96	246.5
Jan-97	246.2
Feb-97	248.6
Mar-97	250.9
Apr-97	248.1
May-97	245.7
Jun-97	242.6
Jul-97	240.5
Aug-97	238.9
Sep-97	239.6
Oct-97	238.6
Nov-97	238.3
Dec-97	241.4
Jan-98	240.8
Feb-98	241.4
Mar-98	245.8
Apr-98	251.7

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Main San Gabriel Basin, Baldwin Park****Ground Surface Elevation: 386.7 ft above MSL**

STATION	3030F
	WS Elev.
May-98	259
Jun-98	265.2
Jul-98	267.6
Aug-98	266.1
Sep-98	264.8
Oct-98	262.3
Nov-98	260.9
Dec-98	259.1
Jan-99	256.3
Feb-99	253.9
Mar-99	251.9
Apr-99	250.4
May-99	248
Jun-99	245.5
Jul-99	242.5
Aug-99	240.5
Sep-99	238.9
Oct-99	237.4
Nov-99	235.7
Dec-99	233.1
Jan-00	231.4
Feb-00	231
Mar-00	231
Apr-00	230.6
May-00	229.6
Jun-00	228.5
Jul-00	227.4
Aug-00	225.8
Sep-00	224.9

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Jan-55	761.6		
Feb-55	766.2		
Mar-55	768.5		
Apr-55	763.9		
May-55	770.8		
Jun-55	770.8		
Jul-55	756.9		
Aug-55	725.8		
Sep-55	720		
Oct-55	738.5		
Nov-55	717.7		
Dec-55	754.6		
Jan-56	754.6		
Feb-56	756.9		
Mar-56	759.3		
Apr-56	759.3		
May-56	763.9		
Jun-56	763.9		
Jul-56	745.4		
Aug-56	731.5		
Sep-56	740.7		
Feb-57	746		
Mar-57	739.3		
Apr-57	746.2		
May-57	753.2		
Jun-57	750.9		
Jul-57	711.6		
Aug-57	689.7		
Sep-57	676		
Oct-57	711.6		
Nov-57	714		
Jan-58		663.1	
Feb-58	706.3	665.6	
Mar-58	716.9	664.4	
Apr-58	718	665.6	
May-58	631.4	640.2	
Jun-58	690.3	628.6	
Jul-58	682.3	647.1	
Aug-58	686.9	644.8	
Sep-58	654.6	646	
Oct-58	652.3	643.6	
Nov-58	686.9	644.8	
Dec-58	690.3	646	
Jan-59	691.5	646	
Feb-59	685.7	695.6	
Mar-59	698.4	702.6	

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Apr-59	707.7	702.6	
May-59	694.9	650.6	
Jun-59	690.3	647.1	
Jul-59	686.9	637.9	
Aug-59	675.3	663.3	
Sep-59	670.7	629.8	
Oct-59		624	
Nov-59	662.6	628.6	
Dec-59	669.6	626.3	
Jan-60	670.7	624	
Feb-60	674.2	627.5	
Mar-60	673	628.6	
Apr-60	673	626.3	
May-60	670.7	617.1	
Jun-60	676.1	624	
Jul-60	662.6	617.9	
Aug-60	637.2	607.9	
Sep-60	644.1	603.2	
Oct-60	641.8	606.7	
Nov-60	643	610.2	
Dec-60	663.8	663.3	
Jan-61	656.8	620.6	
Feb-61	675.3	672.5	
Mar-61	675.9	677.2	
Apr-61	682.3	679.5	
May-61	662.6		
Jun-61	655.7		
Jul-61	604.9	606.3	
Aug-61	624.5	621.3	
Sep-61	617.6	578.6	
Oct-61	623.3		
Nov-61	622.2		
Dec-61	629.1		
Jan-62	643	645.6	
Feb-62	646.5	643.3	
Mar-62	650	650.2	
Apr-62	652.3	652.5	
May-62	643		
Jun-62	640.8		
Jul-62	637.3	590.2	
Aug-62	640.8	622.5	
Sep-62	626.9	579.8	
Oct-62	632.7	585.6	
Nov-62	629.2	578.7	
Dec-62	629.2	574	
Jan-63	630.4	578.7	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Feb-63	629.2	630.6	
Mar-63	632.7	569.4	
Apr-63	623.5	576.4	
May-63	626.9	572.9	
Jun-63	628.1	613.3	
Jul-63	570.3	563.6	
Aug-63	608.4	601.7	
Sep-63	600.3	601.7	
Oct-63	548.3	555.5	
Nov-63	593.4	558	
Dec-63	609.6	556.9	
Jan-64	608.4	565.9	
Feb-64	620	619	
Mar-64	615.3	569.4	
Apr-64	608.4	562.5	
May-64	613	567.1	
Jun-64	606.1		
Jul-64	548.3	553.2	
Aug-64	584.1	550.9	
Sep-64	588.7	604.3	
Oct-64	583	539.6	
Nov-64	583	593.9	
Dec-64	593.4	597.4	
Jan-65	588.7	532.7	
Feb-65	588.7	522.3	
Mar-65	583	528.1	
Apr-65	585.3	533.8	
May-65	583	527	
Jun-65	537.9	521	
Jul-65	578.4	528.1	
Aug-65		517.7	
Sep-65	559.9	513.1	
Oct-65	571.4	520	
Nov-65	571.5		
Dec-65	574.9	575.3	
Jan-66		517.7	
Feb-66	581.8	580	
Mar-66	578.4	515.4	
Apr-66		517.7	
Jun-66	564.6		
Jul-66	551.9		
Aug-66	541.5		
Sep-66	541.5		
Oct-66	546.1		
Nov-66	548.5	510.7	
Jan-67	553.1	499.2	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Feb-67	557.7	506.1	
Mar-67	549.6	499.2	
Apr-67	550.8	499.2	
May-67	550.8	499.2	
Jun-67	553.1	561.6	
Jul-67	543.8	496.9	
Aug-67	541.5	480.7	
Sep-67	536.9	477.2	
Oct-67	541.5	556.9	
Nov-67	553.1	492.3	
Dec-67	560		
Jan-68	566.9	495.7	
Feb-68	557.7	492.3	
Mar-68	560	496.9	
Apr-68	560	496.9	
May-68	562.3	490	
Jun-68	487.1	473.8	
Jul-68	549.6	555.9	
Aug-68	536.9		
Sep-68	535.7		
Oct-68	553.1		
Nov-68	546.1	501.6	
Dec-68	555.4	500.4	
Jan-69		493.5	
Feb-69	553.1	490	
Mar-69	557.7	565.1	
Apr-69	557.7	559.3	
May-69	472.2	490	
Jun-69	543.8	479.6	
Jul-69	553.1	480.8	
Aug-69	546.1	478.5	
Sep-69	430.6	446.1	
Oct-69	533.4	470.4	
Nov-69	541.5	473.8	
Dec-69	551.9	552.4	
Jan-70	554.2	543.1	
Feb-70	557.7	550.1	
Mar-70	564.6	555.8	
Apr-70	571.6	550.1	
May-70	574	488.8	
Jun-70	586	554.7	
Jul-70	590.7	575.5	
Aug-70	590.7	492.3	
Sep-70	597.7	495.8	
Oct-70	602.3	495.8	
Nov-70	608	498.6	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Dec-70	612.7	573.2	
Jan-71	623.1	588.2	
Feb-71	620.8	598.6	
Mar-71	635.8	605.5	
Apr-71	642.7	619.9	
May-71	643.9	533.9	
Jun-71	648.5	533.9	
Jul-71	646.2	527	
Aug-71	650.8	525.8	
Sep-71	650.8	569.1	
Oct-71	655.4	525.8	
Nov-71	655.5	524.7	
Dec-71	657.7	605.5	
Jan-72	657.7	525.8	
Feb-72	662.4	626.3	
Mar-72		536.2	
Apr-72	649.6	614.8	
May-72		531.6	
Jun-72		528.1	
Jul-72	669.5	515.4	
Aug-72		510.8	
Sep-72		501.6	
Oct-72		496.9	
Nov-72		500.4	
Dec-72	620.8	587	
Jan-73	628	591.7	
Feb-73	628	510.8	
Mar-73	620	591.7	
Apr-73	634	600.9	
May-73	593.1	605.5	
Jun-73	574.6	502.7	
Jul-73	567.9	499.3	
Aug-73	556.1	490.1	
Sep-73	542.3	487.7	
Oct-73	551.5	490	
Nov-73	537.7	475	
Dec-73	580.4	570.9	
Jan-74	605.8	486.6	
Feb-74	616.2	479.6	
Mar-74	613.9	477.3	
Apr-74	627.8	487.7	
May-74	625.4	488.9	
Jun-74	593.1		
Jul-74	548.1	477.3	
Aug-74	537.7	471.5	
Sep-74	530.7	466.9	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Oct-74		461.1	
Nov-74	557.3	458.8	
Dec-74	585	559.3	
Jan-75	614	579	
Feb-75	619	600.9	
Mar-75	628.9	607.8	
Apr-75	637	614.8	
May-75	641.6	619.4	
Jun-75	632.4	610.1	
Jul-75	576.9	600.9	
Aug-75	553.8	503.9	
Sep-75	540	494.6	
Oct-75	573.5	478.5	
Nov-75	595.4	590.5	
Dec-75	607	600.9	
Jan-76	616.2	603.2	
Feb-76	623.2	605.5	
Mar-76	632.4	617.1	
Apr-76	634.7	619.4	
May-76	641.7	621.7	
Jun-76	572.3	515.4	
Jul-76	553.8	506.2	
Aug-76		567.4	
Sep-76	567.7	570.9	
Oct-76	593.2	587	
Nov-76	602.4	589.4	
Dec-76	608.1	607.8	
Jan-77	604.7	605.5	
Feb-77		610.1	
Mar-77	613.9	617.1	
Apr-77	630.1	617.1	
May-77	570.8	592.8	
Jun-77	579.2	596.3	
Jul-77	559.6		
Aug-77	544.5		
Sep-77	540		
Oct-77	530.7		
Nov-77	549.2		
Dec-77	579.3	559.3	
Jan-78	589.7		
Feb-78	593.1		
Mar-78	590.8		
Apr-78	604.7	577.8	
May-78	607		
Jun-78	616.2		
Nov-78	556.2	540.8	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Dec-78	556.2	540.8	
Jan-79	581.6	563.9	
Feb-79	507.6		
Mar-79	509.9		
Apr-79	485	531.6	
May-79	482.2		
Jun-79	484.5		
Jul-79	496.1		
Aug-79	478.8		
Sep-79	479.9		
Oct-79	483.4		
Nov-79	545.8	529.3	
Dec-79	533.1		
Jan-80	590.8	550.1	
Feb-80	600	552.4	
Mar-80	630.1		
Apr-80	641.6	598.6	
May-80	643.9		
Jun-80	611.6		
Jul-80	648.6		
Aug-80	593.1		
Sep-80	581.6		
Oct-80	576.9		
Nov-80	643.9	594	937.7
Dec-80	653.2		
Jan-81	664.7		
Feb-81	646.2	577.8	
Mar-81	677.4		932.7
Apr-81	671.7	624	
May-81	693.6	633.2	
Jun-81	650.9		
Jul-81	648.6		
Aug-81	648.6	610.1	
Sep-81	641.6		888.7
Oct-81	654.3		934.7
Nov-81	645.1		
Dec-81	655.5	562.8	
Jan-82	700.5		
Feb-82	740.9	672.5	
Mar-82	743.3		
Apr-82	758.3	695.6	962.7
May-82	727.1		
Jun-82	678.6		
Jul-82	671.7		
Aug-82	670.5		
Sep-82	680.9		

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Oct-82	671.7	644.8	952.7
Nov-82	741		
Dec-82	752.5	710.6	
Jan-83	773.3	725.6	
Feb-83	775.6	727.9	
Mar-83	781.4	729.1	
Apr-83	788.3	744.1	
May-83	740.9	727.9	947.7
Jun-83	777.4		966.7
Jul-83	771	710.6	
Oct-83	787.1	737.2	979.7
Nov-83	796.4	687.5	
Dec-83	810.2	684.1	
Jan-84	812.1	774.1	
Feb-84	825.3	704.8	
Apr-84	811.4	661	
May-84	815.6		
Jun-84	811.4	724.5	
Jul-84	823		
Aug-84	825.3		
Sep-84	911.9	771.8	
Oct-84	915.8	783.4	940.7
Nov-84	918.1	815.7	
Dec-84	921.8	693.3	
Jan-85	914.7	799.6	
Feb-85	947.7	771.8	
Mar-85	955.8	820.3	
Apr-85		820.3	933.7
Jun-85			971.7
Oct-85		855	
Nov-85			979.7
Apr-86		843.4	969.7
Aug-86			933.7
Dec-86		809.3	
Aug-87		870.4	
Oct-87		894	957.7
Nov-87		704.7	
Dec-87		817.9	
Jan-88		708.6	
Feb-88		700.9	
Mar-88		873.6	
Apr-88		872.4	
May-88		705.7	
Jun-88		698.2	
Dec-88		769.4	
Apr-89		807.5	

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Sep-89		810.8	
Oct-89		805.5	976.7
Dec-89		834.1	
Apr-90		799.4	972.7
Oct-90			981.7
Apr-91			979.7
Sep-91		868.2	
Oct-91			971.4
Dec-91		783.3	
Apr-92		790.2	975.7
Oct-92			969.7
Dec-92		842.6	
Mar-93		852.1	
Apr-93		861.8	
May-93		852.5	
Jun-93		858.1	
Aug-93		872.4	
Sep-93		879.2	
Dec-93		891.5	
Jan-94		900.7	
Feb-94		912.6	
Mar-94		893.5	
Apr-94		889.3	
May-94		931.2	
Nov-94		931.5	
Dec-94		939.2	
Jan-95		950.2	
Feb-95		950.8	
Apr-95		920.1	
May-95		931	
Jun-95		943.7	
Jul-95		934.9	
Aug-95		903.1	
Sep-95		920.9	
Oct-95		935.8	
Nov-95		942.6	
Dec-95		940.6	
Jan-96		920.9	
Feb-96		947.7	
Mar-96		938.6	
Apr-96		931.9	
May-96		918.3	
Jun-96		913.2	
Jul-96		927	
Aug-96		929.1	
Oct-96		911.8	

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Pomona Basin****Ground Surface Elevation: 999.4 ft above MSL**

STATION	3251E	3261P	4469A
	WS Elev.	WS Elev.	WS Elev.
Nov-96		945.9	
Dec-96		949.4	
Jan-97		957	
Feb-97		961.4	
Mar-97		960.3	
Apr-97		956.8	
May-97		960.5	
Jun-97		960.6	
Jul-97		957.6	
Aug-97		960.5	
Sep-97		950.5	
Oct-97		957.8	
Nov-97		958	
Feb-98		960.2	
Mar-98		965.5	
Apr-98		959.4	
May-98		965.5	
Jun-98		953.4	
Jul-98		965	
Aug-98		962.3	
Nov-98		966.4	
Dec-98		971.5	
Jan-99		973	
Feb-99		974.7	
Mar-99		973.4	
Apr-99		974.4	
May-99		974	
Jul-99		974.7	
Aug-99		974.6	
Jan-00		938.2	
Mar-00		979.3	
Apr-00		977.8	
May-00		974.9	
Jun-00		973	
Jul-00		972.7	
Aug-00		971.3	
Sep-00		970.4	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Fernando Valley, Canoga Park****Ground Surface Elevation: 788.5 ft above MSL**

STATION	4709	3600H
	WS Elev.	WS Elev.
Jan-61	776.2	
Feb-61	776.4	
Mar-61	775.4	
Apr-61	774.8	
May-61	774.2	
Jun-61	773.7	
Jul-61	773	
Aug-61	772.9	
Sep-61	772.5	
Oct-61	772	
Nov-61	771.4	
Dec-61	772.7	
Jan-62	773.3	
Feb-62	774.2	
Mar-62	776	
Apr-62	776.2	
May-62	776.3	
Jun-62	776.2	
Jul-62	775	
Aug-62	773.5	
Sep-62	772.8	
Oct-62	773	
Nov-62	773.3	
Dec-62	772.6	
Jan-63	772.2	
Feb-63	772.2	
Mar-63	772.6	
Apr-63	772.7	
May-63	772.7	
Jun-63	772.6	
Jul-63	771.9	
Aug-63	770.8	
Sep-63	771.6	
Oct-63	772.5	
Nov-63	771.8	
Dec-63	772.6	
Jan-64	773.4	
Feb-64	773.4	
Mar-64	772.5	
Apr-64	772.2	
May-64	772	
Jun-64	771.8	
Jul-64	771.3	
Aug-64	770.9	
Sep-64	770.5	
Oct-64	770	

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: San Fernando Valley, Canoga Park****Ground Surface Elevation: 788.5 ft above MSL**

STATION	4709	3600H
	WS Elev.	WS Elev.
Nov-64	770	
Dec-64	769.9	
Jan-65	770.5	
Feb-65	770.3	
Mar-65	770.4	
Apr-65	770.9	
May-65	770.9	
Jun-65	770.4	
Jul-65	769.7	
Aug-65	769.5	
Sep-65	769.2	
Oct-65	768.7	
Nov-65	768.6	
Dec-65	770.6	
Jan-66	771	
Feb-66	772.8	
Mar-66	773	
Apr-66	771.8	
May-66	771.6	
Jun-66	771.5	
Jul-66	771.8	
Aug-66	770.8	
Sep-66	769.8	
Oct-66	770.4	
Nov-66	771.2	
Dec-66	771.9	
Jan-67	772.3	
Feb-67	772.4	
Mar-67	772.8	
Apr-67	772.1	
May-67	772.6	
Jun-67	772.1	
Jul-67	772.1	
Aug-67	772.3	
Sep-67	772.1	
Oct-67	772	
Nov-67	771.8	
Dec-67	772.6	
Jan-68	773	
Feb-68	773	
Mar-68	773.2	
Apr-68	773.4	
May-68	772	
Jun-68	771.1	
Jul-68	771	
Aug-68	770.7	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Fernando Valley, Canoga Park****Ground Surface Elevation: 788.5 ft above MSL**

STATION	4709	3600H
	WS Elev.	WS Elev.
Sep-68	770.4	
Oct-68	770.1	
Nov-68	770.1	
Dec-68	770.1	
Jan-69	770.2	
Feb-69	773.4	
Mar-69	773.8	
May-69	773.8	
Jun-69	773.6	
Jul-69	773.5	
Aug-69	773.7	
Sep-69	773.6	
Oct-69	771.8	
Nov-69	773	
Dec-69	772.6	
Jan-70	772.3	
Feb-70	772.5	
Mar-70	773.2	
Apr-70	772.9	
May-70	773	
Jun-70	772.1	
Jul-70	772	
Aug-70	771.9	
Sep-70	771.6	
Oct-70	771.2	
Nov-70	771.7	
Dec-70	772.1	
Jan-71	772.9	
Feb-71	772.1	
Mar-71	771.7	
Apr-71	771.7	
May-71	771.6	
Jun-71	771.4	
Jul-71	771.3	
Oct-71	769.8	
Nov-71	769.7	
Dec-71	769.5	
Jan-72	770.3	
Feb-72	770.6	
Mar-72	770.1	
Apr-72	769.5	
May-72	769.2	
Jun-72	769.1	
Jul-72	769.5	
Aug-72	769.6	
Sep-72	769.5	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Fernando Valley, Canoga Park****Ground Surface Elevation: 788.5 ft above MSL**

STATION	4709	3600H
	WS Elev.	WS Elev.
Oct-72	769.5	
Nov-72	769.1	
Dec-72	769.3	
Jan-73	769	
Feb-73	770	
Mar-73	770.2	
Apr-73	770.3	
May-73	770.3	
Jul-73	770.1	
Aug-73	769.8	
Nov-73	768.7	
Dec-73	768.9	
Jan-74	769.6	
Feb-74	769.7	
Mar-74	769.9	
Apr-74	769.9	
May-74	769.7	
Jun-74	769.6	
Jul-74	769.3	
Aug-74	769.1	
Sep-74	769	
Oct-74	768.7	
Nov-74	768.7	
Dec-74	768.7	
Jan-75	768.8	
Feb-75	768.9	
Mar-75	769.1	
Apr-75	769.2	
May-75	769.3	
Jun-75	769.1	
Jul-75	769.3	
Aug-75	768.6	
Sep-75	768.4	
Oct-75	768.2	
Nov-75	768.1	
Dec-75	768.1	
Jan-76	768.1	
Feb-76	768.1	
Apr-76	768.2	
May-76	768.2	
Aug-76	767.4	
Sep-76	767.3	
Oct-76	767.2	
Nov-76	766.9	
Dec-76	766.7	
Jan-77	766.9	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Fernando Valley, Canoga Park****Ground Surface Elevation: 788.5 ft above MSL**

STATION	4709	3600H
	WS Elev.	WS Elev.
Feb-77	767	
Mar-77	766.8	
Apr-77	766.9	
Jun-77	766.5	
Jul-77	766.2	
Aug-77	766	
Sep-77	765.8	
Oct-77	765.4	
Nov-77	765.4	
Dec-77	765.2	
Jan-78	765.7	
Feb-78	766.2	
Mar-78	767.5	
Apr-78	767.7	
May-78	767.8	
Jun-78	767.7	
Jul-78	767.6	
Aug-78	767.4	
Sep-78	767.3	
Oct-78	767.2	
Nov-78	767.2	
Dec-78	766.8	
Jan-79	767.4	
Mar-79	768.4	
Apr-79	768.6	
May-79	768.7	
Jun-79	768.7	
Aug-79	768.5	
Sep-79	768.3	
Oct-79	768.4	
Nov-79	768.2	
Dec-79	768.2	
Jan-80	768.5	
Feb-80	769.5	
Mar-80	770	
Nov-80	769.6	
Nov-81	769.3	
Apr-82	769.9	
Nov-82	769.1	
Apr-83	771.1	
Oct-83	771.2	
Jan-84	771.4	
Feb-84	771.5	
Mar-84	771.5	
Apr-84	771.5	
May-84	771.5	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Fernando Valley, Canoga Park****Ground Surface Elevation: 788.5 ft above MSL**

STATION	4709	3600H
	WS Elev.	WS Elev.
Jun-84	771.4	
Jul-84	771.2	
Aug-84	771	
Sep-84	770.8	
Oct-84	770.7	
Nov-84	770.4	
Jan-85	770.7	
Feb-85	771	
Mar-85	770.7	
Apr-85	770.7	
May-85	770.6	
Jun-85	770.5	
Jul-85	770.2	
Aug-85	770	
Sep-85	769.9	
Nov-85	769.7	
Dec-85	769.9	
Jan-86	769.9	
Mar-86	770.6	
Apr-86	770.7	
May-86	770.7	
Oct-86	769.9	
Nov-86	769.8	
Dec-86	769.7	
Jan-87	769.6	
Apr-87	769.4	
May-87	769.2	
Jun-87	768.6	
Jul-87	768.9	
Aug-87	768.7	
Sep-87	768.6	
Oct-87	768.4	
Nov-87	768.7	
Dec-87	768.7	
Jan-88	768.7	
Mar-88	768.8	
May-88	768.9	
Jun-88	768.8	
Jul-88	768.6	
Aug-88	768.3	
Sep-88	768.2	
Oct-88	768.1	
Nov-88	767.8	
Dec-88	767.8	
Feb-89	766.4	
Mar-89	768	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Fernando Valley, Canoga Park****Ground Surface Elevation: 788.5 ft above MSL**

STATION	4709	3600H
	WS Elev.	WS Elev.
Apr-89	768	
Sep-89	766.6	
Oct-89	766.4	
Nov-89	766.3	
Dec-89	766.3	
Apr-90	766.3	
May-90	766.1	
Jun-90	765.8	
Jul-90	765.5	
Aug-90	765.5	
Sep-90	765.2	
Oct-90	764.7	
Nov-90	764.6	
Dec-90	764.8	
Jan-91	764.8	
Feb-91	764.8	
Mar-91	764.9	
Apr-91	765.2	
May-91	765.2	
Jun-91	765	
Jul-91	764.7	
Aug-91	764.5	
Sep-91	764.3	
Oct-91	764	
Nov-91	763.8	
Dec-91	763.6	
Jan-92	764	
Feb-92	764.4	774.1
Mar-92	765.2	774.6
Apr-92	765.3	
May-92	765.6	775.1
Jun-92	765.6	774.7
Jul-92	765.4	774.1
Aug-92	765.1	774.2
Sep-92	764.9	773.7
Oct-92	764.6	773.5
Nov-92	764.6	773.4
Dec-92	764.7	773.4
Jan-93	765.4	
Feb-93	766	776.6
Mar-93	766.8	
Apr-93	766.9	
May-93	766.8	776.1
Jun-93	766.7	775.9
Jul-93	766.5	775.3
Aug-93	766.4	774.9

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: San Fernando Valley, Canoga Park****Ground Surface Elevation: 788.5 ft above MSL**

STATION	4709	3600H
	WS Elev.	WS Elev.
Sep-93	766.4	774.7
Nov-93	766.1	774.2
Dec-93	764.7	774.2
Jan-94	766.2	774.1
Feb-94	766.3	774.2
Mar-94	766	774.1
Apr-94	765.9	
May-94	765.9	
Jun-94	765.8	
Jul-94	765.6	
Aug-94	765.6	773.9
Sep-94	765.1	773.6
Oct-94	765	773.5
Nov-94	765	773.5
Dec-94	764.9	773.3
Jan-95	765.4	773.4
Feb-95	766.1	774.6
Mar-95	766.4	774.9
Apr-95	766.7	
May-95	766.7	774.9
Jun-95	766.7	774.8
Jul-95	destroyed	774.5
Sep-95		774.3
Oct-95		774
Mar-96		773.8
Apr-97		773.5
Apr-99		775.5
Oct-00		774.7

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: San Fernando Valley, Burbank****Ground Surface Elevation: 546.5 ft above MSL**

STATION	3872 H
	WS Elev.
Jul-64	439.8
Oct-64	430.2
Nov-64	430.7
Dec-64	430
Jan-65	433
Feb-65	431.5
Mar-65	431.1
Apr-65	429.8
May-65	427.3
Jul-65	426
Aug-65	425.5
Sep-65	426.7
Oct-65	427.7
Nov-65	425.2
Dec-65	424.9
Jan-66	424.7
Feb-66	425.2
Mar-66	424.7
Apr-66	423
May-66	422
Jun-66	422
Jul-66	418.1
Aug-66	415.3
Sep-66	415.4
Oct-66	414.5
Nov-66	415.7
Dec-66	417.5
Jan-67	414.7
Feb-67	414.2
Mar-67	414.9
Apr-67	414.4
May-67	415
Jun-67	413.8
Jul-67	413.4
Aug-67	413
Sep-67	411.9
Oct-67	412.6
Nov-67	412.1
Dec-67	412.4
Jan-68	413
Feb-68	414
Mar-68	412.8
Apr-68	412.1
May-68	411.6
Jun-68	411.3
Jul-68	411.1

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: San Fernando Valley, Burbank****Ground Surface Elevation: 546.5 ft above MSL**

STATION	3872 H
	WS Elev.
Aug-68	410.3
Sep-68	410.9
Oct-68	410.4
Nov-68	412.1
Dec-68	411.7
Jan-69	412.8
Feb-69	420.2
Mar-69	421.3
Apr-69	422.2
May-69	421.7
Jun-69	419.1
Jul-69	414.8
Aug-69	414.2
Sep-69	414.9
Oct-69	415.6
Nov-69	415
Dec-69	416.7
Jan-70	420.4
Feb-70	420.4
Mar-70	420.6
Apr-70	422.7
May-70	421.4
Jun-70	422.4
Jul-70	421.6
Aug-70	421.4
Sep-70	421.7
Oct-70	422
Nov-70	423.3
Dec-70	424.2
Feb-71	421.6
Mar-71	423
Apr-71	427.2
May-71	427.6
Jun-71	428
Jul-71	425.6
Aug-71	425.1
Sep-71	428.2
Oct-71	427.7
Nov-71	429.1
Jan-72	436.5
Feb-72	436.7
May-72	430.4
Jun-72	430.6
Jul-72	429.5
Aug-72	428.5
Sep-72	427.2

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Fernando Valley, Burbank****Ground Surface Elevation: 546.5 ft above MSL**

STATION	3872 H
	WS Elev.
Oct-72	427.8
Nov-72	429.4
Dec-72	430.6
Jan-73	430.8
Feb-73	431.3
Mar-73	432.6
Apr-73	431.8
May-73	432.1
Jun-73	436.6
Aug-73	436
Sep-73	429.8
Nov-73	436.4
Jan-74	439.2
Feb-74	439.9
Mar-74	439.6
Apr-74	438.8
May-74	439.1
Jun-74	439.9
Jul-74	438.7
Aug-74	438.1
Sep-74	438.2
Oct-74	438.1
Nov-74	438.8
Dec-74	438.7
Jan-75	440.5
Feb-75	440
Mar-75	439.8
Apr-75	440.4
May-75	440.2
Jun-75	441.5
Jul-75	437.5
Sep-75	430.9
Oct-75	435.9
Nov-75	437.1
Dec-75	439.5
Jan-76	440.5
Feb-76	439.7
Mar-76	439.5
Apr-76	440.1
May-76	440.7
Jun-76	440.5
Jul-76	438.3
Aug-76	439
Sep-76	438.3
Oct-76	438.8
Nov-76	438.9

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: San Fernando Valley, Burbank****Ground Surface Elevation: 546.5 ft above MSL**

STATION	3872 H
	WS Elev.
Jan-77	439.5
Feb-77	439.9
Mar-77	439.6
Apr-77	439.9
May-77	438.8
Jun-77	435.8
Jul-77	435.7
Aug-77	429.4
Sep-77	427.6
Oct-77	433.7
Nov-77	434.7
Dec-77	432.2
Jan-78	435.7
Mar-78	436.8
Apr-78	437.7
May-78	439.1
Jun-78	439.2
Jul-78	437.4
Aug-78	439.3
Sep-78	439.2
Oct-78	439.7
Nov-78	441.5
Dec-78	445.2
Jan-79	446.4
Feb-79	450
Mar-79	450
Apr-79	450.6
May-79	449.2
Jun-79	451.9
Jul-79	452
Aug-79	452.4
Sep-79	452.9
Oct-79	450.2
Nov-79	456.5
Jan-80	458.8
Mar-80	461.6
Apr-80	462.2
May-80	463.7
Jun-80	465.2
Jul-80	466.7
Aug-80	467
Sep-80	466.4
Oct-80	470.2
Dec-80	472.6
Jan-81	474.2
Feb-81	475.6

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Fernando Valley, Burbank****Ground Surface Elevation: 546.5 ft above MSL**

STATION	3872 H
	WS Elev.
Mar-81	476.5
Apr-81	477.3
May-81	475.8
Jun-81	476.4
Jul-81	476.2
Aug-81	476.2
Sep-81	471.2
Oct-81	475.4
Dec-81	478.2
Jan-82	478.3
Feb-82	477.9
Mar-82	478.1
Apr-82	479.7
Jun-82	480.2
Jul-82	480.2
Sep-82	480.5
Oct-82	478.5
Nov-82	479.7
Dec-82	479.1
Feb-83	479.7
Mar-83	480.8
Apr-83	481.2
May-83	484.2
Jun-83	483.5
Jul-83	483.7
Aug-83	484
Sep-83	485.4
Oct-83	487.9
Nov-83	487.6
Dec-83	487.2
Jan-84	487.7
Feb-84	490.7
Mar-84	490
Apr-84	491.9
May-84	490.3
Jun-84	489.9
Jul-84	490.3
Aug-84	488.5
Sep-84	487.7
Oct-84	487.8
Nov-84	486
Dec-84	486.2
Jan-85	487.4
May-85	489.2
Jun-85	489
Jul-85	488.7

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: San Fernando Valley, Burbank****Ground Surface Elevation: 546.5 ft above MSL**

STATION	3872 H
	WS Elev.
Aug-85	487.9
Sep-85	488.5
Oct-85	487.8
Nov-85	487.6
Dec-85	487.3
Jan-86	487.9
Feb-86	489.3
Mar-86	489.5
Apr-86	489.2
May-86	489.2
Jun-86	488.8
Jul-86	489.2
Aug-86	488.8
Sep-86	488.9
Oct-86	489.3
Nov-86	489.5
Dec-86	489.8
Jan-87	489.2
Feb-87	490.4
Mar-87	490.7
Apr-87	488.9
May-87	489.5
Jun-87	491.4
Aug-87	488
Sep-87	487.1
Oct-87	486.8
Nov-87	486.2
Jan-88	485.2
Feb-88	485
Mar-88	485.4
Apr-88	483.9
May-88	483.4
Jun-88	483
Jul-88	482.1
Aug-88	481.7
Sep-88	481.1
Oct-88	480.9
Nov-88	480.4
Dec-88	480
Jan-89	479.7
Feb-89	479.4
Mar-89	478.8
Apr-89	478.5
May-89	477.8
Jun-89	477.6
Jul-89	477.3

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: San Fernando Valley, Burbank****Ground Surface Elevation: 546.5 ft above MSL**

STATION	3872 H
	WS Elev.
Aug-89	476.6
Sep-89	475.9
Oct-89	475.7
Nov-89	475.9
Dec-89	475.8
Jan-90	476.1
Feb-90	476.6
Mar-90	476.9
Apr-90	476.7
May-90	476.6
Jun-90	474.5
Aug-90	473.6
Sep-90	472.8
Oct-90	473.2
Nov-90	472.8
Dec-90	473.9
Jan-91	473.5
Feb-91	473.8
May-91	472.7
Jun-91	472
Jul-91	470.8
Aug-91	471.4
Sep-91	470.6
Oct-91	470.6
Nov-91	469.6
Dec-91	469.7
Jan-92	469.8
Mar-92	469.5
Apr-92	469.5
May-92	469
Jun-92	469
Jul-92	468.4
Nov-92	463.2
Dec-92	461.6
Jul-93	473.7
Sep-93	467
Oct-93	468.4
Nov-93	467.5
Dec-93	468.1
Feb-94	479.2
Mar-94	474
Apr-94	472
May-94	480.9
Jun-94	478
Jul-94	473.5
Aug-94	473

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: San Fernando Valley, Burbank****Ground Surface Elevation: 546.5 ft above MSL**

STATION	3872 H
	WS Elev.
Sep-94	473.7
Oct-94	473.7
Nov-94	472.5
Dec-94	476.7
Jan-95	473.7
Feb-95	474.3
Mar-95	474.7
Apr-95	474.5
May-95	474.6
Jun-95	475.1
Jul-95	475.2
Sep-95	475.1
Oct-95	476.6
Nov-95	485.6
Dec-95	477.3
Jan-96	476.7
Feb-96	483.4
Mar-96	484.1
Apr-96	483.3
May-96	477.2
Jun-96	475.9
Jul-96	474.9
Aug-96	474.6
Sep-96	473.4
Oct-96	482
Nov-96	475.4
Dec-96	478.2
Jan-97	483.1
Mar-97	483.1
Apr-97	483.2
May-97	474.7
Jun-97	477.6
Aug-97	478
Sep-97	471.1
Dec-97	477.6
Jan-98	478.6
Feb-98	478.6
Mar-98	479.8
Apr-98	471
May-98	470.7
Jun-98	471.3
Jul-98	472.9
Aug-98	471.2
Sep-98	475.2
Oct-98	471.6
Nov-98	471.6

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Fernando Valley, Burbank****Ground Surface Elevation: 546.5 ft above MSL**

STATION	3872 H
	WS Elev.
Dec-98	480.5
Mar-99	480
Apr-99	479.4
May-99	472.9
Jun-99	469.9
Jul-99	466.2
Aug-99	469.7
Sep-99	463.1
Dec-99	465.3
Jan-00	468.6
Feb-00	468.2
Mar-00	467.9
May-00	457.7
Jun-00	456.5
Aug-00	464.8

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
Jan-52	639.3
Feb-52	642.1
Aug-52	642.3
Sep-52	641.1
Oct-52	640.5
Nov-52	640.1
Dec-52	640.2
Jan-53	641.1
Feb-53	640.1
Mar-53	640.6
Apr-53	641.3
May-53	641.4
Jun-53	641.5
Jul-53	640.2
Aug-53	640.2
Sep-53	640.3
Oct-53	639.4
Nov-53	636.9
Dec-53	639.5
Jan-54	641.9
Mar-54	640.4
Apr-54	639.5
May-54	640.7
Jun-54	637.7
Jul-54	640.4
Aug-54	640.5
Sep-54	638
Oct-54	640.3
Nov-54	640.3
Dec-54	641
Jan-55	638.2
Feb-55	642.3
Mar-55	642
Apr-55	643
May-55	641.1
Jun-55	643.9
Jul-55	644.5
Aug-55	643.8
Sep-55	642.2
Oct-55	644.1
Nov-55	643.4
Dec-55	642.9
Jan-56	644.9
Feb-56	645.1
Mar-56	643.5
Apr-56	642.6

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
May-56	640.2
Jun-56	640.9
Jul-56	642
Aug-56	640.6
Sep-56	639.9
Oct-56	639.5
Nov-56	638.7
Dec-56	638.1
Jan-57	637.9
Feb-57	637.3
Mar-57	637
Apr-57	636.9
May-57	636.4
Jun-57	637.3
Jul-57	640
Aug-57	637.3
Sep-57	635.9
Oct-57	635.1
Nov-57	637.8
Dec-57	638.7
Jan-58	638.7
Feb-58	638.7
Mar-58	636.8
Apr-58	638
May-58	635
Jun-58	633.9
Jul-58	636.1
Aug-58	637
Sep-58	636.4
Oct-58	636.4
Nov-58	635.9
Dec-58	635.7
Jan-59	635.2
Feb-59	635
Mar-59	634.7
Apr-59	634.2
May-59	634
Jun-59	632.8
Jul-59	633
Aug-59	630.8
Sep-59	632.1
Oct-59	631.9
Nov-59	631.3
Dec-59	631.1
Jan-60	630.7
Feb-60	630.4

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
Mar-60	630.1
Apr-60	629.8
May-60	629.7
Jun-60	629.6
Jul-60	629.3
Aug-60	629.1
Sep-60	626.1
Oct-60	616.1
Nov-60	628
Dec-60	627.7
Jan-61	626.7
Feb-61	627.4
Mar-61	626.7
Apr-61	626.6
May-61	625.8
Jun-61	625.7
Jul-61	625.4
Aug-61	624.9
Sep-61	624.3
Oct-61	623.9
Nov-61	622.4
Dec-61	622.4
Jan-62	622.7
Feb-62	622.6
Mar-62	622.2
Apr-62	619.3
May-62	618.4
Jun-62	616.2
Jul-62	618.4
Aug-62	618.6
Sep-62	618.5
Oct-62	618.4
Nov-62	617.9
Dec-62	617.7
Jan-63	617.2
Feb-63	616.7
Mar-63	616.5
Apr-63	616
May-63	614.1
Jun-63	614.5
Jul-63	614.8
Aug-63	614.1
Sep-63	613.6
Oct-63	610.8
Nov-63	611.7
Dec-63	612.1

WATER CONSERVATION – SUMMARY – GROUND WATER
GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
Jan-64	611.3
Feb-64	610.9
Mar-64	610.9
Apr-64	610.3
May-64	609.9
Jun-64	608.9
Jul-64	608.9
Aug-64	607.8
Sep-64	607.9
Oct-64	607.7
Nov-64	607.3
Dec-64	606.2
Jan-65	606.2
Feb-65	606
Mar-65	605.6
Apr-65	605.4
May-65	605.2
Jun-65	604.9
Jul-65	604.7
Aug-65	604.4
Sep-65	604.1
Oct-65	603.7
Nov-65	603.3
Dec-65	602.9
Jan-66	602.4
Feb-66	602.2
Mar-66	601.8
Apr-66	601.4
May-66	598.3
Jun-66	600.8
Jul-66	596.9
Aug-66	593.9
Sep-66	591.8
Oct-66	591
Nov-66	590.2
Dec-66	588.8
Jan-67	587.8
Feb-67	587
Mar-67	586.6
Apr-67	585.9
May-67	585.4
Jun-67	584.9
Jul-67	583.2
Aug-67	584.5
Sep-67	584.1
Oct-67	583.7

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
Nov-67	583.6
Dec-67	583.3
Jan-68	582.9
Feb-68	582.5
Mar-68	582.7
Apr-68	582.7
May-68	582.1
Jun-68	581.6
Jul-68	581.4
Aug-68	581.9
Sep-68	581.4
Oct-68	581.3
Nov-68	581.5
Dec-68	581.1
Jan-69	580.4
Feb-69	581.3
Mar-69	581.4
Apr-69	581.1
May-69	581.3
Jun-69	581.6
Jul-69	578.9
Aug-69	578.5
Sep-69	584.1
Oct-69	584.5
Nov-69	585.2
Dec-69	585.9
Jan-70	586.5
Feb-70	586.9
Mar-70	587.4
Apr-70	587.7
May-70	588.2
Jun-70	588.3
Jul-70	588.6
Aug-70	588
Sep-70	587.9
Oct-70	589.9
Nov-70	590.3
Dec-70	591.7
Jan-71	590.9
Feb-71	591.4
Mar-71	591.3
Apr-71	592.1
May-71	592.9
Jun-71	593.4
Jul-71	592.9
Aug-71	594.5

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
Sep-71	595.1
Oct-71	591.5
Nov-71	595.9
Dec-71	596.1
Jan-72	596.4
Feb-72	596.8
Mar-72	596.9
Apr-72	596.6
May-72	596.1
Jun-72	596.8
Jul-72	597.3
Aug-72	597.4
Sep-72	597.7
Oct-72	598.1
Nov-72	598.6
Dec-72	598.7
Jan-73	598.9
Feb-73	599.1
Mar-73	599.2
Apr-73	599.6
May-73	599.7
Jun-73	595.9
Jul-73	600.2
Aug-73	600.6
Sep-73	600.8
Oct-73	600.8
Nov-73	601.3
Dec-73	601.6
Jan-74	602
Feb-74	602.3
Mar-74	601.1
Apr-74	602.7
May-74	604.2
Jun-74	603.2
Jul-74	603.4
Aug-74	604.3
Sep-74	604.4
Oct-74	604.9
Nov-74	604.8
Dec-74	599.7
Jan-75	604.2
Feb-75	604
Mar-75	604.7
Apr-75	605.6
May-75	604
Jun-75	603.6

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
Jul-75	605.1
Aug-75	603.3
Sep-75	603.2
Oct-75	604.8
Nov-75	603.8
Dec-75	602.8
Jan-76	602.3
Feb-76	602.5
Mar-76	602
Apr-76	601.9
May-76	601.6
Jun-76	601.6
Jul-76	601.4
Aug-76	601.3
Sep-76	601.5
Oct-76	601.6
Nov-76	601.2
Dec-76	601.2
Jan-77	601
Feb-77	600.9
Mar-77	600.9
Apr-77	600.8
May-77	600.6
Jun-77	604.4
Jul-77	600.3
Aug-77	599.4
Sep-77	599.9
Oct-77	609.7
Nov-77	599
Dec-77	599
Jan-78	597.1
Feb-78	598.1
Mar-78	597.9
May-78	597.6
Jun-78	597.5
Aug-78	597.9
Sep-78	598.8
Oct-78	597.9
Dec-78	598
Mar-79	598.2
Jul-79	598.2
Oct-79	598.4
Dec-79	598.7
Apr-80	598
Aug-80	597.8
Nov-80	597.3

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
Jan-81	597.1
Mar-81	597.1
Apr-81	598.9
May-81	597
Jun-81	597.1
Aug-81	597.3
Sep-81	597.6
Nov-81	597.9
Feb-82	598.4
Apr-82	600.9
May-82	598.9
Jun-82	598.7
Jul-82	598.9
Aug-82	590
Sep-82	588.3
Oct-82	598.9
Nov-82	602.9
Dec-82	591.9
Jan-83	592.6
Feb-83	598.4
Mar-83	598
Apr-83	597.8
May-83	597.7
Jun-83	597.4
Jul-83	597.4
Aug-83	597.4
Sep-83	597.6
Oct-83	597.5
Nov-83	597.2
Dec-83	597.5
Jan-84	597.6
Feb-84	597.3
Mar-84	597.3
Apr-84	597.3
May-84	597.3
Jun-84	596.9
Jul-84	597.4
Aug-84	595.9
Sep-84	596.1
Oct-84	599
Nov-84	595.9
Dec-84	591.4
Jan-85	596.4
Feb-85	595.9
Mar-85	596.4
Apr-85	598

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
May-85	596.4
Jun-85	595.9
Jul-85	596.9
Aug-85	596.1
Sep-85	595.9
Oct-85	593.9
Dec-85	597.4
Jan-86	597.4
Mar-86	596.4
Apr-86	592.9
May-86	615.4
Jun-86	596.9
Jul-86	596.9
Aug-86	593.4
Sep-86	603.9
Oct-86	593.4
Nov-86	597.4
Dec-86	579
Jan-87	592.4
Feb-87	594.9
Mar-87	594.9
Apr-87	585.3
May-87	597.1
Jun-87	597.2
Jul-87	590.4
Aug-87	596
Sep-87	595.9
Oct-87	595.2
Nov-87	594.7
Dec-87	594.5
Jan-88	593.9
Feb-88	593.3
Mar-88	592.8
Apr-88	592.6
May-88	592.3
Jun-88	591.8
Jul-88	591.7
Aug-88	591.5
Sep-88	591.2
Oct-88	590.9
Nov-88	590.8
Dec-88	590.4
Jan-89	590.1
Feb-89	589.8
Mar-89	589.3
Apr-89	589.1

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
May-89	589
Jun-89	588.8
Jul-89	588.4
Aug-89	588.2
Sep-89	587.9
Oct-89	583.2
Nov-89	587.2
Dec-89	587.1
Jan-90	586.7
Feb-90	586.4
Mar-90	586.4
Apr-90	582.4
May-90	586
Jun-90	584
Jul-90	585.9
Aug-90	580.6
Sep-90	585.8
Oct-90	585.8
Nov-90	585.8
Dec-90	585.8
Jan-91	585.8
Feb-91	585.9
Apr-91	581.2
May-91	586.3
Jun-91	586.5
Jul-91	586.8
Aug-91	574.8
Sep-91	587.9
Oct-91	586.7
Nov-91	586.6
Dec-91	586.6
Jan-92	586.6
Mar-92	586.7
Apr-92	586.8
May-92	587.1
Jun-92	587.1
Jul-92	581.6
Aug-92	577
Sep-92	570
Oct-92	589
Nov-92	589
Dec-92	589
Feb-93	579.9
Mar-93	584.1
Apr-93	577.7
May-93	573.7

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
Jun-93	569.9
Aug-93	572.7
Sep-93	594.4
Oct-93	576.4
Nov-93	585.6
Dec-93	577.2
Jan-94	598.4
Feb-94	597.9
Mar-94	598.4
Apr-94	598.4
May-94	600.1
Jun-94	600.9
Jul-94	601.9
Aug-94	602.4
Sep-94	603.2
Oct-94	604
Nov-94	604.9
Dec-94	608.4
Jan-95	609.2
Feb-95	609.7
Mar-95	609.9
Apr-95	583.2
May-95	611.1
Jun-95	611.9
Jul-95	612.4
Aug-95	612.7
Sep-95	613.2
Oct-95	613.2
Dec-95	613.7
Jan-96	613.9
Feb-96	614.2
Mar-96	614.4
Apr-96	614.5
May-96	614.8
Jun-96	615
Jul-96	615.1
Aug-96	616.2
Sep-96	615.1
Oct-96	614.7
Nov-96	614.8
Dec-96	614.4
Jan-97	614.5
Feb-97	614.6
Mar-97	614.5
Apr-97	614.8
May-97	614.9

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Raymond Basin****Ground Surface Elevation: 749.9 ft above MSL**

STATION	4057 H
	WS Elev.
Jun-97	615.1
Jul-97	613.7
Aug-97	615.2
Sep-97	615.1
Dec-97	614.9
Jan-98	614.7
Feb-98	614.8
Mar-98	614.9
May-98	615.2
Jun-98	615.4
Jul-98	615.5
Aug-98	615.4
Sep-98	615.1
Oct-98	614.7
Nov-98	614.4
Dec-98	614.1
Jan-99	613.8
Feb-99	613.4
Mar-99	613.5
Apr-99	613.5
May-99	613.1
Jun-99	613.1
Jul-99	612.9
Aug-99	612.8
Sep-99	612.9

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Gabriel Canyon Basin, North of Azusa****Ground Surface Elevation: 658.8 ft above MSL**

STATION	4284 A	4285
	WS Elev.	WS Elev.
Jan-64	602.1	597.9
Feb-64	611.9	610.5
Mar-64	616.9	608.4
Apr-64	619.8	616
May-64	631.3	630.7
Jun-64	623.1	617.6
Jul-64	611.4	605
Aug-64	606.3	602.7
Sep-64	606.7	605.9
Oct-64	614.6	613.1
Nov-64	613.3	606.9
Dec-64	612.4	599
Jan-65	613.7	610.3
Feb-65	611.7	606.2
Mar-65	593.6	583.8
Apr-65	591.9	575.7
May-65	642.7	633.3
Jun-65	653.1	635.3
Jul-65	651.9	639.5
Aug-65	653.1	639.3
Sep-65	654.7	638.4
Oct-65	652.2	641.6
Nov-65	656.1	632.8
Dec-65	662.8	638.1
Jan-66	665	650.7
Feb-66	659.8	654.8
Mar-66	665.7	647.1
Apr-66	644.4	639.9
May-66	644.4	634.1
Jun-66		623.8
Jul-66	631.8	621.9
Aug-66	630.1	
Sep-66	629.7	
Oct-66	639	
Nov-66	639.8	
Dec-66	639.2	651.3
Jan-67	658.9	648.9
Feb-67	671.4	657.3
Mar-67	660.7	645.1
Apr-67	660.9	643.5
May-67	653.4	645.4
Jun-67	651.3	639.7
Jul-67	644.6	634.1
Aug-67	644.6	617.3
Sep-67	619.7	597.9
Oct-67	622.3	617.5

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Gabriel Canyon Basin, North of Azusa****Ground Surface Elevation: 658.8 ft above MSL**

STATION	4284 A	4285
	WS Elev.	WS Elev.
Nov-67	642	627.1
Dec-67	632.3	632.1
Jan-68	654.9	648.4
Feb-68	644.4	642.4
Mar-68	642.7	639.9
Apr-68	651	644.1
May-68	635.7	632.1
Jun-68	626.5	620.6
Jul-68	624.6	620.3
Aug-68	639.7	618.9
Sep-68	606.4	602.5
Oct-68	601.6	
Nov-68	629.6	594
Dec-68	582.9	573.5
Jan-69	599.2	578.5
Feb-69	642.2	620.1
Mar-69	652.7	638
Apr-69	649.3	631.6
May-69	656.9	644
Jun-69	662.6	653
Jul-69	659.8	647.1
Aug-69	652.3	650.1
Sep-69	631.3	638.3
Oct-69	631.3	629.6
Nov-69	631.9	625.7
Dec-69	649.2	641.5
Jan-70	656.6	647.5
Feb-70	649.7	639.5
Mar-70	645	641.9
Apr-70	663.5	649.3
May-70	642.8	644.3
Jun-70	641.3	631.1
Jul-70	630.8	617.5
Aug-70	622.6	595.5
Sep-70	611.6	597.8
Oct-70	609.2	595.5
Nov-70	611.1	594.2
Dec-70	611.8	612
Jan-71	661.5	647.7
Feb-71	664	650.7
Mar-71	662.9	647.6
Apr-71	648.4	642.7
May-71	652.9	626.5
Jun-71	619.4	605.6
Jul-71	606.4	589.2
Aug-71	598	578.3

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Gabriel Canyon Basin, North of Azusa****Ground Surface Elevation: 658.8 ft above MSL**

STATION	4284 A	4285
	WS Elev.	WS Elev.
Sep-71	595.9	572.9
Oct-71	597.3	575.9
Nov-71	593.4	577.7
Dec-71	586.6	566.3
Jan-72	600.9	571.6
Feb-72	654.4	644.9
Mar-72	647.9	645.4
Apr-72	630	622.7
May-72	605	594.7
Jun-72	596.4	582.3
Jul-72	574.6	558.4
Aug-72	558.2	547.5
Sep-72	556.2	548.9
Oct-72	553.9	537.9
Nov-72	555.4	525.3
Dec-72	627.5	599.6
Jan-73	621.3	
Feb-73	639.3	605.1
Mar-73	664	646.3
Apr-73	664.1	649.8
May-73	661.2	651.3
Jun-73	643.4	645.7
Jul-73	642.4	626.8
Aug-73	642.2	622
Sep-73	633.4	617.7
Oct-73	629.9	611.6
Nov-73	635.9	619.4
Dec-73	653.2	637.2
Jan-74	660.7	639.2
Feb-74		649.1
Mar-74	656.2	630.1
Apr-74		642.1
May-74	653.2	642.4
Jun-74		631.4
Jul-74		635.3
Aug-74	642.2	631.1
Sep-74	639.1	622.9
Oct-74	636.7	622.8
Nov-74	626.1	626
Dec-74		608.5
Jan-75	614.2	601.4
Feb-75	611.9	597
Mar-75	622.2	614.7
Apr-75	629.7	637.6
May-75	660.2	636.4
Jun-75	658.9	632.6

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Gabriel Canyon Basin, North of Azusa****Ground Surface Elevation: 658.8 ft above MSL**

STATION	4284 A	4285
	WS Elev.	WS Elev.
Jul-75	639.9	627.7
Aug-75	629.2	617
Sep-75	629.2	605.9
Oct-75	631	608.8
Nov-75		616.3
Dec-75	620.1	593
Jan-76	619.7	580
Feb-76	602.6	576.3
Mar-76	635.1	601.4
Apr-76	649.3	643
May-76	630.7	614.7
Jun-76	608.5	601.7
Jul-76	607.9	595.8
Aug-76	608.9	596.8
Sep-76	605.6	590.5
Oct-76	638.3	600.8
Nov-76		617.3
Dec-76	600.7	601.4
Jan-77	608.1	579.7
Feb-77	647.7	629
Mar-77	607	598.6
Apr-77	595.2	584.9
May-77	592.4	585.1
Jun-77	597.1	584.5
Jul-77	598.3	582.4
Aug-77	593.1	578.8
Sep-77	596.9	575.9
Oct-77	600.3	582.6
Nov-77	598.1	579.4
Dec-77	632.3	588.6
Jan-78	639.4	628.3
Feb-78	656.6	643.2
Mar-78	666	646.5
Apr-78	659	642.8
May-78	654.5	648
Jun-78	654.5	642.5
Jul-78	650.4	636.7
Aug-78	641.8	634.7
Sep-78	642.8	619.1
Oct-78	639	625.3
Nov-78	628	619
Dec-78	632.7	616.1
Jan-79	644.3	640.2
Feb-79	651.1	641.9
Mar-79	647.9	637.1
Apr-79	649	639.1

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Gabriel Canyon Basin, North of Azusa****Ground Surface Elevation: 658.8 ft above MSL**

STATION	4284 A	4285
	WS Elev.	WS Elev.
May-79	646.2	627
Jun-79	642.1	
Jul-79	637.7	625.9
Aug-79	631.1	
Sep-79	622.4	611
Oct-79	624.8	
Nov-79	621.9	610.1
Dec-79	628.9	610.1
Jan-80	615.4	
Feb-80	628.5	612.3
Mar-80	648.5	634.6
Apr-80	651.8	637.2
May-80	652.2	644.5
Jun-80	650.6	637.2
Jul-80	649.1	628.3
Aug-80	641.2	630.3
Sep-80	640.6	619.8
Oct-80	643.6	620.1
Nov-80	664	625.7
Dec-80	637.5	623.3
Jan-81	631.8	622.1
Feb-81	624.8	607.4
Mar-81	623.9	608.1
Apr-81	638	606.4
May-81	615	590
Jun-81	607.2	575.9
Jul-81	584.5	556.9
Aug-81	578.3	555
Sep-81	584.2	555.6
Oct-81	582.4	566.2
Nov-81	598.3	577.6
Dec-81	606	594.1
Jan-82	623.7	610.1
Feb-82	630.7	620.1
Mar-82	636.4	625.8
Apr-82	637.3	620.3
May-82	635.9	608.7
Jun-82	626.4	613.4
Jul-82	636.5	606.4
Aug-82	620.5	596.7
Sep-82	617.1	604.2
Oct-82	628	620.2
Nov-82	637	622
Dec-82	639.6	632
Jan-83	636	628.4
Feb-83	647.2	629.7

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Gabriel Canyon Basin, North of Azusa****Ground Surface Elevation: 658.8 ft above MSL**

STATION	4284 A	4285
	WS Elev.	WS Elev.
Mar-83	652.4	640.4
Apr-83	652.3	640.2
May-83	651.6	641.4
Jun-83	651.3	634.5
Jul-83	647.8	631.6
Aug-83	641	622.3
Sep-83	630.6	613.5
Oct-83	631.7	615.3
Nov-83	646.6	631.7
Dec-83	645.2	632.9
Jan-84	643.3	628.8
Feb-84	642.9	636
Mar-84	639.8	626.4
Apr-84	626.4	621.3
May-84	617.7	
Jun-84	600.8	589.9
Jul-84	596.5	
Aug-84	579.9	572.3
Sep-84	572	567.3
Oct-84		563.3
Nov-84	573.4	562
Dec-84	570	558.5
Jan-85	609.4	565.7
Feb-85	642.8	627.6
Mar-85		622.3
Apr-85	597	
Jun-85	618.7	
Jul-85	612.3	599.6
Aug-85	594	573.8
Sep-85	588.3	
Oct-85	621	571.8
Nov-85	629.2	619.6
Dec-85	643.7	623.5
Jan-86	647.7	630.8
Feb-86	651.3	634.9
Mar-86	648.3	638.4
Apr-86	645.7	637.9
May-86	646.6	635.3
Jun-86	639.4	625.7
Jul-86	623.3	606.3
Aug-86	616.9	599.9
Sep-86	598.5	
Oct-86	587.4	605.3
Nov-86	594	585.8
Dec-86	610.6	599.9
Jan-87	626.3	608.1

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Gabriel Canyon Basin, North of Azusa****Ground Surface Elevation: 658.8 ft above MSL**

STATION	4284 A	4285
	WS Elev.	WS Elev.
Feb-87	635.2	630.4
Mar-87	651	629.2
Apr-87	647.9	632.2
May-87	636.4	
Jun-87	610.5	592.6
Jul-87	597.1	583
Aug-87	580.8	570.8
Sep-87	574	559.7
Oct-87	608	552.3
Nov-87	600.1	553.4
Dec-87	610.8	593.8
Jan-88	627.4	624.2
Feb-88	640	632.9
Mar-88	641.3	638.2
Apr-88	635.2	625.9
May-88	632.5	
Jun-88	641.6	
Aug-88	611.8	
Sep-88	605.6	
Oct-88	619	
Nov-88	612.4	605.1
Dec-88	616.3	
Jan-89	640.8	
May-89	653	
Aug-89	646.2	
Sep-89	644.9	
Oct-89	601	
Mar-90		620.1
Apr-90	650	
Oct-90	631	
Apr-91	643	636.6
May-91	636	
Jun-91	623	
Jul-91	629	
Aug-91	637	
Sep-91	641	629.4
Oct-91	635	
Nov-91	624	
Dec-91	616	
Jan-92	619	
Feb-92	630	
Mar-92	642	619.3
Apr-92	650	599.1
Oct-92	629	
Nov-92		606.1
Mar-93		634.5

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: San Gabriel Canyon Basin, North of Azusa****Ground Surface Elevation: 658.8 ft above MSL**

STATION	4284 A	4285
	WS Elev.	WS Elev.
Apr-93	647	633.3
Oct-93	619	
May-94	591	
Nov-94	592.9	
May-95	591	
Nov-99	607	
May-00	646	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Upper Claremont Heights****Ground Surface Elevation: 1482.0 ft above MSL**

STATION	4508 B	4508 A
	WS Elev.	WS Elev.
Jan-60	1328.5	
Feb-60	1329.9	
Mar-60	1329	
Apr-60	1318.5	
May-60	1323.5	
Jun-60	1307.6	
Jul-60	1302.3	
Aug-60	1298.2	
Sep-60	1290.5	
Oct-60	1295.9	
Nov-60	1284.4	
Dec-60	1298.8	
Jan-61	1289.7	
Feb-61	1294.9	
Mar-61	1285.6	
Apr-61	1276.5	
May-61	1279	
Jun-61	1276	
Jul-61	1273.3	
Aug-61	1271	
Sep-61	1268	
Oct-61	1265.6	
Nov-61	1263.4	
Dec-61	1265.4	
Jan-62	1265.6	
Feb-62	1268.6	
Mar-62	1270.2	
Apr-62	1269.1	
May-62	1269.5	
Jun-62	1266.8	
Dec-62	1258.2	
Jan-63	1259.4	
Feb-63	1262.7	
Mar-63	1265.4	
Apr-63	1268.6	
May-63	1271.7	
Jun-63	1267.2	
Jul-63	1264.1	
Aug-63	1262.2	
Sep-63	1261.1	
Oct-63	1261	
Nov-63	1260.3	
Dec-63	1262.5	
Jan-64	1261.9	
Feb-64	1263.7	
Mar-64	1262.3	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Upper Claremont Heights****Ground Surface Elevation: 1482.0 ft above MSL**

STATION	4508 B	4508 A
	WS Elev.	WS Elev.
Apr-64	1263.5	
May-64	1261.9	
Jun-64	1258.8	
Aug-64	1253.2	
Sep-64	1251.9	
Oct-64	1250.3	
Nov-64	1248.2	
Dec-64	1248.6	
Jan-65	1246.9	
Feb-65	1250.8	
Mar-65	1251	
Apr-65	1251.9	
May-65	1251.9	
Jun-65	1252.1	
Jul-65	1250	
Aug-65	1247.4	
Sep-65	1246.1	
Oct-65	1244.3	
Nov-65	1247	
Dec-65	1244.8	
Jan-66	1245	
Feb-66	1247.6	
Mar-66	1253.1	
Apr-66	1288.3	
May-66	1320.4	
Jun-66	1338	
Jul-66	1351.7	
Aug-66	1355.8	
Sep-66	1357.7	
Oct-66	1350.8	
Nov-66	1348	
Dec-66	1346.9	
Jan-67	1349	
Feb-67	1355.3	
Mar-67	1363.2	
Apr-67	1371.1	
May-67	1381.4	
Jun-67	1386.3	
Jul-67	1401	
Aug-67	1404.1	
Sep-67	1402.2	
Oct-67	1395.8	
Nov-67	1391.8	
Dec-67	1387.6	
Jan-68	1385.4	
Feb-68	1382.5	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Upper Claremont Heights****Ground Surface Elevation: 1482.0 ft above MSL**

STATION	4508 B	4508 A
	WS Elev.	WS Elev.
Mar-68	1380.2	
Apr-68	1377.9	
May-68	1372	
Jun-68	1373.3	
Jul-68	1363.2	
Aug-68	1358.3	
Sep-68	1352.3	
Oct-68	1346.9	
Nov-68	1342.8	
Dec-68	1339.8	
Jan-69	1339.7	
Mar-69	1341.8	
Apr-69	1373.1	
May-69	1424.9	
Jun-69	1454.9	
Jul-69	1447.4	
Aug-69	1444.5	
Sep-69	1431.4	
Oct-69	1422.2	
Nov-69	1411.4	
Dec-69	1405.7	
Jan-70	1399.1	
Feb-70	1395.2	
Mar-70	1391	
Apr-70	1388.4	
May-70	1383.2	
Jun-70	1378.2	
Jul-70	1376	
Aug-70	1378.1	
Sep-70	1363.1	
Oct-70	1359.8	
Nov-70	1354.1	
Dec-70	1351.2	
Jan-71	1352	
Feb-71	1352.1	
Mar-71	1352	
Apr-71	1349.8	
May-71	1337	
Jun-71	1330.1	
Jul-71	1325.3	
Aug-71	1326.6	
Sep-71	1312.1	
Oct-71	1310.5	
Nov-71	1319.6	
Dec-71	1318.8	
Jan-72	1319.3	

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Upper Claremont Heights****Ground Surface Elevation: 1482.0 ft above MSL**

STATION	4508 B	4508 A
	WS Elev.	WS Elev.
Feb-72	1319.6	
Mar-72	1314.7	
Apr-72	1299.8	
May-72	1311	
Jun-72	1297.7	
Jul-72	1292.4	
Aug-72	1290.1	
Sep-72	1287.3	
Oct-72	1287.6	
Nov-72	1286.5	
Dec-72	1296.1	
Jan-73	1298.2	
Feb-73	1300	
Mar-73	1302.1	
Apr-73	1303.7	
May-73	1298.1	
Jun-73	1304.8	
Jul-73	1302.2	
Aug-73	1297.4	
Oct-73	1314.9	
Nov-73	1308.3	
Dec-73	1322.4	
Jan-74	1333.4	
Feb-74	1332.7	
Mar-74	1335.3	
Apr-74	1336.3	
May-74	1327.3	
Jun-74	1325.5	
Jul-74	1323	
Aug-74	1322.5	
Sep-74	1312.1	
Oct-74	1306.5	
Nov-74	1319.2	
Dec-74	1321.9	
Jan-75	1323.1	
Feb-75	1322.5	
Mar-75	1322.9	
Apr-75	1324.7	
May-75	1324.1	
Jun-75	1314.3	
Jul-75	1305.2	
Aug-75	1301.1	
Sep-75	1299.2	
Oct-75	1303.6	
Nov-75	1303.6	
Dec-75	1301.1	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Upper Claremont Heights****Ground Surface Elevation: 1482.0 ft above MSL**

STATION	4508 B	4508 A
	WS Elev.	WS Elev.
Jan-76	1296.9	
Feb-76	1293.7	
Mar-76	1306.3	
Apr-76	1306.2	
May-76	1296.4	
Jun-76	1294.2	
Jul-76	1289	
Aug-76	1286.4	
Sep-76	1286.5	
Oct-76	1286.1	
Nov-76	1285.9	
Dec-76	1293.2	
Jan-77	1294.5	
Feb-77	1287.7	
Mar-77	1290.9	
Apr-77	1297.4	
May-77	1294.3	
Jun-77	1288.1	
Jul-77	1286	
Aug-77	1282.2	
Sep-77	1282	
Oct-77	1281.7	
Nov-77	1280.6	
Jan-78	1290.6	
Feb-78	1293.2	
Mar-78	1297.8	
Apr-78	1361.1	
May-78	1436.2	1438
Jun-78	1449.2	1443.1
Jul-78	1429.4	1434.2
Aug-78	1436.6	1437
Sep-78		1443
Oct-78	1420.5	1408
Dec-78	1408.1	1397
Jan-79	1401.6	1385
Feb-79	1396.6	1391
Mar-79	1393.3	1385
Apr-79	1387.3	1381
May-79	1383.5	1376
Jun-79	1380.4	1374
Aug-79	1388.1	1383
Sep-79		1382
Oct-79	1384.2	1380
Nov-79	1381.9	1380
Dec-79	1379.1	1373.5
Jan-80	1376.8	

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Upper Claremont Heights****Ground Surface Elevation: 1482.0 ft above MSL**

STATION	4508 B	4508 A
	WS Elev.	WS Elev.
Feb-80		1373.5
Mar-80	1386.2	1385
Apr-80	1430.3	1430
May-80	1446.3	
Jul-80	1445.5	
Aug-80	1430.7	
Sep-80	1422.3	1408
Oct-80	1408.9	1402
Dec-80	1394.2	1387
Jan-81	1389.3	1382.5
Feb-81	1385.4	
Mar-81	1383.8	1380
Apr-81	1376.6	1368.5
May-81		1368.5
Sep-81		1344
Oct-81		1344
Nov-81		1342
Dec-81		1340
Jan-82		1339.5
Feb-82		1339.5
Mar-82		1340
Apr-82		1340
May-82		1355
Sep-82		1376
Oct-82		1374.5
Nov-82		1373
Dec-82		1374.5
Jan-83		1370
Feb-83		1373
Mar-83		1403
Apr-83		1441.5
May-83		1450
Jun-83		1452
Apr-84		1391
May-84		1383.5
Jul-84		1376
Aug-84		1370
Sep-84		1364
Oct-84		1362
Nov-84		1360.4
Dec-84		1359
Jan-85		1358.4
Feb-85		1357
Mar-85		1356
Apr-85		1350
May-85		1346

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Upper Claremont Heights****Ground Surface Elevation: 1482.0 ft above MSL**

STATION	4508 B	4508 A
	WS Elev.	WS Elev.
Jun-85		1343.5
Jul-85		1318
Aug-85		1332.4
Sep-85		1308
Oct-85		1326
Nov-85		1326
Jan-86		1324.4
Feb-86		1323
Mar-86		1328
Apr-86		1337
May-86		1324
Jun-86		1330
Jul-86		1332
Sep-86		1348
Oct-86		1349
Nov-86		1349.4
Dec-86		1346
Jan-87		1345
Feb-87		1341
Apr-87		1337
Oct-87		1283
Nov-87		1266
Dec-87		1274
Jan-88		1315
Feb-88		1317
Mar-88		1350
Apr-88		1297
May-88		1296
Jun-88		1288
Jul-88		1276
Aug-88		1264
Sep-88		1265
Oct-88		1298
Sep-89		1279
Oct-89		1282
Nov-89		1280
Jan-90		1280.5
Feb-90		1297
Mar-90		1293
Apr-90		1279
Jul-90		1277
Aug-90		1274
Sep-90		1272
Oct-90		1289.5
Jan-91		1289.5
Feb-91		1292

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Upper Claremont Heights****Ground Surface Elevation: 1482.0 ft above MSL**

STATION	4508 B	4508 A
	WS Elev.	WS Elev.
Mar-91		1293
Apr-91		1290.7
Jun-91		1329
Oct-91		1296
Nov-91		1288
Dec-91		1292
Jan-92		1309
Feb-92		1310.5
Mar-92		1311
Apr-92		1310
May-92		1312
Jun-92		1333.5
Jul-92		1337
Aug-92		1349
Sep-92		1351
Oct-92		1351
Nov-92		1340
Dec-92		1348
Feb-93		1410
Mar-93		1411
Apr-93		1418
Sep-93		1383.5
Oct-93		1377.7
Nov-93		1387
Dec-93		1395
Mar-94		1383.2
Apr-94		1378
May-94		1378
Jul-94		1311
Aug-94		1304
Sep-94		1301
Oct-94		1322
Oct-95		1344.1
Apr-96		1339
Oct-96		1337
Apr-97		1325
Oct-97		1339
Apr-98		1360
Oct-98		1396.5
Apr-99		1351
Oct-99		1330
May-00		1303

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Santa Clarita Valley, Near Castaic Junction****Ground Surface Elevation: 1131.0 ft above MSL**

STATION	7048 A	7048 C	7057 P
	WS Elev.	WS Elev.	WS Elev.
Jan-64	1044.5		
Feb-64	1046.5		
Mar-64	1045.5		
Apr-64	1047		
May-64	1044.8		
Jun-64	1037.2		
Jul-64	1034.5		
Aug-64	1032.2		
Sep-64	1032.2		
Oct-64	1032.2		
Nov-64	1036.2		
Jan-65	1042.6		
Mar-65	1040.4		
Apr-65	1042.9		
May-65	1039.1		
Jul-65	1033.9		
Aug-65	1031.5		
Sep-65	1028.7		
Oct-65	1032.5		
Nov-65	1035.2		
Dec-65	1037.1		
Jan-66	1048.1		
Mar-66	1052.4		
Apr-66	1049.3		
May-66	1044.5		
Jun-66	1043.3		
Nov-66	1037		
Dec-66	1048.6		
Mar-67	1055		
Apr-67	1058.8		
May-67	1054.7		
Jun-67	1052		
Aug-67	1047.9		
Sep-67	1046.4		
Oct-67	1049.2		
Nov-67	1045.7		
Dec-67	1055.2		
Jan-68	1059		
Feb-68	1062.5		
Mar-68	1063.4		
Apr-68	1060.4		
May-68	1056.3		
Jul-68	1052.5		
Aug-68	1051.9		
Sep-68	1055.1		
Oct-68	1056.8		

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Santa Clarita Valley, Near Castaic Junction****Ground Surface Elevation: 1131.0 ft above MSL**

STATION	7048 A	7048 C	7057 P
	WS Elev.	WS Elev.	WS Elev.
Nov-68	1058.7		
Dec-68	1059.5		
Jan-69	1060.1		
Feb-69	1062.4		
Mar-69	1085.9		
Apr-69	1086.2		
May-69	1094.2		
Jun-69	1093.1		
Jul-69	1091.9		
Aug-69	1084.8		
Sep-69	1084.5		
Oct-69	1088		
Nov-69	1085.8		
Dec-69	1086.3		
Jan-70	1084.1		
Feb-70	1088.1		
Mar-70	1094.9		
Apr-70	1094		
May-70	1091.2		
Jun-70	1088.8		
Jul-70	1088.2		
Aug-70	1085		
Sep-70	1084.9		
Oct-70	1085.1		
Nov-70	1086.9		
Dec-70	1090.5		
Jan-71	1098.1		
Feb-71	1095.8		
Mar-71	1099.6		
Apr-71	1099.2		
May-71	1097.5		
Jun-71	1096.7		
Jul-71	1095.3		
Aug-71	1091.6		
Sep-71	1092.1		
Oct-71	1092		
Nov-71	1092.6		
Dec-71	1094.1		
Jan-72	1096.5		
Feb-72	1096.7		
Mar-72	1097.3		
Apr-72	1092.4		
May-72	1092.6		
Jun-72	1088.9		
Jul-72	1087.4		
Sep-72	1086.9		

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Santa Clarita Valley, Near Castaic Junction****Ground Surface Elevation: 1131.0 ft above MSL**

STATION	7048 A	7048 C	7057 P
	WS Elev.	WS Elev.	WS Elev.
Oct-72	1087.9		
Nov-72	1089.5		
Dec-72	1092.9		
Jan-73	1093.1		
Feb-73	1095.3		
Mar-73	1097.6		
Apr-73	1098.5		
May-73	1094.9		
Jun-73	1092.7		
Jul-73	1089.3		
Aug-73	1087.4		
Sep-73	1087.9		
Oct-73	1090.3		
Nov-73	1088.5		
Dec-73	1091.3		
Jan-74	1096.5		
Feb-74	1093.8		
Mar-74	1094.1		
Apr-74	1095.8		
May-74	1096.5		
Jun-74	1094.6		
Jul-74	1090.3		
Aug-74	1093		
Sep-74	1093		
Dec-74	1092.4		
Jan-75	1093.3		
Feb-75	1094.6		
Mar-75	1094.5		
Apr-75	1096.5		
May-75	1096.5		
Jun-75	1092.2		
Jul-75	1089.1		
Aug-75	1084.1		
Sep-75	1083.8		
Oct-75	1084.7		
Nov-75	1087.7		
Dec-75	1087.5		
Jan-76	1086.1		
Feb-76	1089.3		
Mar-76	1089.1		
Apr-76	1089.5		
May-76	1090.5		
Jun-76	1086.8		
Jul-76	1082.5		
Aug-76	1082.5		
Sep-76	1082.8		

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Santa Clarita Valley, Near Castaic Junction****Ground Surface Elevation: 1131.0 ft above MSL**

STATION	7048 A	7048 C	7057 P
	WS Elev.	WS Elev.	WS Elev.
Oct-76	1083.9		
Dec-76	1085.4		
Jan-77	1087.1		
Feb-77	1087		
Mar-77	1086		
May-77	1086.1		
Jun-77	1084.4		
Jul-77	1082.5		
Aug-77	1080.5		
Sep-77	1076.9		
Oct-77	1077.7		
Nov-77	1079.6		
Dec-77	1080		
Jan-78	1083.3		
Feb-78	1087.9		
Mar-78	1097.8		
Apr-78	1099.7		
May-78	1097.2		
Jun-78	1094.6		
Jul-78	1091.7		
Aug-78	1089.5		
Sep-78	1087.6		
Oct-78	1089.7		
Dec-78	1087.9		
Jan-79	1093.4		
Feb-79	1097.3		
Mar-79	1100.7		
Apr-79	1098.3		
May-79	1095.9		
Jun-79	1093.5		
Jul-79	1090.3		
Sep-79	1088.9		
Oct-79	1091.5		
Dec-79	1093.7		
Jan-80	1097.3		
Mar-80	1106.8		
May-80	1107		
Jun-80	1104.6		
Jul-80	1104.1		
Aug-80	1103.2		
Sep-80	1101.3		
Oct-80	1096.6		
Nov-80	1100.1		
Dec-80	1100.2		
Jan-81	1100.9		
Feb-81	1103.3		

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Santa Clarita Valley, Near Castaic Junction****Ground Surface Elevation: 1131.0 ft above MSL**

STATION	7048 A	7048 C	7057 P
	WS Elev.	WS Elev.	WS Elev.
Apr-81	1102.5		
May-81	1103.5		
Jun-81	1100.7		
Jul-81	1100.4		
Aug-81	1099.9		
Sep-81	1099		
Oct-81	1099.4		
Nov-81	1100.4		
Dec-81	1102.2		
Jan-82	1103.3		
Feb-82	1100.3		
Mar-82	1105.4		
Apr-82	1106.1		
May-82	1104.5		
Jun-82	1103.8		
Jul-82	1102.8		
Aug-82	1102.5		
Sep-82	1102		
Oct-82	1101.8		
Nov-82	1102.7		
Dec-82	1103.2		
Jan-83	1102		
Feb-83	1105.9		
Mar-83	1107.1		
Apr-83	1108		
May-83	1107.7		
Jun-83	1107.4		
Jul-83	1106.5		
Aug-83	1105.8		
Oct-83	1104.6		
Nov-83	1104.7		
Dec-83	1105.3		
Jan-84	1105.6		
Feb-84	1105.6		
Mar-84	1106.5		
Apr-84	1104.7		
Jun-84	1102.4		
Jul-84	1102.4		
Aug-84	1103.4		
Sep-84	1101.7		
Dec-84	1105.9		
Jan-85	1104.3		
Apr-85	1104.8		
May-85	1101.1		
Jun-85	1099.9		
Jul-85	1100.3		

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Santa Clarita Valley, Near Castaic Junction****Ground Surface Elevation: 1131.0 ft above MSL**

STATION	7048 A	7048 C	7057 P
	WS Elev.	WS Elev.	WS Elev.
Aug-85	1107		
Sep-85	1100.7		
Oct-85	1100.5		
Dec-85	1101.5		
Jan-86	1101	1108	
Feb-86	1103.5	1110.5	
Mar-86	1105.2	1110.7	
Apr-86	1105	1109.2	
May-86	1102.2	1108.7	
Jun-86	1103.5		
Jul-86	1101.9	1106.4	
Aug-86	1098.3	1105.7	
Sep-86	1097.9	1104.4	
Oct-86	1098.9	1105.5	
Nov-86		1104.2	
Dec-86	1098.7	1105.3	
Jan-87	1100.7	1106	
Mar-87	1097	1093.7	
Apr-87	1098.7	1104.7	
May-87	1097	1104.2	
Jun-87	1094.5	1102.5	
Jul-87	1088.5	1098.7	
Aug-87		1097.2	
Sep-87	1094.3	1099.3	
Oct-87	1094	1101.6	
Nov-87	1096.5	1102.2	
Dec-87	1095.5	1102.7	
Jan-88	1099.9	1104.2	
Feb-88	1098.2	1103.4	
Mar-88	1098.5	1104.2	
Jun-88	1098	1102.4	
Jul-88	1094	1101.2	
Aug-88	1095.7	1101.2	
Sep-88	1093.8	1100.7	
Oct-88	1096.5	1100.2	
Jan-89	1092.8	1102.7	
Mar-89	1097.2	1101.8	
Apr-89	1093.5	1100.2	
May-89	1095.7	1100.3	
Jun-89	1095	1099.3	
Jul-89	1093.6	1098.2	
Aug-89	1089.6	1098.2	
Sep-89	1091.7	1097.4	
Oct-89	1091.8	1095.7	1100.4
Nov-89	1089	1097	
Dec-89	1089.9	1096.3	

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Santa Clarita Valley, Near Castaic Junction****Ground Surface Elevation: 1131.0 ft above MSL**

STATION	7048 A	7048 C	7057 P
	WS Elev.	WS Elev.	WS Elev.
Jan-90	1091		
Mar-90	1094.3	1097.8	1104.5
Apr-90		1097.3	
Jun-90		1096.1	
Jul-90		1085.2	
Sep-90		1091.2	
Oct-90			1092
Nov-90		1090.7	
Dec-90		1091.4	
Jan-91		1092.2	
Feb-91		1092.2	
Apr-91		1095.7	
May-91		1093	
Jun-91		1087.3	
Jul-91		1085.2	
Aug-91		1082.7	
Sep-91		1080	
Oct-93			1101
Oct-94			1095.6
May-95			1109.8
Oct-95			1099
Nov-96			1099.8
May-97			1095.5
Oct-97			1092.6
Dec-98			1104.4
May-99			1095.1
Nov-99			1095

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Jan-56	2647.8
Feb-56	2646.3
Mar-56	2647.9
Apr-56	2648
May-56	2653.4
Jun-56	2645.9
Jul-56	2629.9
Aug-56	2644.2
Sep-56	2649.6
Oct-56	2652
Nov-56	2653.7
Dec-56	2655.2
Jan-57	2656.6
Feb-57	2657.5
Mar-57	2658.6
Apr-57	2657.7
May-57	2656.7
Jun-57	2655.8
Jul-57	2649.8
Aug-57	2651.3
Sep-57	2651
Oct-57	2654.4
Nov-57	2656
Dec-57	2657.8
Jan-58	2658.9
Feb-58	2660
Mar-58	2660.5
Apr-58	2660.5
May-58	2660.8
Jun-58	2661.3
Jul-58	2659.6
Aug-58	2657.7
Sep-58	2657.6
Oct-58	2666.1
Nov-58	2659.9
Dec-58	2663.2
Jan-59	2664.4
Feb-59	2664.7
Mar-59	2665.4
Apr-59	2662
May-59	2658.7
Jun-59	2662.5
Jul-59	2657.4
Aug-59	2656.4
Sep-59	2658.7
Oct-59	2661.7

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Nov-59	2660.6
Dec-59	2662.1
Jan-60	2663.2
Feb-60	2664.3
Mar-60	2664.4
Apr-60	2659.9
May-60	2660.4
Jun-60	2658.5
Jul-60	2654.3
Aug-60	2652.7
Sep-60	2654.1
Oct-60	2650.6
Nov-60	2656
Dec-60	2657.1
Jan-61	2658.4
Feb-61	2658.2
Mar-61	2654.3
Apr-61	2655.8
May-61	2653
Jun-61	2651.6
Jul-61	2649.1
Aug-61	2646.6
Sep-61	2650.2
Oct-61	2648.1
Nov-61	2650.9
Dec-61	2649.6
Jan-62	2654
Feb-62	2654.4
Mar-62	2655.2
Apr-62	2652.6
May-62	2653.6
Jun-62	2653.5
Jul-62	2652.2
Aug-62	2650.5
Sep-62	2651.5
Oct-62	2651.9
Nov-62	2653.5
Jan-63	2654.8
Feb-63	2655.3
Mar-63	2650.1
Apr-63	2654.6
May-63	2649.9
Jun-63	2648.3
Jul-63	2647.2
Aug-63	2645
Sep-63	2648.7

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Oct-63	2650.3
Nov-63	2652.1
Dec-63	2653.2
Jan-64	2653.7
Feb-64	2653.3
Mar-64	2650.3
Apr-64	2653.5
May-64	2653
Jun-64	2653.5
Jul-64	2651.5
Aug-64	2649.3
Sep-64	2648.2
Oct-64	2646.5
Dec-64	2652
Jan-65	2652.9
Feb-65	2653.4
Mar-65	2652.4
Apr-65	2650.1
May-65	2652.1
Jun-65	2649.8
Jul-65	2649.7
Aug-65	2648.8
Sep-65	2650.9
Oct-65	2650.8
Nov-65	2651.8
Dec-65	2653
Jan-66	2653.7
Feb-66	2654.6
Mar-66	2654.8
Apr-66	2655.3
May-66	2656.7
Jun-66	2655.2
Jul-66	2654.5
Aug-66	2652
Sep-66	2650.8
Oct-66	2653.9
Nov-66	2656.7
Dec-66	2657.5
Jan-67	2657.8
Feb-67	2657.2
Mar-67	2658.2
Apr-67	2659.3
May-67	2659.3
Jun-67	2658.6
Jul-67	2657.1
Aug-67	2656.3

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Sep-67	2659
Oct-67	2659.5
Nov-67	2661
Jan-68	2662.1
Feb-68	2662.6
Mar-68	2662.7
Apr-68	2662.7
May-68	2662.4
Jun-68	2661.8
Jul-68	2660.2
Aug-68	2657.2
Sep-68	2658.9
Oct-68	2653.5
Nov-68	2658.1
Dec-68	2659.6
Feb-69	2660.9
Mar-69	2661
Apr-69	2660
May-69	2659.8
Jun-69	2658.6
Jul-69	2660
Aug-69	2659.6
Sep-69	2660.2
Oct-69	2660
Nov-69	2663.6
Dec-69	2664.8
Jan-70	2665.1
Feb-70	2665.2
Mar-70	2665.4
Apr-70	2665.9
May-70	2660.2
Jun-70	2657.8
Jul-70	2662
Aug-70	2660.2
Sep-70	2660.1
Oct-70	2660.3
Nov-70	2663
Dec-70	2664.1
Jan-71	2662.2
Feb-71	2664.1
Mar-71	2663.7
Apr-71	2660.4
May-71	2660.2
Jun-71	2660.1
Jul-71	2659.9
Aug-71	2657.5

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Sep-71	2658.6
Oct-71	2660
Nov-71	2661.1
Dec-71	2660.8
Jan-72	2661.8
Feb-72	2661.2
Mar-72	2661.6
Apr-72	2660.7
May-72	2659.3
Jun-72	2659.6
Jul-72	2657.3
Aug-72	2657.3
Sep-72	2657.5
Oct-72	2657
Nov-72	2658.3
Dec-72	2659.9
Jan-73	2657.5
Feb-73	2658.7
Mar-73	2659.9
Apr-73	2658.5
May-73	2656.4
Jun-73	2655.8
Jul-73	2654
Aug-73	2653.4
Sep-73	2653.9
Oct-73	2655.1
Nov-73	2656.7
Dec-73	2657.2
Feb-74	2658.2
Mar-74	2657.5
Apr-74	2657
May-74	2654.9
Jun-74	2652.9
Jul-74	2650.7
Aug-74	2651.6
Sep-74	2654.3
Oct-74	2656.5
Nov-74	2657.2
Dec-74	2657.1
Jan-75	2658.6
Feb-75	2659.1
Apr-75	2659.3
May-75	2657.2
Jun-75	2655.8
Jul-75	2655.6
Sep-75	2655.3

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Oct-75	2655.2
Nov-75	2658.1
Dec-75	2657.2
Jan-76	2656.9
Feb-76	2658.3
Mar-76	2658.5
Apr-76	2657.7
May-76	2657.1
Jun-76	2655.7
Jul-76	2655.5
Aug-76	2654.1
Sep-76	2655.7
Oct-76	2657.3
Nov-76	2657.2
Dec-76	2658.9
Jan-77	2659.4
Feb-77	2659.5
Mar-77	2659.3
Apr-77	2659
May-77	2659
Jun-77	2657.4
Jul-77	2659.3
Aug-77	2657.3
Sep-77	2656.9
Oct-77	2657.6
Nov-77	2658.2
Dec-77	2659.3
Jan-78	2659.3
Feb-78	2660
Mar-78	2660.1
Apr-78	2660.3
May-78	2658.3
Jun-78	2658.3
Jul-78	2656.9
Aug-78	2656.2
Sep-78	2658.8
Oct-78	2659.3
Jan-79	2661.8
Mar-79	2663.5
Apr-79	2664.4
Jun-79	2660
Sep-79	2658.8
Jan-80	2660.3
May-80	2667.4
Jun-80	2667.8
Jul-80	2668.4

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Aug-80	2668.6
Sep-80	2670.4
Oct-80	2671.2
Nov-80	2671.6
Dec-80	2672.2
Jan-81	2672.6
Feb-81	2672.7
Apr-81	2672.6
May-81	2671.4
Jun-81	2671.2
Jul-81	2670.2
Aug-81	2667.4
Sep-81	2666.4
Oct-81	2669.3
Nov-81	2658.5
Dec-81	2670
Jan-82	2670.1
Feb-82	2669.9
Mar-82	2670.1
Apr-82	2669.1
May-82	2668.8
Jun-82	2668.2
Jul-82	2668.5
Aug-82	2668.2
Sep-82	2668.8
Oct-82	2668.3
Nov-82	2669.2
Dec-82	2669.3
Jan-83	2669.6
Feb-83	2669.6
Apr-83	2670
May-83	2669.7
Jun-83	2670
Jul-83	2670.2
Aug-83	2671.6
Sep-83	2672
Oct-83	2673.4
Nov-83	2673.8
Dec-83	2674.4
Jan-84	2674.7
Feb-84	2675.2
Mar-84	2675.2
Apr-84	2675
May-84	2674.4
Jun-84	2666.3
Jul-84	2665.8

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Aug-84	2666.4
Sep-84	2670.7
Oct-84	2671.5
Nov-84	2672.7
Dec-84	2673.1
Jan-85	2670.9
Feb-85	2671.5
Jun-85	2664.1
Jul-85	2666.9
Aug-85	2666.1
Sep-85	2669.2
Oct-85	2669.5
Nov-85	2669.4
Dec-85	2669.5
Jan-86	2668.8
Feb-86	2669.4
Mar-86	2669.8
Apr-86	2666.3
May-86	2669.3
Jun-86	2668.9
Jul-86	2665.1
Aug-86	2663
Sep-86	2668
Oct-86	2658.9
Mar-87	2667.5
Apr-87	2659.1
Sep-87	2667
Oct-87	2666.8
Nov-87	2662.8
Dec-87	2670.3
Jan-88	2667.5
Feb-88	2667
Mar-88	2665.9
May-88	2665.3
Jun-88	2665.3
Aug-88	2662.9
Sep-88	2664
Oct-88	2661.3
Jan-89	2661.6
Feb-89	2650.3
Mar-89	2665.8
Apr-89	2666.3
May-89	2665.5
Jun-89	2665.3
Aug-89	2663.3
Sep-89	2665.3

WATER CONSERVATION – SUMMARY – GROUND WATER
--

GROUND WATER FLUCTUATION:**Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Oct-89	2661.3
Dec-89	2665.2
Jan-90	2661.2
Mar-90	2665.8
Apr-90	2665
May-90	2665
Jun-90	2665.6
Jul-90	2660.5
Oct-90	2665
Dec-90	2663
Mar-91	2663
Apr-91	2663
May-91	2665
Jun-91	2663
Jul-91	2661
Aug-91	2662
Sep-91	2663
Oct-91	2663
Nov-91	2661
Dec-91	2661
Jan-92	2661
Feb-92	2662
Mar-92	2662
Apr-92	2660
May-92	2660
Jun-92	2659
Jul-92	2661
Aug-92	2661
Sep-92	2661
Oct-92	2663
Nov-92	2663
Dec-92	2663
Feb-93	2663
Mar-93	2665
May-93	2665
Jun-93	2674
Jul-93	2667
Aug-93	2667
Sep-93	2670
Oct-93	2671
Nov-93	2671
Dec-93	2669
Jan-94	2669
Mar-94	2673
May-94	2670
Jul-94	2668

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Little Rock, South of Palmdale****Ground Surface Elevation: 2777.0 ft above MSL**

STATION	8825
	WS Elev.
Aug-94	2671
Sep-94	2673
Jan-95	2667
Feb-95	2667
Mar-95	2670
Apr-95	2670
Jun-95	2670
Jul-95	2669
Aug-95	2667
Oct-95	2666
Dec-95	2671
Jan-96	2665
Feb-96	2666
Mar-96	2667
Apr-96	2667
Apr-97	2662
Oct-97	2661
Dec-98	2663
Feb-99	2665
Nov-99	2663
Jun-00	2664

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Antelope Valley, South of Lancaster****Ground Surface Elevation: 2512 ft above MSL**

STATION	9962 C	9962 B	9962 D	9974
	WS Elev.	WS Elev.	WS Elev.	WS Elev.
Apr-61	2236.8			
May-61	2237.4			
Jun-61	2235.8			
Jul-61	2232			
Aug-61	2233.3			
Sep-61	2231.6			
Oct-61	2231.7			
Nov-61	2233.4			
Dec-61	2233.5			
Jan-62	2237.1			
Feb-62	2237			
Mar-62	2237.8			
Apr-62	2235.9			
May-62	2233.2			
Jun-62	2231.1			
Jul-62	2229.4			
Aug-62	2227.4			
Sep-62	2226			
Oct-62	2226.5			
Nov-62	2229.7			
Jan-63	2231			
Feb-63	2230.4			
Mar-63	2229.8			
Apr-63	2230.1			
May-63	2227.3			
Jun-63	2225.9			
Jul-63	2223.9			
Aug-63	2221.7			
Sep-63	2221.2			
Oct-63	2222.5			
Nov-63	2224.8			
Dec-63	2225.8			
Jan-64	2225.6			
Feb-64	2227			
Mar-64	2227.4			
Apr-64	2226.4			
May-64	2224.3			
Jun-64	2221.5			
Jul-64	2217.6			
Aug-64	2216.1			
Sep-64	2216.2			
Oct-64	2216.3			
Nov-64	2218.9			
Jan-65	2221.2			
Feb-65	2220.1			
Mar-65	2219.5			

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Antelope Valley, South of Lancaster****Ground Surface Elevation: 2512 ft above MSL**

STATION	9962 C	9962 B	9962 D	9974
	WS Elev.	WS Elev.	WS Elev.	WS Elev.
Apr-65	2220.6			
May-65	2218			
Jun-65	2215.4			
Jul-65	2211.6			
Aug-65	2210			
Sep-65	2210.7			
Oct-65	2210			
Nov-65	2212.2			
Dec-65	2215.1			
Jan-66	2215.8			
Feb-66	2217			
Mar-66	2214.7			
Apr-66	2213.3			
May-66	2210.9			
Jun-66	2209.2			
Jul-66	2206.9			
Aug-66	2205.6			
Oct-66	2207.6			
Dec-66	2211.1			
May-67	2198.4			
Aug-67	2208.4			
Oct-67	2203.4			
Nov-67	2204.3			
Dec-67	2206.4			
Jan-68	2207.5			
Feb-68	2207.4			
Mar-68	2206.8			
Apr-68	2205.2			
May-68	2203.7			
Jun-68	2202.2			
Jul-68	2200.5			
Aug-68	2199.7			
Sep-68	2199.6			
Oct-68	2200.3			
Nov-68	2199.4			
Dec-68	2194.6			
Feb-69	2197.7			
Mar-69	2201.6			
Apr-69	2203.2			
May-69	2201.2			
Jun-69	2200.3			
Jul-69	2198.9			
Aug-69	2197			
Sep-69	2198.5			
Oct-69	2197.9			
Nov-69	2198.2			

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Antelope Valley, South of Lancaster****Ground Surface Elevation: 2512 ft above MSL**

STATION	9962 C	9962 B	9962 D	9974
	WS Elev.	WS Elev.	WS Elev.	WS Elev.
Dec-69	2200.3			
Jan-70	2200.8			
Feb-70	2200.9			
Mar-70	2201.1			
Apr-70	2199.5			
May-70	2199.1			
Jun-70	2197.2			
Jul-70	2195.2			
Aug-70	2195			
Sep-70	2194.2			
Oct-70	2194.5			
Nov-70	2195.3			
Dec-70	2191.7			
Jan-71	2196.6			
Feb-71	2197.7			
Mar-71	2197.1			
Apr-71	2195.6			
May-71	2192.9			
Jun-71	2192.2			
Jul-71	2190.6			
Aug-71	2189.5			
Sep-71	2188.8			
Oct-71	2188.8			
Nov-71	2189.6			
Dec-71	2189.6			
Jan-72	2190.9			
Feb-72	2191			
Mar-72	2190.6			
Apr-72	2189.2			
May-72	2187			
Jun-72	2187.8			
Jul-72	2185.6			
Aug-72	2184.4			
Sep-72	2184.2			
Oct-72	2184.6			
Nov-72	2185.4			
Dec-72	2187.2			
Jan-73	2188.1			
Feb-73	2188.6			
Mar-73	2189.3			
Apr-73		2187		
May-73		2182.4		
Jun-73		2183.9		
Jul-73		2182.5		
Aug-73		2180.3		
Sep-73		2178.6		

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Antelope Valley, South of Lancaster****Ground Surface Elevation: 2512 ft above MSL**

STATION	9962 C	9962 B	9962 D	9974
	WS Elev.	WS Elev.	WS Elev.	WS Elev.
Oct-73		2178.7		
Nov-73		2180.4		
Dec-73		2181.3		
Jan-74		2182.1		
Feb-74		2183.2		
Mar-74		2182.2		
Apr-74		2181.4		
May-74		2180.5		
Jun-74		2178.3		
Jul-74		2176.2		
Aug-74		2169.3		
Sep-74		2174.6		
Nov-74		2168	2176.9	
Dec-74			2177.1	
Jan-75			2177.6	
Feb-75			2177.7	
Mar-75			2177.6	
Apr-75			2176	2180
May-75			2176.3	2179
Jun-75			2174.9	
Jul-75			2174.4	
Aug-75			2173	2171.5
Sep-75			2172.4	2172.3
Oct-75			2172	
Nov-75			2169.2	
Dec-75			2168.7	2159
Jan-76			2168.7	2173.4
Feb-76			2173	2171
Mar-76				2161
Apr-76			2172	
May-76			2167.3	2170.8
Jun-76			2170.9	2168.5
Jul-76			2169.8	2169.5
Aug-76			2169.4	2166
Sep-76			2168.9	2165.1
Oct-76			2168.9	2167.2
Nov-76			2168.8	2168.5
Dec-76			2169.9	2168.2
Jan-77			2170.2	2170.2
Feb-77			2170	2170.1
Mar-77			2170	2169.5
May-77			2169	2167
Jun-77			2168.7	2166
Jul-77			2167.7	2164
Aug-77			2163.7	2163.2
Sep-77			2162	2162.5

WATER CONSERVATION – SUMMARY – GROUND WATER

GROUND WATER FLUCTUATION:**Location: Antelope Valley, South of Lancaster****Ground Surface Elevation: 2512 ft above MSL**

STATION	9962 C	9962 B	9962 D	9974
	WS Elev.	WS Elev.	WS Elev.	WS Elev.
Oct-77			2161	2162.6
Nov-77				2164.6
Dec-77				2164.3
Jan-78				2164.1
Feb-78				2165
Mar-78				2165.1
Apr-78				2165.1
May-78				2165
Jun-78				2161.8
Jul-78				2161.7
Aug-78				2160.9
Sep-78				2161.9
Oct-78				2161.5
Jan-79				2164.5
Mar-79				2165.1
Apr-79				2164.3
Jun-79				2161.4
Sep-79				2159.6
Mar-80				2162.9
Jun-80				2160.8
Sep-80				2158.7
Oct-80				2158.4
Nov-80				2159.3
Dec-80				2157.1
Jan-81				2156
Feb-81				2154.4
Apr-81				2160.7
May-81				2156.8
Jun-81				2151.2
Jul-81				2149.6
Aug-81				2152.3
Sep-81				2157.1
Oct-81				2158
Nov-81				2158.6
Dec-81				2159
Jan-82				2159.3
Feb-82				2158.3
Mar-82				2158.2
Apr-82				2154.7
May-82				2157.1
Jun-82				2153.7
Jul-82				2154.1
Aug-82				2146.8
Sep-82				2153
Nov-82				2152.6
Dec-82				2154.7

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Antelope Valley, South of Lancaster****Ground Surface Elevation: 2512 ft above MSL**

STATION	9962 C	9962 B	9962 D	9974
	WS Elev.	WS Elev.	WS Elev.	WS Elev.
Jan-83				2153.8
Feb-83				2157
Apr-83				2156
May-83				2153.1
Jul-83				2145.1
Aug-83				2150.8
Sep-83				2150.4
Oct-83				2151.3
Nov-83				2151.5
Jan-84				2152.1
Feb-84				2151.4
Apr-84				2150.2
Jul-84				2147.7
Aug-84				2147.4
Sep-84				2147.6
Oct-84				2147
Nov-84				2147.3
Jan-85				2146.7
Feb-85				2149.1
Jun-85				2146.8
Jul-85				2144.9
Sep-85				2146
Oct-85				2146.2
Nov-85				2147
Jan-86				2146.9
Feb-86				2149
Mar-86				2147.7
Apr-86				2147.8
May-86				2146.7
Jun-86				2144.7
Aug-86				2144.1
Sep-86				2143
Oct-86				2142.4
Feb-87				2146.5
Mar-87				2146.3
Apr-87				2144
Mar-90				2144
Apr-90				2145
May-90				2148
Jun-90				2148
Jul-90				2148
Aug-90				2147
Oct-90				2149
Dec-90				2145
Apr-91				2149
May-91				2145

WATER CONSERVATION – SUMMARY – GROUND WATER**GROUND WATER FLUCTUATION:****Location: Antelope Valley, South of Lancaster****Ground Surface Elevation: 2512 ft above MSL**

STATION	9962 C	9962 B	9962 D	9974
	WS Elev.	WS Elev.	WS Elev.	WS Elev.
Jun-91				2149
Jul-91				2137
Aug-91				2151
Sep-91				2153
Oct-91				2147
Nov-91				2149
Jan-92				2137
Feb-92				2147
Mar-92				2147
Apr-92				2142
Jun-92				2145
Jul-92				2145
Aug-92				2149
Oct-92				2147
Nov-92				2145
Dec-92				2146
Jan-93				2146
Feb-93				2147
Mar-93				2153
May-93				2147
Jun-93				2151
Jul-93				2147
Aug-93				2147
Sep-93				2149
Oct-93				2149
Nov-93				2149
Dec-93				2149
Jan-94				2147
Mar-94				2149
May-94				2147
Jul-94				2147
Aug-94				2149
Sep-94				2146
Feb-95				2145
Mar-95				2149
Apr-95				2149
Jun-95				2148
Jul-95				2151
Oct-97				2253
Dec-98				2278
Apr-99				2281
Nov-99				2263
Jun-00				2258
Dec-00				2275

CUSTODIAN:

Unpublished information may be obtained by contacting:

County of Los Angeles
Department of Public Works
Water Resources Division
P.O. Box 1460
Alhambra, CA 91802-1460

...or telephone: (626) 458-6120